

LIST OF TABLES

	Page	Table No.
Application Temperatures (Bituminous Materials)	702-2	702-I
Approximate Quantities per Square Yard (Bituminous Macadam Pavement)	402-3	402-I
Approximate Quantities Per Square Yard (Penetration Macadam Pavement)	406-3	406-I
Bar Designation, Weight and Area (Reinforcing Steel)	602-12	602-III
Bolt and Nut Dimensions (High-Strength Bolts)	713-4	713-I
Coarse Aggregate Grading Requirements (Coarse Aggregate for Portland Cement)	703-4	703-II
Composition Limits (Aluminum Bridge Railing)	710-6	710-II
Concrete Pavement Deficiency (Portland Cement Concrete Pavement)	411-25	411-I
Design of Concrete (Structural Concrete)	601-2	601-I
Dimensions of Vitrified Clay Pipe (Vitrified Clay Pipe and Fittings for Sewer System)	706-6	706-I
Ductile Iron Pipe Dimensions (Ductile Iron Pipe)	707-2	707-I
Extra Strength Pipe Minimum Test Loads (Vitrified Clay Pipe and Fittings for Sewer System)	706-9	706-III
(Dry Trench Condition) Extruded Rope Size (Culverts and Storm Drains)	603-7	603-I
(Wet Trench Condition) Extruded Rope Size (Double Head Application) (Culverts and Storm Drains)	603-7	603-II
Fine Aggregate Grading Requirements (Fine Aggregate for Concrete)	703-1	703-I
For Traffic Control Plan (Traffic Control Devices)	645-2	645-I

	Page	Table No.
Gates (3 feet to 6 feet Height) (Fences)	607-5	607-II
Glass Sphere (White and Yellow Traffic Paint)	708-9	708-II
Gradation (Blending Sand)	703-15	703-VIII
Grading Composition (Aggregate for Hot Plant Mix Bituminous Pavement)	703-9	703-V
Grading Requirements (Aggregate for Untreated Base)	703-7	703-IV
Grading Requirements (Aggregate for Waterbound Macadam Base)	703-6	703-III
Grading Requirements (Filter Material)	703-14	703-VI
Grading Requirements (Structure Backfill Material)	703-14	703-VII
Installation Tension and Turn Test Tension (High-Strength Bolts)	713-8	713-III
Insulation Resistance (Roadway Lighting System)	622-7	622-I
Job Mix Formula Design Criteria (Asphalt Concrete Pavement)	401-3	401-IIIA
Job Mix Formula Design Criteria (Plant Mix Glassphalt Concrete Base Course)	312-2	312-1A
Length of Lapped Splices (Reinforcing Steel)	602-3	602-I
Limits of Bituminous Binder Content (Asphalt Concrete Pavement)	401-2	401-II
Mechanical Properties Casting Tension Flange (Aluminum Bridge Railing)	710-6	710-III
Minimum Air Test Time for Various Pipe Sizes (Sewer System)	625-11	625-II
Minimum Percent Voids in Mineral Aggregates (Asphalt Concrete Pavement)	401-3	401-IIIB

	Page	Table No.
Minimum Percent Voids in Mineral Aggregates (Plant Mix Glassphalt Concrete Base Course)	312-2	312-1B
Minimum Pile Hammer Requirements (Piling)	505-11	505-II
Pipe Dimension (PVC Pipe for Sewer System)	706-11	706-IV
Post Dimension and Weight (Chain Link Fence)	710-2	710-I
Quantities Per Square Yard (Bituminous Surface Treatment)	410-2	410-I
Quantities Per Square Yard (Seal Coat)	409-2	409-I
Radiographic Acceptance Standards (Aluminum Bridge Railing)	710-8	710-IV
Range of Tolerances for Job-Mix Formula (Asphalt Concrete Pavement)	401-2	401-I
Range of Tolerances for Job-Mix Formula (Open-Graded Plant Mix Seal)	403-4	403-I
Removal of Falsework and Forms (Concrete Structures)	503-7	503-I
Schedule of Chain Link Fence Posts (Fences)	607-3	607-I
Schedule of Liquidated Damages (Prosecution and Progress)	108-9	108-I
Slump for Concrete (Structural Concrete)	601-14	601-II
Sodium Bentonite or Attapulgite in Fresh Water (Drilled Shafts)	511-11	511-I
Square Tube Post Tolerance (Sign Posts)	713-14	713-IV
Temporary Pavement Markings (Pavement Markings)	629-3	629-I
Test Solutions (PVC Pipe for Sewer System)	706-15	706-V

	Page	Table No.
Testing Time for Hydrostatic Test (Vitrified Clay Pipe and Fittings for Sewer System)	706-9	706-II
Traffic Paint Composition (White and Yellow Traffic Paint)	708-5	708-I
Trench Widths for Sewer System (Sewer System)	625-2	625-I
Trench Widths for Water System (Water System)	624-4	624-I
Type of Pile Stress (Piling)	505-9	505-I
Void Limits (Reinforcing Steel)	602-11	602-II
Washer Dimensions (High-Strength Bolts)	713-5	713-II

DOT-H 2001 (r7/94)