INDEX

Refer to the page numbers listed for primary information related to the subjects/topics below. These subjects also may be addressed secondarily on other pages of the toolbox.

access to transit: Toolbox Section 6 access management 2-11 to 2-13 accessible building entrances 3-31 to 3-33 accessible pedestrian signals (APS) 3-20 to 3-27 accessible routes of travel 3-31 to 3-34 accessibility: Toolbox Section 3

clear travel area at intersections 5-33 clearances 3-10 cross slopes 3-12 crosswalks 3-12 curb ramps (sidewalk) 3-14 to 3-16 driveways, across 3-29 eliminating barriers and obstacles 3-10 medians/refuge islands 3-13 passing areas 3-11

program requirements 3-6

shared use paths: Toolbox Section 7

sidewalks and curb ramps 3-14, 3-32 to

project planning 3-1

3-34

3-27 to 3-29 surfacing treatments 3-17 to 3-19 textural and visual cues 3-17 to 3-19 (shared use paths) trails and pathways widths and clearances 3-10 advance warning signs: in school zones; prior to school bus stops prior to intersections and mid-block advisory group/reviewers 10-25 aids to pedestrians:

older pedestrians G-11, 3-5 people with disabilities: G-13, 3-5 Americans with Disabilities Act (ADA) (also see accessibility): Toolbox Section 3 APS integrated push buttons 3-20 to 3-27 artwork, public art 9-14 barriers and obstacles (eliminating them) G-4, 3-10 beach access 7-22 to 7-24 bicycle facilities 2-19 to 2-21 bicycle lanes (as separation) 2-8

crossings 5-32 to 5-33

signing and other communication aids

7-5 to 7-6

8-13

bicycle parking 2-21 bicycles on sidewalks 4-23 bicycle-friendly design 9-17 bicycle use adjacent to and within pedestrian realm 4-32 to 4-35 boardwalks 7-23 bollards 4-30, 7-14 bridges (see overpasses and bridges) building frontage zone (of sidewalk) 4-17 building location and design bus shelters, bus stops/zones (see transit stops) classifications (roadways/streets) 2-2 clear zone requirements 4-14 climate change P-7 colored paving (colored/textured) 7-11 complete streets 2-2 concrete barriers 4-35 connectivity 1-8, 1-14 context/setting 1-2, 1-5 to 1-7, 4-3 covered walkways in work zones 11-2 crashes/collisions/accidents P-5, G-6 to G-8, common characteristics of G-8

common types of collisions involving children (aged K-6) P-5 fatalities (based on speed of vehicle) G-7

pedestrian injuries and deaths at impact lighting at intersection 5-16 areas 8-12 to 8-13 speeds 8-15 cul-de-sac street closures 2-17, 8-4, 9-15 to 9-17 lighting at mid-block 2-28 marked crosswalks at mid-block 5-31 statistics for children, older adults P-5 curbing 4-35 to 4-37 curb and gutter/vertical curb 4-36 cross slopes 3-12 medians and center refuge islands at crossing distance (reducing/minimizing) 5-2, extruded curbing (strongly discouraged) markings 5-29 to 5-31 5-17 mid-block crossings 5-26 to 6-33 4-36 rolled curbing (strongly discouraged) at intersections (crossing distance overpasses and bridges 5-36 to 5-38 related to speed and time) 5-2, 5-9 portable pedestrian flags at 5-42 to 5-43 4-36 curb extensions/bulb-outs (chokers, neck-downs) curb bulb-outs/extensions 2-10, 5-17 to raised mid-block crossings 5-31 5-19 5-17 to 5-19 signing 5-31 to 5-33 medians and center refuge islands 5-19 underpasses and tunnels 5-37 as traffic calming tools 5-17 to 5-19 right-turn channelization/refuge crosswalks: Toolbox Section 5, I-3, G-7, 1-3, 3-12 at intersections 5-17 to 5-19 curb radius reduction/shortening 5-24 island (slip lane) 5-20 to 5-23 to 3-13 curb ramps (sidewalk curb ramps) 3-14 to 3-16 skewed and multiple intersections 5-17 accessibility of 3-12 curb return radius shortening 5-22 to at signalized locations 5-2, 5-6 to 5-16 curb ramps at intersections 3-14, 5-6 5-24 closures of during construction 11-3 dependence on fossil fuels P-6 detectable warning strips 3-17 to 3-19 crossing quards/student patrols at crossings determining the need for 5-2 diagonal diverters (traffic calming device) 2-16 8-16 to 8-18 dimensions of 5-2, 5-4 crossings (also see crosswalks): maintenance of 11-7 dimensions of boardwalks 7-23 accessible facilities 7-7, 7-9 marked, at mid-block crossings 5-26 building frontage zone (of sidewalk) 4-17 determining the need for crossing marked crosswalks vs. unmarked 5-2 markings/striping 5-2 to 5-6 crosswalks 3-12, 5-2, 5-4 improvements at intersections 5-2 curb radii 5-22, 5-25 fencing, barriers, signs, landscaping, etc. rumble strips 5-5 signization 5-6 to 5-15 curb ramps (sidewalk) 3-15 to channelize pedestrians 5-33, 5-41 handrails 3-8, 3-33, 3-34 flashing beacons at mid-block 5-28, 5-41 types of 5-6 to 5-42 stop bars, advance stop bars 5-4 to 5-5 medians and refuge islands 3-13 to 3-14, stop-controlled crosswalks in school

5-29

grade separated crossings 5-36 to 5-37

	on-street parking setbacks 2-10	access management and driveways 9-10	evaluation 10-1, 10-28
	parking overhangs 2-10	considerations related to accessibility	extension zone 4-21
	passing, waiting and resting areas 3-11	3-29, 3-30	extruded curb/curbing 4-36
	pavement cross sections for trails 7-10	wide planting areas, at 9-10, 9-12	fatalities (for pedestrians, based on vehicle speeds
	pedestrian through zone 4-18	driveway design comparisons 9-10	P-3, P-5, G6 to G-7
	planting buffers/planting zones 4-18,	dual turning movements at intersections 5-35	fixtures/planting zone (see furnishings zone)
	4-21, 4-23	edge, curb zone 4-21	fencing, barriers, signs, landscaping to
	railings 4-39	edge/separation treatments:	channelize pedestrians at mid-block crossings
	school bus stops 8-7 to 8-10	bicycle lanes as separation 2-8	5-33, 5-41
	separation between road and	concrete (New Jersey) barriers 4-35	flashing beacons:
	shared use pathway 7-9	curb and gutter/vertical curb 4-36	mid-block locations, at 5-28, 5-41
	sidewalks and walkways: Toolbox	discourage edge treatment 4-36	to 5-42
	Section 4	ditches/swales as separation 4-15	school crossings, at 8-6
	shoulders 4-12 to 4-13, 7-11	education 10-1, 10-2	forecasting pedestrian use/travel G-6
	spatial dimensions of pedestrians G-8 to	educational training; outreach tools and	forced turns and partial diverters (traffic
	G-10, 3-4	strategies 10-12	calming devices) 2-16
	speed humps 2-17, 5-32	effective turning radius 5-25 to 5-26	full street closure (as a traffic calming technique)
	street crossing distance G-4	encouragement 10-1, 10-24	2-17
	stairway/steps treads and risers 9-12 to	media campaigns 10-24	furnishings zone 4-19 to 4-21
	9-13	other tools and strategies 10-25	gradients/grades (cross slope and longitudinal)
	traffic circles 2-15	enforcement, 10-1, 10-12	4-23
	shared use paths Toolbox Section 7	targeted behaviors 10-12	grade separation/grade separated crossings
	transit stops Toolbox Section 9	enforcement campaigns and programs	5-35 to 5-37
	underpasses 5-37	10-12 to 10-24	determining the need for 5-36
ditch	es/swales (as separation treatments) 4-16	engineering: Toolbox Sections 2 through 9,	green streets 2-5, 2-6
drair	age grates/utility covers 4-24	10-15	greenhouse gas emissions P-7
drive	ways/driveway design:	equity 10-1, 10-29	handrails 3-8, 3-33 to 3-34

health crisis P-4, -20	minimizing crossing distances 5-17 to	meandering sidewalks and walkways 4-28
highways as "main streets" 1-21, 4-11	5-26	medians and refuge islands:
historic and scenic highway 4-15	minimizing pedestrian/motor vehicle	design guidelines for 5-29
horizontal clearance 4-23, 4-24	conflicts at 5-33	intersections, at 5-19 to 5-22
how-to guides 10-5	shared use paths 7-14 to 7-16, 7-25	mid-block crossings, at 5-29 to 4-31
innovative techniques:	right-turn lanes/slip lanes 5-20 to 5-22	traffic calming benefits of 2-17
portable pedestrian flags 5-42	signals/signalization 5-6 to 5-15	mid-block crossings 5-26 to 5-33
PUFFIN and PELICON devices 5-41 to	signs related to pedestrian crossings at	advanced warning and pedestrian signs
5-42	stop bars, advance stop bars, at 5-4	5-32
soft sandwich signs 5-40	to 5-5	crossing signs, at 5-28
interchanges (freeway) and expressway ramps	ladder bar crosswalk markings 5-2 to 5-4	design of 5-27 to 5-29
5-35 to 5-36	landings 9-13	determining the need for 5-26 to 5-27
intersections and crossings: Toolbox Section 5	lighting (see also street lighting)	fencing, barriers, signs, landscaping,
basic principles of intersection design to	accessibility requirements 3-34	sidewalk ramps to channelize
accommodate pedestrians 5-1 to	along streets sidewalks 2-26 to 2-29	pedestrians at 5-33
5-2	district/neighborhood identity 2-28	flashing beacons at 5-28, 5-41
crosswalk dimensions 5-2	intersections, at 2-2, 5-16 to 5-17	to 5-42, 8-6
crosswalk markings, at 5-3 to 5.5	mid-block crossings, at 2-28	marked crosswalks at 5-28
curb bulb-outs and extensions 5-17 to	along shared use paths 7-26	medians and refuge islands at 5-28 to
5-19	livability P-1	5-31
curb ramps, at 5-6	longitudal grades 3-7	on-street parking setbacks 5-34
curb return radius 5-22 to 5-26	maintenance: Toolbox Section 11	pedestrian actuated signals at 5-32
effects of pedestrian improvements on	in school zones 8-19	PUFFIN and PELICON devices at 5-41 to
vehicle capacity at 5-43	in work zones 11-1	5-42
grade separation 5-35 to 5-37	of shared use paths 7-26	raised crossings, at 5-31
lighting at 2-2, 5-16	of sidewalks and walkways 4-40	signals/signalization/signing 5-31 to 5-33
medians and center refuge islands 5-19	marked crosswalks (see crosswalks)	soft sandwich, at 5-40

speed humps (raised crossings), at 5-31	parking along streets (as buffer for pedestrians)	G-10, 3-4
to 5-32	parking setbacks (on-street) 2-10	pedestrian access routes 3-7
street lighting at mid-block 2-15	park-and-ride facilities (access to) 6-18	pedestrian access to transit (see transit,
visibility and sight distance 5-33	partial street closures/diverters 2-16	pedestrian access to)
where and where not to locate 5-28	partnerships 10-4	
mixed use development 9-4, 9-18 to 9-20	passing, waiting, and resting areas 3-11	pedestrian actuated signals/actuators:
benefits of 9-18 to 9-19	pathways (see shared use paths)	at intersections 5-13
checklist for successful mixed use 9-18	pavement texture and pattern options 4-11	at mid-block 5-13
multiple and skewed intersections (avoiding and	paving and surfacing:	crossing distances, speeds and times 5-9,
reconfiguring) 5-17	color/reflection 4-27	5-13 to 5-14
multi-use paths/trails (see shared use paths)	sidewalks/walkways 4-25 to 4-27	signal timing/WALK signal timing 5-9 to
narrowed streets (traffic calming approach)	shared use paths 7-11	5-12
2-17	thickened-edges along shared use paths 7-24 to	pedestrian advisory and advocacy groups 10-25
needs of pedestrians P-2 to P-7, G-1, G-5, 1-2	7-25	pedestrian characteristics by age group G-9 to
neighborhood gateways (traffic calming approach)	thinking about pedestrians from the start:	G-10
2-18	Toolbox Section 1	pedestrian comforts and support facilities 1-3
neighborhood traffic calming/management	pedestrians P-1 to P-7, G-1 to G-13	pedestrian detectors 5-6 to 5-15
2-15	about pedestrians/characteristics of P-1	pedestrian detours 11-3
New Jersey concrete barriers 4-35	defined P-1	pedestrian facility/facilities G-3, 1-3
older adults G-9 to G-10, 3-5	needs of G-1, G-2	defined 1-3
on demand training 10-5	older adults G-9, G-11	need for G-5
on-site circulation and parking 9-2 to 9-12	younger adults G-10, G-11	phasing of improvements 1-23
one-time instruction 10-4	reasons for travel G-1	project planning 1-22, 3-1
one-way entry/exit (traffic calming device) 2-17	trip lengths G-3	types of G-3
overhead crossings (see overpasses and bridges)	types of trips G-2, G-3	pedestrian flags (portable, hand-carried) 5-42
5-36 to 5-37	with disabilities G-11, G-13, 3-4	to 5-43
overhead signs at crossings 5-31	spatial considerations/needs G-8, G-9,	pedestrian-friendly communities: Toolbox

Section 1	pedestrian signals (see signals/signalized crossings)	adjacent to sidewalks, walkways, and
oedestrian-friendly site design:	5-6 to 5-15, 5-31	shared use paths 4-37
building location and design 9-5	pedestrian through zone 4-18	determining need 4-38
landscaping and furnishings 9-12 to 9-15	pedestrian travel/trips:	dimensions 4-37, 4-39, 4-40
public art 9-14	forecasting use/demand G-6	handrails 3-8, 3-33 to 3-34
retrofitting existing development 9-15	in Hawaii P-2, P-3	public art 7-15
schools and school zones	length of trips G-3 to G-4	sidewalk cafes 3-11
site design/development 9-1 to 9-4	need for P-2	railroad crossings 5-36
site elements 9-5	studies on G-1 to G-13, 1-26	raised crossings/crosswalks 5-31
shopping centers	travel characteristics and types of trips	at mid-block 5-31
pedestrian-friendly site design checklist 9-4	G-1 to G-4	raised pavement markers:
pedestrian-friendly streets: Toolbox Section 2,	walking speeds/travel speeds G-3	prior to intersection crossings 5-5
1-20	pedestrian underpasses, tunnels 5-37	rumble strips 5-5
pedestrian level of service 1-25	permeable surfaces 2-5	ramps (longitudinal) 3-7 to 3-8
pedestrian needs 1-2	planning for pedestrians 1-1, 1-4-26	ramps, stairways, and steps 9-12
needs of children and older adults G-9 to	planning for all transportation modes on sites	reduced curb return radius (to minimize
G-11	9-2	crossing distances at intersections) 5-22 to
spatial needs G-8, G-9,	plazas, pedestrian plazas 3-11, 9-7	5-26
G-10, 3-4	portable, hand-carried pedestrian flags 5-42	recycled materials 4-26
pedestrian-oriented development 1-18, 1-19	public art 9-14	refuge islands:
pedestrian overpasses, bridges 5-36 to 5-37	public awareness campaigns 10-3	as traffic calming tools 2-16 to 2-17
oedestrian realm design checklist 4-17	public safety campaigns 10-4	design guidelines for 5-29
pedestrian realm zones 4-16 to 4-23	public service announcements 10-4	intersections, at 5-20
pedestrian refuge islands 5-19 to 5-21	PUFFIN and PELICON devices at crossings 5-41	mid-block crossings, at 5-29 to 5-31
oedestrian safety:	to 5-42	right-turn channelization lanes (slip lanes
crashes and collisions G-6 to G-7	railings 7-11 to 7-13	5-20 to 5-22
in work zones 11-1 to 11-8	accessibility requirements 4-23	residential traffic management 2-14

visibility at crossings and in/near 8-8 resources, other 1-26, 2-29, 3-35, 4-40, 5-43, safety railing 4-37 to 4-40 sandwich board signs, soft sandwich 5-40 rolled curb (strongly discouraged) 4-36 6-34, 7-27, 8-20, 9-26, 10-31, 11-8 resting areas (along sidewalks and walkways) schools zones/schools; school crossings: shared parking lots 9-9 shared streets, festival streets, play streets 9-24 4-28 crossing guards 8-16 to 8-17 retaining walls (along sidewalks and walkways) crosswalks 8-8 to 9-26 4-38 design around schools 8-5 to 8-7 shared use paths: Toolbox Section 7 accessibility of 3-8, 7-5, 7-6 right-turn channelization lanes (slip lanes) with educational tools/programs 8-18 to 8-19 refuge islands 5-20 to 5-22 elements of good school site design 8-5 across multiple jurisdictions 7-2 rolled curb/curbing (strongly discouraged) 3-19, location of new schools 8-4 beach access 7-21 to 7-27 4-36 bollard design and placement along 7-14 improving student ped. safety 8-3 root barriers 7-16 maintenance in school zones 8-19, 8-20 connections and crossings 7-13, 7-14 crossings/intersections with streets 7-14 roundabouts 5-38 to 5-40 roadside improvements along school 8-6 dimensions (recommended) 7-3, 7-4, 7-7 rural and natural areas 1-21, 4-27 safe routes to 8-9 to 8-10, 8-19, 10-5 to 7-10 safety (see pedestrian safety) schools as community focal points 8-3 safety in work zones 11-1 school bus stop design 8-8 grades, cross slopes and drainage 7-11 considerations for pedestrian safety 11-1 sidewalks and walkways, in 8-6 levels of accessibility on recreational trails covered walkways 11-2 signals and flashing beacons in 8-6 maintenance 7-26 fencing around work zones 11-2 managing motor vehicle access 7-22 signing and marking in 8-13 intersections and crossings near work zones special considerations for children 8-2 multi-use, considerations for 7-5 student drop-off/pick-up zones 8-8 nighttime use 7-26 11-4 maintenance in work zones 11-5, 11-6, traffic calming in/near 8-14 paving and surfacing 7-11 traffic control and crossings in/near 8-12 recreational trails, design guidelines for 11-7, 11-8 protective barriers 11-1 visibility at crossings and in/near 8-8 regional connectivity 7-2 school walk routes 8-9 to 8-11 seasonal use 7-26 sidewalk closure during construction 11-2 procedures for developing 8-9 to 8-10 signage 7-15, 7-17 temporary pedestrian routes around school safety programs 8-9 shoulders, side slopes, and railings along school walk routes map 8-11 7-11 to 7-13 utility coordination 11-4, 11-7

signs/signage/wayfinding 2-21, 2-22, 3-27, 5-15 split-pathway entrance 7-14 pedestrian realm zones 4-17 thickened-edge pavement design 7-24, pedestrian realm design checklist 4-17 to 5-16 7-25 advanced warning signs and pedestrian priorities for pedestrians traveling 4-2 shoulders as walkways 4-11 to 4-16 side slopes, railings and walls along 4-37 5-15 delineation 4-13 sidewalk cooridors 4-16 crossing signs at mid-block 5-31, 5-32 dimensions 4-12 surfacing treatments 4-24 soft sandwich signs 5-40 shared use paths/trails 7-15 use in rural areas 4-12 very low volume streets 4-6 site driveway design 9-10 to 9-24 side slopes, railings, walls 4-37 to 4-40 when and where needed 4-3 sidewalks (and walkways): width/dimensions 4-9, 4-23 sites and corridors used exclusively by buffers/separation 4-11, 4-15 sight distance (also see visibility/visual pedestrians 9-22 clearances 3-10, 4-23 clearance/sight distance) 5-33 to 5-34 six "Es", the 10-1 skewed intersections, avoiding, reconfiguring 5-17 closure during construction 11=2 signals/signalized crossings 5-6 to 5-15 skills practices 10-5 cross slope 3-12 crossing distances, speeds and times 5-9 skywalks and skyways 5-37 to 5-38 curb ramps 3-14 to 3-16 design and location of pedestrian signals defined 4-1 slopes (see cross slopes, grades, and side slopes) 5-14 to 5-15 dimensions (recommended) 4-9, 4-10, determining the need for pedestrian soft sandwich signs at crossings 5-40 spatial needs G-8 to G-10, 3-4 4-23 signals 5-6 special paving 2-18, 4-24 to 4-27, 5-43 grades, cross slope and drainage 4-23 flashing beacons 8-16 in central business districts (CBDs) and mid-block pedestrian actuated signals special pedestrian districts 9-20 speed humps/speed tables (traffic calming): downtowns 4-17 5-31, 5-32 in various settings 4-5 pedestrian actuated signals 5-13 mid-block crossing 5-31, 5-32 location - both sides vs. one side 4-9 raised crosswalk/speed table 9-2 pedestrian signal indications 5-7 to 5-9 reduced injury statistics 2-14 maintenance of 4-40 pedestrian signal timing 5-9 to 5-13 pedestrian hybrid beacon 5-12, 5-13 traffic calming technique 2-15, 2-17 meandering 4-28 need of 4-3 pedestrian indications 5-15 speed watch programs 10-5 passing, waiting and resting areas along push-buttons (actuators/detectors) 5-13 stairs and steps 9-12, 9-13 sidewalks 3-11 signal timing 5-9 to 5-14, 8-16 height between landings 9-13

landing dimensions 9-13	street trees 4-23 ro 4-25	cul-de-sac street closures 2-17
stairway width 9-13	walkability audits 1-12	curb bulb-outs/chokers/neckdowns 2-16
step dimensions 9-13	streetscape furnishings/furniture 2-29, 4-27 to	diagonal diverters 2-16
tread design 9-13	4-31, 9-12 to 9-15	forced turns and partial dividers 2-16
tread to riser ratio 9-13	street lighting 2-26 to 2-29, 3-34	narrower streets/skinny streets 2-17
standards, others to reference H-3, 1-26, 2-29,	along streets/sidewalks 2-26 to 2-29,	one-way entry and exit 2-17
3-35, 4-40, 5-43, 6-34, 7-27, 8-20, 9-26,	3-34	police enforcement 2-18
10-31, 11-8	intersections, at 2-26 to 2-29, 3-34	purpose of 2-13
state highways 10-31,11-8	mid-block, at 2-29, 5-33	residential areas 2-15
stopping distances related to speed/	street trees and landscaping along sidewalks	signs and neighborhood gateways 2-18
pedestrian collisions G-7, 8-15	4-23 to 4-25	special paving 2-18
street design (with the pedestrian in mind; see	student patrols and crossing guards at crossings	speed humps/speed tables 2-17
also pedestrian-friendly streets):	8-16 to 8-18	speed watch programs 2-18
access management and driveway	surfacing treatments:	street trees 2-17
placement/design 2-11	pedestrian access routes 2-8	studies on 2-14
access to transit 9-17 to 9-18	shared use paths 7-11	traffic circles 2-15
bike lanes as separation/buffer 2-8	sidewalks and walkways 4-25 to 4-27	training programs 10-4 to 10-11
driveways 2-12	sustainable streets 2-5	transit, pedestrian access to: Toolbox Section 6
markings, zig-zag and sharks teeth, 5-43	thickened-edge pavement design (along shared	accessibility 6-2
on-street parking as buffer for pedestrians	use paths/trails 7-25	coordination between agencies 6-7
2-7, 2-8	traffic calming 2-13 to 2-18	Hawaii transit services 6-3 to 6-4
on-street parking setback requirements	chicanes 2-15	horizonal and vertical clearances 6-13
2-10	common residential traffic management	importance of 6-1
parking along streets 2-7 to 2-10	program actions 2-14	pedestrian routes to 6-13
shared streets 2-6	common types of traffic calming methods	transit-compatible planning and site
signing and wayfinding 2-21	2-15 to 2-18	design 6-4
street furnishings 2-23, 4-47 to 4-31	control devices 8-20, 11-7	transit-oriented development 6-7

```
transit stop locations 6-9 to 6-12
                                                      walkability audits 1-12
                                                      walkability/walking distances (acceptable) 1-13
transit centers 6-26
transit-compatible design 6-4
                                                         to 1-18
transit-friendly, transit-oriented design 6-7,
                                                      walking incentives 10-25 to 10-26
  9-17
                                                      walking programs and events 10-27
transit stops, transit shelters, and bus pull outs
                                                      walking speeds:
                                                              related to crossing distance/time of crossing
  6-9 to 6-26
       artwork at 6-15
                                                                 5-9
                                                      walkways (see sidewalks and walkways)
       lighting at 6-14 to 6-15
       pedestrian comfort at 6-15
                                                      wayfinding 10-26
                                                      woonerfs 2-6, 2-7
       security at 6-14
                                                      work zones (see safety in work zones)
       locations, near-side, far-side and mid-
          block 6-9
                                                      zig-zag markings 5-43
       signage 6-23 to 6-25
       spacing between stops 6-9
       typical bus stop cross section 6-19
       widened sidewalk bus loading areas 6-18
       vertical clearances along sidewalks/
          walkways 6-13
underpasses and tunnels 5-37
urban areas G-3
visibility/visual clearance/sight distance 5-33 to
  5-34
        at intersections 5-33
       on-street parking restrictions 2-7
walk score 1-12, 1-13, 1-16, 1-17
walkability 1-12, 1-14
```