


# Federal-Aid Functional Classification Update: Policy and Procedures

December 2024



Prepared for:  
State of Hawai'i  
Department of Transportation  
Highways Planning Branch



U.S. Department  
of Transportation  
**Federal Highway  
Administration**

**Hawaii Federal-Aid Division**

June 25, 2025

300 Ala Moana Blvd, Rm 3-229  
Box 50206  
Honolulu, HI 96850  
Phone: (808) 541-2700  
[FHWA-Hawaii.Intake@dot.gov](mailto:FHWA-Hawaii.Intake@dot.gov)

In Reply Refer To:  
HDA-HI

Edwin H. Sniffen  
Director of Transportation for Highways  
Hawaii Department of Transportation  
869 Punchbowl Street  
Honolulu, HI 96813

Subject: 2024 Functional Classification Update

Dear Mr. Sniffen,

Thank you for your letter, HWY-PS 24-2.35182, dated December 13, 2024.

The Federal Highway Administration (FHWA) has reviewed the letter and the proposed functional classification described in the report, as well as the GIS shapefiles received on June 4, 2025.

As a result of our review, we find that the functional classification is consistent with 23 CFR 470.105 and the FHWA's Functional Classification Guidelines. With this approval, the updated functional classification serves as the official record for Federal-aid highways.

If you have any questions, please contact Amy Ford-Wagner at (808) 541-2325 or [amy.ford-wagner@dot.gov](mailto:amy.ford-wagner@dot.gov).

Sincerely,

Digitally signed by  
RICHELLE M TAKARA  
Date: 2025.06.26 08:08:44  
-10'00'

Richelle M. Takara, P.E.  
Division Administrator

Cc: Patrick Tom, Project Manager  
Robin Shishido, HDOT Deputy Director  
Larry Dill, HDOT HWY



# FEDERAL-AID FUNCTIONAL CLASSIFICATION UPDATE

## TABLE OF CONTENTS

<b>Table of Contents</b> .....	<b>ii</b>
<b>Background</b> .....	<b>1</b>
<b>Functional Classifications in Hawai'i</b> .....	<b>3</b>
<b>Functional Classification Update Process</b> .....	<b>3</b>
STEP 1. Review urban boundary analysis results .....	4
STEP 2. Map current functional classifications over adjusted urban boundary maps .....	4
STEP 3. Review current Functional Classification data based on criteria.....	4
STEP 4. Map Traffic generators .....	5
STEP 5. Review areas where land use or travel patterns have changed.....	5
STEP 6. Apply criteria from step 3 .....	6
STEP 7. Develop functional classification justification report .....	6
STEP 8. Concurrence of local governments.....	6
STEP 9. Concurrence and acceptance of HDOT.....	6
STEP 10. Submittal to FHWA Division Office for approval .....	6

### APPENDICES

Appendix A	Highway Functional Classification Concepts, Criteria and Procedures 2023 Edition
Appendix B	Detailed Functional Classification Criteria
Appendix C	Functional Classification Revision Application
Appendix D	Sample Functional Classification Application (with concurrency letters)
Appendix E	Functional Classification Revision Process
Appendix F	Route Numbering Guidelines
Appendix G	Justification of Changes to the Federal-Aid System
Appendix H	Updated System Analysis
Appendix I	Federal-Aid System
Appendix J	Federal-Aid Roadway Functional Classification Maps




## Background

The State of Hawai'i is updating the urban boundary and functional classifications of Statewide highways to reflect changes in population and employment growth and travel patterns that have occurred since the last update in 2012. Since 2012 each county in Hawai'i has experienced substantial changes in population, density, land use boundary amendments, subdivisions, and development. All of these aspects can affect urban boundaries and the functional classification of the highway network, and the Hawai'i Department of Transportation (HDOT) has started a process to re-evaluate and update those designations.

This Functional Classification Update Policy and Procedures memo outlines the procedures for the functional classification update process. A separate memo documenting the procedures for the Urban Boundary update has already been created. The procedures described below are consistent with federal guidance, however, it should be noted that much of the guidance is general, and States have flexibility when determining the criteria for functional classifications changes and updates.

Functional classification is the grouping of streets and highways into classes, or systems, according to the character of service they are intended to provide. All highways in the United States are functionally classified using a common nomenclature, to provide a consistently-defined roadway network across the country. Federal functional classifications are determined by State Departments of Transportation (DOT) (in conjunction with local agencies) based on criteria established by the Federal Highway Administration (FHWA). Functional classification defines the nature of how travel can be channelized within a network in a logical and efficient manner by defining the part that any particular road or street should play in serving the flow of trips through a highway network. FHWA must ultimately approve the classifications. Functional classification is used for planning, design, budgeting, programming and fiscal management.

### CHANNELIZATION OF TRIPS





The federal functional classifications<sup>1</sup> include:

**Principal arterials:**

- Interstate
- Other Freeways and Expressways (OF&E)
- Other Principal Arterials (OPA)

**Other types of roadways:**

- Minor Arterial
- Major Collector
- Minor Collector
- Local

**Federal-aid highway systems** include the National Highway System and the Dwight D. Eisenhower National System of Interstate and Defense Highways (the “Interstate System”)<sup>2</sup>; the Interstate System is a subset of the National Highway System. **Federal-aid highways** include highways on the Federal-aid highway systems and all other public roads **not federally classified as local roads or rural minor collectors**<sup>3</sup>. Federal functional classification determines the eligibility for some FHWA funding categories. Roads functionally classified as local streets or minor collectors (not part of the Federal-aid Highway System) are not normally eligible for Surface Transportation Block Grant Program (STBG) funds.

Federal policy directs State DOTs to establish a classification of roads, based on function, so that roadways can be improved appropriately as funding opportunities arise. Therefore, functional classification is used in determining Federal, State, regional and local priorities for roadway resurfacing or reconstruction.

Although FHWA does not provide specific policy that designates or mandates particular functional service characteristics, examples of characteristics that States commonly use as criteria to distinguish functional classifications can include but are not limited to: traffic volume, mobility and access standards, corridor length, land use, activity centers, through traffic, vehicle speed, and non-motorized access. This Policy and Procedures memo will document the specific criteria that would be applied during the functional classification update process.

---

<sup>1</sup> Per FHWA’s document titled Highway Functional Classification Concepts, Criteria and Procedures 2023 Edition, dated February, 2023, FHWA policy has normalized the concepts of urban boundaries and functional classification to improve consistency. Normalization here means simplifying the functional classification so that a roadway is classified with one meaning while urban/rural is a separate context in which the road is located.

<sup>2</sup> As defined under Title 23, Code of Federal Regulations (CFR), Part 470.103

<sup>3</sup> As defined under Title 23, United States Code (U.S.C.), Section 101(a)(6)



## Functional Classifications in Hawai'i

Currently the functional classification system in Hawai'i is divided into rural and urban designations, and includes interstates (on O'ahu), other freeways and expressways, principal and minor arterials, and major and minor collectors. Hawai'i's existing functional classification system is fairly similar to that of the rest of the United States; however, due to island geography and topography, Hawai'i relies on belt roads around the islands much more than the mainland. This reliance and constrained geography may increase traffic on roadways designated as arterials. Being the primary road, the arterials also serve as collectors and local roads with small roads and driveways connecting directly to the principal arterial. Conversely there may be roads on small islands or in other areas that are isolated from the remaining parts of the State. These roads may not meet the specific criteria for a given classification, but still operate as an arterial or collector. With the 2012 update Hawai'i revised its functional classification system to match the FHWA designations.

With this Functional Classification Update, the federal functional classifications will continue to be used with the designation of urban and rural. The most recent Federal-Aid Urban Boundary shall be used to determine whether the roadway falls under the urban or rural functional classification.

## Functional Classification Update Process

The proposed Functional Classification Update process included here is consistent with FHWA's *Functional Classification Guidelines*, including the *Highway Functional Classification Concepts, Criteria and Procedures 2023 Edition*, which is included as Appendix A. This process will be used for this Functional Classification 2024 update, but it is developed in a way that it could also be used for future revisions, or revision submittals from local jurisdictions such as counties and cities. An application and process for future revisions is described later in this section.

The functional classification update will include the following steps, which are described in greater detail below:

- (1) Review urban boundary analysis results
- (2) Map current functional classifications over adjusted urban boundary maps
- (3) Review current Functional Classification data based on criteria
- (4) Map traffic generators
- (5) Review areas where land use or travel patterns have changed since 2012
- (6) Apply criteria from Step 3 for classification of Arterials, Collectors or Local Roads per Highway Functional Classification Guidelines; and classify network
- (7) Develop functional classification justification report
- (8) Obtain concurrence of local governments where applicable



- (9) Obtain concurrence and acceptance of HDOT
- (10) Submittal to FHWA Division Office for approval

### **STEP 1. Review urban boundary analysis results**

The urban boundary update will be completed in conjunction with the statewide functional classification update. The urban boundary analysis will show areas that have been developed, annexed or modified and could influence functional classification updates. Important aspects of changing urban boundaries to consider are changes in travel patterns or traffic conditions that may have changed based on land use and development, which will be indicated by urban boundary changes.

### **STEP 2. Map current functional classifications over adjusted urban boundary maps**

Mapping the current functional classifications over the adjusted urban boundary maps will give a clear picture of where the urban designations have changed and will illustrate where existing functional classifications may no longer be appropriate.

### **STEP 3. Review current Functional Classification data based on criteria**

The following criteria were used in the 2012 update and are proposed for this functional classification update.

The criteria and explanations are as follows (additional information and criteria are provided in Appendix C):

- *Type and magnitude of travel generators.* Travel generators are facilities that create or attract vehicular traffic. There are a number of generators, and a more detailed description of each type of generator is included in Appendix C:
  - Population Generators - urbanized or urban area, city, or town.
  - Recreational Generators - these are generators used for leisure time and for recreational and cultural purposes.
  - Industrial Generators - primarily manufacturing and material and goods processing.
  - Commercial Generators - central business districts, shopping centers, airports, port and railway, warehousing, and terminals.
  - Governmental Generators - these include military bases, colleges, universities, governmental administrative complexes, and others.



- *Route feasibility and directness of travel.* This should be considered when there are multiple routes between areas. The route that carries more traffic should have a higher designation. Because most State roads on the neighbor islands are the only route available, this criterion is most applicable on O’ahu and in the larger towns.
- *Traffic characteristics and trip length.* Traffic characteristics are associated with trip purpose, obtained from origin-destination studies, or the service the route is intended to provide. Higher classifications are used for longer interstate travel.
- *Spacing between types of functional classes.* In rural areas, spacing of principal and minor arterials is dictated by travel demand, but in urban areas, spacing is less to accommodate traffic flow in the central business district and between the various generator areas in the urban area. In Hawai’i, there are few routes and many roadways have topographic constraints.
- *Continuity of various functional classes.* Principal and minor arterial functional classifications should be continuous unless geographical or topographical constraints dictate otherwise. Urban collectors and rural major collectors should also be continuous, but continuity is not necessary for rural minor collectors.
- *Multiple service capability.* The ability of the roadway to accommodate other modes of transportation on the same facilities without a significant impact on normal traffic flow.
- *Relationships of functional classes to transportation plan(s).* This is appropriate where transportation plans have been developed.
- *Miles and travel classification control values.* Miles by functional class and travel by functional class. This is not meant to restrict travel within an area, but provide parameters. These are reported as percentages of VMT and miles.
- *Access Spacing.* Higher order roadways (arterials, major collectors) place more emphasis on the through movement with more restricted local access, while local roads exist to primarily provide local access instead of through movement.
- *Integration of classifications of adjoining jurisdictions.* Integration ensures that the transportation network makes sense as a whole, instead of being a mosaic of individual classifications that are not connected.

#### **STEP 4. Map traffic generators**

This step includes information gathered in the criteria section above. High origin or destination areas (described in the type and magnitude of travel generators criterion in Step 3 above), and any other known traffic generators such as stadiums, ports, military bases, etc. will be reviewed.

#### **STEP 5. Review areas where land use or travel patterns have changed**

This step requires a review of the travel demand model for trip generator locations, freight route locations, truck percentages, annual average daily traffic (AADT) or peak demand, connectivity, and



trip type. The last update of the functional classification was in 2012, and many land uses have changed since then. This will provide information on where functional classifications may need to be updated. For individual updates after the general Statewide update has been completed, the functional classification justification process will begin with this step and continue with the process as it is described below.

**STEP 6. Apply criteria from step 3**

Review all of the criteria to the specific location or network and determine where changes are warranted.

**STEP 7. Develop functional classification justification report**

Complete the application found in Appendix D, include maps and location information and any data gathered to address criteria in Step 3. Appendix E provides an example of a sample application. As needed, the HDOT will assign a new route number for any additions to the federal-aid system using the route numbering guidelines in Appendix G.

**STEP 8. Obtain concurrence of local governments**

Local counties and/or Metropolitan Planning Organization (MPO) should provide the HDOT with a letter that indicates their concurrence with the justification report. Examples of concurrence letters can be found in Appendix E. Concurrence represents a local jurisdiction's agreement with the proposed change. The City, Counties, Maui MPO, and O'ahu MPO are the only local governments that need to provide concurrence. Concurrence can be reflected by the local jurisdiction's participation in a decennial census update or a local jurisdiction's request for the boundary change.

For the November 2024 update, the HDOT will engage and consult with the Sub-Statewide Transportation Advisory Committee (SubSTAC), which consists of members from the HDOT, Department of Health, Department of Business, Economic Development, and Tourism, Oahu MPO, Maui MPO, FHWA, FAA, City and County of Honolulu, County of Kaua'i, County of Maui, and County of Hawai'i.

*The justification of changes, new road lists, and maps to the federal-aid system will be included in future appendices.*

**STEP 9. Obtain concurrence and acceptance of HDOT**

HDOT is responsible for the Statewide highways in Hawai'i. They must be in concurrence and accept any functional classification update or change proposed by the city, county, Maui MPO, or O'ahu MPO.

**STEP 10. Submittal to FHWA Division Office for approval**

The final application package is submitted by the HDOT to the FHWA Division Office for approval. A flow chart of the application revision process is included in Appendix F.



# **Appendix A**

## **Highway Functional Classification**

### **Concepts, Criteria and Procedures 2023**

#### **Edition**

**FHWA**

---

# **Highway Functional Classification Concepts, Criteria and Procedures 2023 Edition**

February 2023



**U.S. Department of Transportation  
Federal Highway Administration**

## TABLE OF CONTENTS

Section 1. Introduction.....	1
1.1 Overview .....	2
Section 2. Concepts.....	4
2.1 Introduction.....	4
2.2 Functional Classification Concepts.....	4
2.2.1 Access versus Mobility .....	4
2.3 Other Important Factors Related to Functional Classification.....	7
2.4 System Continuity .....	11
Section 3. Criteria.....	14
3.1 Definitions and Characteristics.....	14
3.1.1 Interstates.....	14
3.1.2 Other Freeways & Expressways.....	14
3.1.3 Other Principal Arterials.....	15
3.1.4 Minor Arterials .....	16
3.1.5 Major and Minor Collectors.....	16
3.1.6 Local Roads.....	18
3.2 Putting it all Together .....	18
3.3 A Real World Example.....	20
3.4 Final Considerations.....	22
Section 4. Procedures .....	26
4.1 Introduction.....	26
4.2 Identifying the Functional Classification of a Roadway Network.....	26
4.2.1 Arterial Considerations .....	28
4.2.2 Collector Considerations.....	29
4.2.3 General Rules of Thumb for All Categories and the System as a Whole.....	29
4.3 Good Practices .....	30
4.3.1 Ongoing Maintenance of the Functional Classification System ...	30
4.4 Geographic Information Systems.....	33
4.4.1 Proactive Communication and Accessibility of Information.....	34
4.5 Partners in the Functional Classification Process.....	34
4.5.1 Metropolitan Planning Organizations.....	34
4.5.2 State DOTs.....	35
4.5.3 Counties and Other Agencies .....	35
4.6 Suggested Procedural Tasks .....	35

Section 5. Applications ..... 41

    5.1 Performance..... 41

    5.2 Data Needs and Reporting ..... 41

        5.2.1 Impact of Functional Classification Changes ..... 41

    5.3 Secondary Functional Classification Uses..... 41

    5.4 Highway Design.....42

        5.4.1 The Relationship between Functional Classification and Design.42

            5.4.1.1 AASHTO Green Book and *Flexibility in Highway Design* 43

            5.4.1.2 Livability.....43

            5.4.1.3 Smart Transportation Guidebook .....44

            5.4.1.4 CSS in Designing Major Urban Thoroughfares for Walkable Communities .....45

    5.5 Assessment of Functional Classification Systems..... 46

    5.6 Emerging/Other Functional Classification Systems..... 46

    5.7 Future Trends ..... 49

Section 6. Urban Boundaries..... 49

    6.1 Introduction..... 49

    6.2 Defining Urban and Rural .....51

        6.2.1 Census Definitions.....51

        6.2.2 FHWA Definitions..... 51

    6.3 Relationship to Functional Classification ..... 53

    6.4 Developing Adjusted Urban Area Boundaries .....54

        6.4.1 Adjusted Urban Area Boundaries – Technical Tasks .....54

        6.4.2 Consideration Factors for Adjusting Urban Areas ..... 55

    6.5 Adjusted Urban Area Boundaries – Procedural Tasks.....59

        6.5.1 Risk Factors to Urban Area Adjustment Schedule .....59

        6.5.2 Urban Area Adjustment Schedule ..... 60

    6.6 Adjusted Urban Area Boundaries – Data Transmittal Requirements.....63

Section 7. Graphics Sources..... 64

## LIST OF TABLES

Table 2-1: Relationship between Functional Classification and Travel Characteristics.....	11
Table 3-1: Characteristics of Urban and Rural Arterials.....	15
Table 3-2: Characteristics of Urban and Rural Minor Arterials.....	16
Table 3-3: Characteristics of Urban and Rural Major and Minor Collectors.....	17
Table 3-4: Characteristics of Urban and Rural Local Roads .....	18
Table 3-5: VMT and Mileage Guidelines by Functional Classifications - Arterials..	23
Table 3-6: VMT and Mileage Guidelines by Functional Classifications – Collectors and Locals.....	24
Table 4-1: Example Massachusetts Roadway Functional Classification Table.....	39
Table 4-2: Key Milestones for Development and Submittal of the Functional Classification Network .....	40
Table 5-1: Oregon DOT’s Classification System.....	46
Table 6-1: US Census Bureau Urban Area Types Defined by Population Range.....	52
Table 6-2: FHWA Urban Area Types Defined by Population Range.....	52
Table 6-3: Key Milestones for Development and Submittal of Adjusted Urban Area Boundaries.....	63
Table 6-4: Geospatial Database Required Attributes.....	63

## LIST OF FIGURES

Figure 1-1: Principal Arterial - Other Freeways & Expressways.....	2
Figure 1-2: HOV Lane on Interstate 95 in Woodbridge, VA.....	3
Figure 1-3: Other Principal Arterial in California.....	3
Figure 2-1: Aerial View of the Eisenhower (and Johnson) Tunnels along I-70, west of Denver, CO.....	5
Figure 2-2: View from Inside the Eisenhower Tunnel .....	5
Figure 2-3: Aerial View of Eisenhower Court, North Platte, NE.....	5
Figure 2-4: Aerial View of Eisenhower Street in Carrollton, TX.....	6
Figure 2-5: Illustration of Access-Mobility Dynamic .....	6
Figure 2-6: Collector Example .....	7
Figure 2-7: Example of Access Points.....	7
Figure 2-8: Functional Classification Map of Giddings, TX and Surrounding Unincorporated Territory .....	10
Figure 2-9: Schematic Illustrating the Concept of Continuity .....	12
Figure 2-10: Example of an Exception to the Connectivity Guidelines, Wings Neck Road, Bourne, MA .....	12
Figure 2-11: Example of an Interstate Spur Terminating at a City Street in Holyoke, MA .....	13
Figure 3-1: Example of Interstate .....	14
Figure 3-2: Example of Other Principal Arterial .....	15
Figure 3-3: Example of Urban Minor Arterial .....	16
Figure 3-4: Federal Functional Classification Decision Tree .....	19

Figure 3-5: Map of an Urban Area’s Roadway Network..... 19

Figure 3-6: Map of a Rural Area’s Roadway Network ..... 20

Figure 3-7: Worcester, MA Roadway System ..... 21

Figure 3-8: Classification Overlap ..... 22

Figure 4-1: Minnesota DOT Functional Classification Change Request Form..... 32

Figure 4-2: Example of Shifting due to Inconsistency between Tabular Event Data  
and Geospatial Data ..... 33

Figure 4-3 Sample Roadway Color Scheme..... 34

Figure 4-4: Good-Practice Timeframe for Functional Classification Updates in  
Months..... 36

Figure 5-1: “Table 5.1 Roadway Categories” from the Smart Transportation  
Guidebook, March 2008..... 44

Figure 5-2: Community Arterial Roadway Design Guidelines in Smart  
Transportation Guidebook..... 45

Figure 5-3: Idaho DOT’s Proposed Redefinition of Functional Street Classifications  
..... 48

Figure 5-4: ITE Report: Context Sensitive Solutions in Designing Major Urban  
Thoroughfares for Walkable Communities..... 48

Figure 6-1: Prototypical Urban and Rural Areas ..... 51

Figure 6-2: Example of Roadway Coinciding with Adjusted Urban Area ..... 54

Figure 6-3: 2020 Census Urbanized Areas (Ohio and Vicinity)..... 55

Figure 6-4: Example Original Urban Area ..... 56

Figure 6-5: Example Single Contiguous Area..... 56

Figure 6-6: Example Area Expanded to Cover Air Force Base..... 57

Figure 6-7: Example Area Expanded to Include Industrial Area ..... 56

Figure 6-8: Example Boundary Adjusted to Align with Major Roadway..... 58

Figure 6-9: Example Boundary Adjusted for Simplicity ..... 58

Figure 6-10: Good Practice Level of Procedural Steps for an Urban Boundary  
Update Process ..... 60

## SECTION 1. INTRODUCTION

The *Highway Functional Classification: Concepts, Criteria and Procedures, 2023 Edition*, describes the procedures and processes for assigning functional classifications to roadways and adjusting urban area boundaries. This document builds upon and modifies prior guidance documents.

Our nation's roadway system is a vast network that connects places and people within and across national borders. Planners and engineers have developed elements of this network with particular travel objectives in mind. These objectives range from serving long-distance passenger and freight needs to serving neighborhood travel from residential developments to nearby shopping centers. The functional classification of roadways defines the role each element of the roadway network plays in serving these travel needs.

Over the years, functional classification has come to assume additional significance beyond its purpose as a framework for identifying the role of a roadway in moving vehicles through a network of highways. Functional classification carries with it expectations about roadway design, including its speed, capacity and relationship to existing and future land use development. Federal legislation continues to use functional classification in determining eligibility for funding under the Federal-aid program. Transportation agencies describe roadway system performance, benchmarks and targets by functional classification. As agencies continue to move towards a more performance-based management approach, functional classification will be an increasingly important consideration in setting expectations and measuring outcomes for preservation, mobility and safety.

As a result of the decennial census, the US Census Bureau issues urban area boundary maps. Transportation agencies should review these census boundaries and either accept them as is or adjust them for transportation planning purposes.

This guidance document provides recommended practices for assigning functional classifications and adjusting urban area boundaries concerning roadways that Federal, State and local transportation entities own and operate. Assigning functional classifications and adjusting urban area boundaries requires work elements common to many large-scale business enterprises: there are technical methods and tools to create an efficient and cost-effective end product; there are also procedural elements that require coordination and negotiation across agencies and individuals. This guidance document encompasses both of these elements.

This guidance document also recognizes and describes the implications of how our roadway systems are configured, used and planned for today:

- The Federal-aid system has matured significantly. A significant proportion of new functional classification designations are likely to occur from improvements and modifications to existing roads and corridors, rather than from designations on new roadways and corridors.


- In conducting functional classification updates, State departments of transportation (DOTs) strive for consensus with potentially dozens of agencies, including metropolitan and rural planning agencies, local officials and FHWA Division Offices.
- Geospatial technologies and travel demand forecasting capabilities have advanced significantly, greatly lowering the cost of data storage and increasing analysis capabilities.
- Planners and engineers have expanded roadway design options significantly, especially in areas where providing for non-motorized travel is a priority. Transportation agencies have developed their own classification terms to describe these options.

## 1.1 Overview

This guidance document builds upon and updates the three most recent guidance documents circulated by FHWA, namely:

- Highway Functional Classification: Concepts, Criteria and Procedures, March 1989
- Updated Guidance for the Functional Classification of Highways Memorandum, October 14, 2008<sup>1</sup>
- Highway Functional Classification: Concepts, Criteria and Procedures, 2013
  1. All functional classification categories exist in both urban and rural areas. Specifically, all Principal Arterial sub-categories and all Collector sub-categories are recognized in both urban and rural forms. The following functional classification categories should be used:
    - a. Principal Arterial
      - i. Interstate
      - ii. Other Freeways & Expressways (OF&E) (**Figure 1-1**)
      - iii. Other (OPA)
    - b. Minor Arterial
    - c. Collector
      - i. Major Collector
      - ii. Minor Collector
    - d. Local
  2. States should assign functional classifications according to how the roadway is functioning in the current year only. Regarding future routes, roads should be functionally classified with the existing system if they are included in an approved Statewide Transportation Improvement

*Figure 1-1: Principal Arterial - Other Freeways & Expressways*



*Source: Ohio Statewide Imagery Program*

<sup>1</sup> <http://www.fhwa.dot.gov/policy/ohpi/hpms/fchguidance.cfm>

Program (STIP) and are expected to be under construction within the STIP timeframe of 4 years or less. Where applicable, the same classification should be given to both the future route and the existing route it replaces until the future route is constructed.

**Figure 1-2: HOV Lane on Interstate 95 in Woodbridge, VA**



Source: [www.roadstothefuture.com](http://www.roadstothefuture.com)

3. Ramps and other non-mainline roadways are to be assigned the same functional classification as the highest functional classification among the connecting mainline roadways served by the ramp. (Figure 1-2)
4. Principal Arterial roadways (Figure 1-3) serve a large percentage of travel between cities and other activity centers, especially when minimizing travel time and distance is important. For this reason, Arterials typically are roadways with high traffic volumes and are frequently the route of choice for intercity buses and trucks. The spacing of Arterials in urban areas is closely related to the trip-end density characteristics of activity centers in urban areas. The spacing of these facilities (in larger urban areas) may vary from less than 1 mile in highly developed central business areas to 5 miles or more in the sparsely developed urban fringes.

**Figure 1-3: Other Principal Arterial in California**



Source: Akos Szoboszlaj

Principal Arterials play a unique role in providing a high degree of mobility and carrying a high proportion of travel for long distance trips. These facilities carry the major portion of trips entering and leaving an activity center, as well as the majority of through movements that either go directly through or bypass the area.

*Roadways that fall into the Principal Arterials- Other Freeways & Expressways category are limited-access roadways that serve travel in a similar way to the Interstates.*

*Transportation agencies apply a variety of treatments to preserve mobility and increase the person throughput of Urban Arterials, including ramp metering, high-occupancy-vehicle (HOV) lanes and high-occupancy toll lanes.*

## SECTION 2. CONCEPTS

### 2.1 Introduction

This section of the guidance document presents the concepts underlying the functional classification of roadways. It first introduces the two primary transportation functions of roadways, namely mobility and access, and describes where different categories of roadways fall within a continuum of mobility-access. In addition to mobility and access, other factors that can help determine the proper category to which a particular roadway belongs — such as trip length, speed limit, volume, and vehicle mix — are discussed in this section.

While Arterials, Collectors and Locals span the full range of roadway functions, the Federal functional classification scheme uses additional classification categories to describe these functions more precisely. Distinctions between access-controlled and full-access roadways; the urban and rural development pattern; and subtleties between “major” and “minor” sub-classifications are key considerations when determining the Federal functional classification category to which a particular roadway belongs. The process of determining the correct functional classification of a particular roadway is as much art as it is science. Therefore, a real-world example is presented to help make the discussion of functional classification more readily understood.

*The flow of traffic throughout a roadway network is similar to the flow of blood through the human circulatory system or the trunk and branch system of a tree. The units moving through the system (blood cells, nutrients, vehicles, etc.) move through progressively smaller network elements as they approach their destination.*

### 2.2 Functional Classification Concepts

Most travel occurs through a network of interdependent roadways, with each roadway segment moving traffic through the system towards destinations. The concept of functional classification defines the role that a particular roadway segment plays in serving this flow of traffic through the network. Roadways are assigned to one of several possible functional classifications within a hierarchy according to the character of travel service each roadway provides. Planners and engineers use this hierarchy of roadways to properly channel transportation movements through a highway network efficiently and cost effectively.

#### 2.2.1 Access versus Mobility


Roadways serve two primary travel needs: access to/egress from specific locations and travel mobility. While these two functions lie at opposite ends of the continuum of roadway function, most roads provide some combination of each.

- Roadway mobility function: Provides few opportunities for entry and exit and therefore low travel friction from vehicle access/egress
- Roadway accessibility function: Provides many opportunities for entry and exit, which creates potentially higher friction from vehicle access/egress

These two roles can be best understood by examining two extreme examples (**Figure 2-1** and **Figure 2-2**).

First, consider the Eisenhower Tunnel west of Denver, CO. Located along Interstate 70, the Eisenhower Tunnel runs under the Continental Divide in the Rocky Mountains and is one of the longest tunnels in the United States. Motorists that travel through the tunnel are en route to a distant location and are using the roadway completely to serve their “mobility” needs. There is no location that is immediately “accessible” to the roadway.

**Figure 2-1: Aerial View of the Eisenhower (and Johnson) Tunnels along I-70, west of Denver, CO**



Source: Google Earth Pro, June 27, 2012

**Figure 2-2: View from Inside the Eisenhower Tunnel**



Source: Creative Commons Attribution-Share Alike 2.0 generic license; Benjamin Clark

Next, consider the example of Eisenhower Court in North Platte, NE (**Figure 2-3**). This roadway is travelled almost exclusively by the individuals that live along the roadway. Hence, the roadway entirely provides “accessibility” and offers almost nothing in terms of mobility.

**Figure 2-3: Aerial View of Eisenhower Court, North Platte, NE**




Source: Google Earth Pro, June 27, 2012

**Figure 2-4** depicts the neighborhood around Eisenhower Street in Carrollton, TX. This roadway serves both mobility needs (the residents that live along the side streets that intersect Eisenhower Street use it for some level of north/south mobility) and land access needs (there are both residential and commercial properties located along the roadway).

For nomenclature purposes, those roadways that provide a high level of mobility are called “Arterials”; those that provide a high level of accessibility are called “Locals”; and those that provide a more balanced blend of mobility and access are called “Collectors.”


The relationship between mobility and land access is illustrated in **Figure 2-5**. Arterials provide mostly mobility; Locals provide mostly land access; and Collectors strike a balance between the two. Context Sensitivity and Livability form the environment through which Mobility and Access should be considered. These concepts are discussed in greater detail in Chapter 5.

*Figure 2-4: Aerial View of Eisenhower Street in Carrollton, TX*



Source: Google Earth Pro, June 28, 2012

*Figure 2-5: Illustration of Access-Mobility Dynamic*



Source: FHWA

While most roadways offer both “access to property” and “travel mobility” services, it is the roadway’s primary purpose that defines the classification category to which a given roadway belongs.<sup>2</sup>

<sup>2</sup> The use of the term “Local” roadway in the context of functional classification is separate from the use of the term in a jurisdictional context. While it is true that roadways functionally classified as “Local” are often under the jurisdiction of a “local” entity (i.e., incorporated city), Local Roads are not always under local jurisdiction. Other roadway classifications, including Arterials, may also be under the jurisdiction of a local (i.e., non-state) entity.

A route is a linear path of connected roadway segments, all with the same functional classification designation. For example, the roadways along a given Arterial route may — and often do — comprise multiple named roadways or state numbered facilities. Similarly, different segments of a given named roadway, or even more likely a given state numbered route, may belong to different functional classification categories, depending on the character of travel service that each segment provides. In the example to the right, the minor Arterial “route” consists of a portion of Tyler Street and a portion of Dalton Avenue (shown in green). East of Dalton Avenue, Tyler Street (shown in brown) is a Minor Collector.


## 2.3 Other Important Factors Related to Functional Classification

The distinction between “mobility and accessibility” is important in assigning functional classifications to roadways. There are a few additional factors to consider, and these are discussed here.

**Efficiency of Travel:** Trip makers will typically seek out roadways that allow them to travel to their destinations with as little delay as possible and by the shortest travel time. Arterial roadways provide this kind of service, often in the form of fully or partially controlled access highways, with no or very few intersecting roadways to hinder traffic flow. Therefore, a high percentage of the length of a long-distance trip will be made on Arterials. In contrast, travelers making shorter trips tend to use Local and/or Collector roadways for a much higher proportion of the trip length than Arterial roads.

**Collectors:** As their name implies, Collectors “collect” traffic from Local Roads and connect traffic to Arterial roadways. Collector routes are typically shorter than Arterial routes but longer than Local Roads. Collectors often provide traffic circulation within residential neighborhoods as well as commercial, industrial, or civic districts (see **Figure 2-6**).

Figure 2-6: Collector Example




Source: CDM Smith

**Access Points:** Arterials primarily serve long-distance travel and are typically designed as either access controlled or partially access controlled facilities with limited locations at which vehicles can enter or exit the roadway (typically via on- or off-ramps). In instances where limited or partial access control is not provided, signalized intersections are used to control traffic flow, with the Arterial given the majority of the green time.

In growing urban areas, Arterial roadways often experience an ever-increasing number of driveway access points. This high degree of accessibility decreases mobility. To address this issue and restore the carrying capacity of through traffic on these roadways, transportation agencies apply access management principles, such as driveway consolidation and median installations (see **Figure 2-7**).

In contrast, roadways classified as “Local” provide direct access to multiple properties.

Figure 2-7: Example of Access Points



Source: Ohio DOT,  
[http://www.ohdot.info/basic\\_bike-walk\\_facility\\_design](http://www.ohdot.info/basic_bike-walk_facility_design)

**Speed Limit:** In general, there is a relationship between posted speed limits and functional classification. Arterials typically have higher posted speed limits as vehicles encounter few or no at-grade intersections. The absence of cross-traffic and driveways allows for higher rates of speed, which provides mobility, especially for long-distance travel. In contrast, because their primary role is to provide access, Locals are lined with intersecting access points in the form of driveways, intersecting roadways, cross walks and transfer points for buses and other modes. Due to the frequency of traffic turns, speed limits are kept low to promote safe traffic operations. Speed limits on any non-access-controlled roadways are also influenced by the mix of vehicles and modes that use them.

**Route Spacing:** Directly related to the concept of channelization of traffic throughout a network is the concept of distance (or spacing) between routes. For a variety of reasons, it is not feasible to provide Arterial facilities to accommodate every possible trip in the most direct manner possible or in the shortest amount of time. Ideally, regular and logical spacing between routes of different classifications exists. Arterials are typically spaced at greater intervals than Collectors, which are spaced at much greater intervals than Locals. This spacing varies considerably for different areas; in densely populated urban areas, spacing of all route types is smaller and generally more consistent than the spacing in sparsely developed rural areas. Geographic barriers greatly influence the layout and spacing of roadways.


**Usage (Annual Average Daily Traffic [AADT] Volumes and Vehicle Miles of Travel [VMT]):** Arterials serve a high share of longer distance trips and daily vehicle miles of travel. In rural areas, Arterials typically account for approximately half of the daily vehicle miles of travel; in urban areas, this percentage is often higher. Collectors account for the next largest percentage of travel. Urban Area Collectors account for somewhat less (5 to 15 percent), while the percentage for Rural Area Collectors is typically in the 20 to 30 percent range. Lastly, by definition, Local Roads in rural areas typically serve very low density, dispersed developments with relatively low traffic volume. In contrast, the Urban Local Road network, with higher roadway centerline miles and higher density spacing, serves denser land uses and therefore accounts for a larger proportion of travel than its rural counterpart.

*When determining the functional classification of a given roadway, no single factor should be considered alone. For example, US 290 runs through the heart of Giddings, TX. Within the city, the roadway has many intersecting roadways, provides direct access to a number of densely developed commercial and residential properties and has speed limits as low as 35 mph. However, because the roadway is one of the two most direct routes of travel between Austin and Houston and a large percentage of its traffic consists of longer distance trips, the roadway is best classified as an Arterial.*

While there is a general relationship between the functional classification of a roadway and its annual average daily traffic volume, two roads that carry the same traffic volume may actually serve very different purposes and therefore have different functional classifications. Conversely, two roadways in different parts of a State may have the same functional classification but carry very different traffic volumes. This is particularly applicable among urban areas with very different populations — an Arterial within a remote city with a population of 50,000 is likely to have a much lower traffic volume than an Arterial within a city of 1 million people.

Traffic volumes, however, can come into play when determining the proper functional classification of a roadway “on the border” of a functional classification group (for example, trying to determine whether a roadway should be classified as a Collector or Local). Furthermore, AADT can often be used as a “tie-breaker” when trying to determine which of two (or more) similar and roughly parallel roadways should be classified with a higher (or lower) classification than the other. For example, suppose that two parallel roadways appear to serve the function of a Collector. Classifying both of them as a Collector could lead to undesirable redundancy in the functional classification network. All other things being equal, the roadway with the higher AADT would generally be given the Collector classification, while its companion would be given a Local classification (**Figure 2-8**).

Figure 2-8: Functional Classification Map of Giddings, TX and Surrounding Unincorporated Territory



Source: Texas DOT, Transportation Planning and Programming Division, Data Analysis, Mapping and Reporting Branch, September 16, 2008

Exceptions to the “connectivity” guideline exist. There are locations where an Arterial can “dead end” and not connect to another Arterial. A common example is when an Arterial terminates at a regionally significant land use (such as an airport or military installation). Another example is a Collector that serves a major residential community and, for topological or other constraining reasons, does not connect at one end to another similarly or higher classified roadway. Many other examples can also be found within coastal communities. Wings Neck Road in Bourne, MA (Figure 2-10) is a good example. Other obvious examples are Interstate spur routes (the highest type of Arterial, to be discussed in the following section) that terminate at a city street in the downtown of an urban area.

**Number of Travel Lanes:** Roadways are designed and constructed according to their expected function. If a roadway is expected to function as an Arterial, it is designed for high capacity, with multiple travel lanes. In general, Arterials are more likely to have a greater number of travel lanes than Collectors, and Collectors are more likely to have a greater number of travel lanes than Locals. It should also be noted that the relationship between functional classification and number of lanes is stronger in urban areas than it is in rural areas.

**Regional and Statewide Significance:** Highly significant roadways connect large activity centers and carry longer-distance travel between and through regions and States. Arterials carry the vast majority of trips that travel through a given State, while Local Roads do not easily facilitate statewide travel.

Table 2-1 summarizes the relationship between the factors previously described and the three broad categories of functional classification.

Table 2-1: Relationship between Functional Classification and Travel Characteristics

Functional Classification	Distance Served (and Length of Route)	Access Points	Speed Limit	Distance between Routes	Usage (AADT and DVMT)	Significance	Number of Travel Lanes
Arterial	Longest	Few	Highest	Longest	Highest	Statewide	More
Collector	Medium	Medium	Medium	Medium	Medium	Medium	Medium
Local	Shortest	Many	Lowest	Shortest	Lowest	Local	Fewer

## 2.4 System Continuity


Because the roadway system is an interconnected network of facilities channeling traffic in both directions from Arterials to Collectors, then to Locals and back again, the concept of continuity of routes is important to recognize. A basic tenet of the functional classification network is continuity — a roadway of a higher classification should not connect to a single roadway of a lower classification.<sup>3</sup> Generally speaking, Arterials should only connect to other Arterials. However, there are exceptions to this guideline. Arterials can end or link to very large regional traffic generators or can connect to multiple parallel roads of lower functional classification that, together, provide the same function and capacity as an Arterial.

In Figure 2-9, the Arterials (represented by black lines) only connect to other Arterials. Collectors (represented by the red lines), only connect to Arterials or other Collectors. Lastly, Local Roads (represented by the green lines) can connect to any type of roadway.

Exceptions to the “connectivity” guideline exist. A Collector can serve a major residential community and — for topological or other constraining reasons — not connect at one end to another similar or higher classified roadway. Other examples can also be found, especially within coastal communities. Wings Neck Road in Bourne, MA (Figure 2-10) is a good example. Figure 2-11 is an example of an Interstate spur terminating at a city street in Holyoke, MA.

<sup>3</sup> A higher functionally classified road can “split” its traffic between two lower-level roads, with different levels of access and mobility.

Figure 2-9: Schematic Illustrating the Concept of Continuity




Source: CDM Smith

Figure 2-10: Example of an Exception to the Connectivity Guidelines  
Wings Neck Road, Bourne, MA



Source: MassDOT, Office of Transportation Planning, Functional Classification Map

Figure 2-11: Example of an Interstate Spur Terminating at a City Street in Holyoke, MA



Source: Google Earth Pro, June 29, 2012

## SECTION 3. CRITERIA

*Access control is a key factor in the realm of functional classification. All Interstates are “limited access” or “controlled access” roadways. The use of the word “access” in this context refers to the ability to access the roadway and not the abutting land use—these roadways provide no “access” to abutting land uses. Access to these roadways is controlled or limited to maximize mobility by eliminating conflicts with driveways and at-grade intersections that would otherwise hinder travel speed. Access to these roadways is limited to a set of controlled locations at entrance and exit ramps. Travelers use a much lower functionally classified roadway to reach their destination.*

### 3.1 Definitions and Characteristics

The previous section provided a general overview of the functional classification categories of Arterial, Collector and Local. For Federal functional classification purposes, this section breaks these categories down further to stratify the range of mobility and access functions that roadways serve. Additionally, the physical layout and the official designation of some roadways dictate the classification of certain roadways.

#### 3.1.1 Interstates

Interstates are the highest classification of Arterials and were designed and constructed with mobility and long-distance travel in mind. (Figure 3-1) Since their inception in the 1950’s, the Interstate System has provided a superior network of limited access, divided highways offering high levels of mobility while linking the major urban areas of the United States.

Determining the functional classification designation of many roadways can be somewhat subjective, but with the Interstate category of Arterials, there is no ambiguity. Roadways in this functional classification category are officially designated as Interstates by the Secretary of Transportation, and all routes that comprise the Dwight D. Eisenhower National System of Interstate and Defense Highways belong to the Interstate functional classification category and are considered Principal Arterials.

Figure 3-1: Example of Interstate



Source: CDM Smith

#### 3.1.2 Other Freeways & Expressways

Roadways in this functional classification category look very similar to Interstates. While there can be regional differences in the use of the terms ‘freeway’ and ‘expressway’, for the purpose of functional classification the roads in this classification have directional travel lanes are usually separated by some type of physical barrier, and their access and egress points are limited to on- and off-ramp locations or a very limited number of at-grade intersections. Like Interstates, these roadways are designed and constructed to maximize their mobility function, and abutting land uses are not directly served by them.

### 3.1.3 Other Principal Arterials

These roadways serve major centers of metropolitan areas, provide a high degree of mobility and can also provide mobility through rural areas. Unlike their access-controlled counterparts, abutting land uses can be served directly. Forms of access for Other Principal Arterial roadways include driveways to specific parcels and at-grade intersections with other roadways. (Figure 3-2) For the most part, roadways that fall into the top three functional classification categories (Interstate, Other Freeways & Expressways and Other Principal Arterials) provide similar service in both urban and rural areas. The primary difference is that there are usually multiple Arterial routes serving a particular urban area, radiating out from the urban center to serve the surrounding region. In contrast, a rural area of equal size would be served by a single Arterial.

*Figure 3-2: Example of Other Principal Arterial*



Source: CDM Smith

**Table 3-1** presents a few key differences between the character of service that urban and rural Arterials provide.

*Table 3-1: Characteristics of Urban and Rural Arterials*

Urban	Rural
<ul style="list-style-type: none"> <li>• Serve major activity centers, highest traffic volume corridors and longest trip demands</li> <li>• Carry high proportion of total urban travel on minimum of mileage</li> <li>• Interconnect and provide continuity for major rural corridors to accommodate trips entering and leaving urban area and movements through the urban area</li> <li>• Serve demand for intra-area travel between the central business district and outlying residential areas</li> </ul>	<ul style="list-style-type: none"> <li>• Serve corridor movements having trip length and travel density characteristics indicative of substantial statewide or interstate travel</li> <li>• Connect all or nearly all Urbanized Areas and a large majority of Urban Areas with 25,000 and over population</li> <li>• Provide an integrated network of continuous routes without stub connections (dead ends)</li> </ul>

### 3.1.4 Minor Arterials

Minor Arterials provide service for trips of moderate length, serve geographic areas that are smaller than their higher Arterial counterparts and offer connectivity to the higher Arterial system. In an urban context, they interconnect and augment the higher Arterial system, provide intra-community continuity and may carry local bus routes. (Figure 3-3)



Source: Unsourced photo

In rural settings, Minor Arterials should be identified and spaced at intervals consistent with population density, so that all developed areas are within a reasonable distance of a higher-level Arterial. Additionally, Minor Arterials in rural areas are typically designed to provide relatively high overall travel speeds, with minimum interference to through movement. The spacing of Minor Arterial streets may typically vary from 1/8- to 1/2-mile in the central business district (CBD) and 2 to 3 miles in the suburban fringes. Normally, the spacing should not exceed 1 mile in fully developed areas (see Table 3-2).

Table 3-2: Characteristics of Urban and Rural Minor Arterials

Urban	Rural
<ul style="list-style-type: none"> <li>• Interconnect and augment the higher-level Arterials</li> <li>• Serve trips of moderate length at a somewhat lower level of travel mobility than Principal Arterials</li> <li>• Distribute traffic to smaller geographic areas than those served by higher-level Arterials</li> <li>• Provide more land access than Principal Arterials without penetrating identifiable neighborhoods</li> <li>• Provide urban connections for Rural Collectors</li> </ul>	<ul style="list-style-type: none"> <li>• Link cities and larger towns (and other major destinations such as resorts capable of attracting travel over long distances) and form an integrated network providing interstate and inter-county service</li> <li>• Be spaced at intervals, consistent with population density, so that all developed areas within the State are within a reasonable distance of an Arterial roadway</li> <li>• Provide service to corridors with trip lengths and travel density greater than those served by Rural Collectors and Local Roads and with relatively high travel speeds and minimum interference to through movement</li> </ul>

### 3.1.5 Major and Minor Collectors

Collectors serve a critical role in the roadway network by gathering traffic from Local Roads and funneling them to the Arterial network. Within the context of functional classification, Collectors are broken down into two categories: Major Collectors and Minor Collectors. All Collectors, regardless of whether they are within a rural area or an urban area, may be sub-stratified into *major* and *minor*

categories. The determination of whether a given Collector is a Major or a Minor Collector is frequently one of the biggest challenges in functionally classifying a roadway network.

In the rural environment, Collectors generally serve primarily intra-county travel (rather than statewide) and constitute those routes on which (independent of traffic volume) predominant travel distances are shorter than on Arterial routes. Consequently, more moderate speeds may be posted.

The distinctions between Major Collectors and Minor Collectors are often subtle. Generally, Major Collector routes are longer in length; have lower connecting driveway densities; have higher speed limits; are spaced at greater intervals; have higher annual average traffic volumes; and may have more travel lanes than their Minor Collector counterparts. Careful consideration should be given to these factors when assigning a Major or Minor Collector designation. In rural areas, AADT and spacing may be the most significant designation factors. Since Major Collectors offer more mobility and Minor Collectors offer more access, it is beneficial to reexamine these two fundamental concepts of functional classification. Overall, the total mileage of Major Collectors is typically lower than the total mileage of Minor Collectors, while the total Collector mileage is typically one-third of the Local roadway network (see **Table 3-3**).

*Table 3-3: Characteristics of Urban and Rural Major Collectors*

MAJOR COLLECTORS	
Urban	Rural
<ul style="list-style-type: none"> <li>• Serve both land access and traffic circulation in <u>higher</u> density residential, and commercial/industrial areas</li> <li>• Penetrate residential neighborhoods, often for <u>significant</u> distances</li> <li>• Distribute and channel trips between Local Roads and Arterials, usually over a distance of <u>greater than</u> three-quarters of a mile</li> <li>• Operating characteristics include higher speeds and more signalized intersections</li> </ul>	<ul style="list-style-type: none"> <li>• Provide service to any county seat not on an Arterial route, to the larger towns not directly served by the higher systems and to other traffic generators of equivalent intra-county importance such as consolidated schools, shipping points, county parks and important mining and agricultural areas</li> <li>• Link these places with nearby larger towns and cities or with Arterial routes</li> <li>• Serve the most important intra-county travel corridors</li> </ul>

MINOR COLLECTORS	
Urban	Rural
<ul style="list-style-type: none"> <li>• Serve both land access and traffic circulation in lower density residential and commercial/industrial areas</li> <li>• Penetrate residential neighborhoods, often only for a <u>short</u> distance</li> <li>• Distribute and channel trips between Local Roads and Arterials, usually over a distance of <u>less than</u> three-quarters of a mile</li> <li>• Operating characteristics include lower speeds and fewer signalized intersections</li> </ul>	<ul style="list-style-type: none"> <li>• Be spaced at intervals, consistent with population density, to collect traffic from Local Roads and bring all developed areas within reasonable distance of a Collector</li> <li>• Provide service to smaller communities not served by a higher-class facility</li> <li>• Link locally important traffic generators with their rural hinterlands</li> </ul>

### 3.1.6 Local Roads

Locally classified roads account for the largest percentage of all roadways in terms of mileage. They are not intended for use in long distance travel, except at the origin or destination end of the trip, due to their provision of direct access to abutting land. Bus routes generally do not run on Local Roads. They are often designed to discourage through traffic. As public roads, they should be accessible for public use throughout the year.

Local Roads are often classified by default. In other words, once all Arterial and Collector roadways have been identified, all remaining roadways are classified as Local Roads (see **Table 3-4**).


*Table 3-4: Characteristics of Urban and Rural Local Roads*

Urban	Rural
<ul style="list-style-type: none"> <li>• Provide direct access to adjacent land</li> <li>• Provide access to higher systems</li> <li>• Carry no through traffic movement</li> <li>• Constitute the mileage not classified as part of the Arterial and Collector systems</li> </ul>	<ul style="list-style-type: none"> <li>• Serve primarily to provide access to adjacent land</li> <li>• Provide service to travel over short distances as compared to higher classification categories</li> <li>• Constitute the mileage not classified as part of the Arterial and Collector systems</li> </ul>

## 3.2 Putting it all Together

The functional classification system groups roadways into a logical series of decisions based upon the character of travel service they provide. **Figure 3-4** presents this process, starting from assigning the function of an Arterial by its level of access (limited or full) or Non-Arterial (full access).


Figure 3-4: Federal Functional Classification Decision Tree



Source: FHWA and CDM Smith


While this document emphasizes the importance of function and service over the urban/rural distinction when classifying roads, the classification process is still influenced by the intensity and distribution of land development patterns. Classification of roadways in urban areas is typically guided by the local comprehensive planning and design process, or the fundamental principles of roadway functional classification. In comparison, rural development patterns are often more diverse, if not less orderly, thereby making the functional classification determination of some rural roadways more challenging (see **Figure 3-5** and **Figure 3-6**).

Figure 3-5: Map of an Urban Area’s Roadway Network (Functional Classification more evident)



Source: CDM Smith

Figure 3-6: Map of a Rural Area's Roadway Network  
*(Functional Classification less evident)*



Source: CDM Smith

When comparing urban and rural areas, perhaps the most relevant characteristic is the density of the roadway network. Even with a cursory view of a map of an urban area's roadway network, the functional classification of many roadways can be discerned due to the differences in roadway size. In contrast, the functional classification of the roadway network in many rural areas is less readily apparent, primarily due to the relatively inconsistent roadway spacing.


Nevertheless, functional classifications should be assigned based on actual functional criteria, rather than the location of the roadway within an urban or rural context.

### 3.3 A Real World Example

At this point, the concepts, criteria and definitions of all Federal functional classification categories have been presented. However, to strengthen the functional classification practitioner's understanding of these topics, the real-world example of the city of Worcester, MA is presented below (**Figure 3-7**).

**Figure 3-7: Worcester, MA Roadway System**

Shaded area depicts the Urbanized Area



Source: Massachusetts DOT

1. The city of Worcester is served by two interstate routes, Interstate 190 and Interstate 290 (shown in black). These Interstates provide high mobility service to residential communities to the north, northeast and south sides of the city.
2. A handful of Other Freeways & Expressways and Other Principal Arterials (shown in red and blue) radiate out from the central core of the city and provide direct service into, out of and through the city, offering connections to the surrounding areas not served by the Interstates.
3. An even larger number of Minor Arterials (shown in green) provide connectivity between the Interstate, Other Freeways & Expressways and Other Principal Arterials and are rather evenly spaced. Note that only a few of these Minor Arterial routes actually extend outside of the city border, as most of them terminate at Arterials within the city limits.
4. The Collector roadway system (shown in brown) consists of relatively shorter routes that mainly connect to Minor Arterials.
5. All other roadways (shown in gray) are Local Roads and comprise the vast majority of the mileage of the city's roadway network.

### 3.4 Final Considerations

In many instances, assigning a functional classification to a roadway is straightforward, especially for Interstates and Locals. However, there is flexibility when deciding between adjacent classifications. For example, deciding whether a given roadway acts as a Minor Arterial or Major Collector can be subject to debate. Deciding between a Major Collector and Minor Collector assignment can be even more challenging.


To assist transportation planners responsible for determining the functional classification of roadways, this guidebook offers a helpful tool that can make the classification process of classifying “borderline” roadways a bit easier. **Table 3-5** illustrates the range of lane width, shoulder width, AADTs, divided/undivided status, access control and access points per mile by functional classification categories.

Table 3-5 also presents guidelines for mileage and VMT ranges for Federal functional classifications of roads. These guidelines are based on an analysis of 2008 HPMS data and are adjusted to represent reasonable ranges. The table presents mileage and VMT extents for rural states, urban states and all states. For this purpose, rural states are defined as having 75 percent or less of their population in urban areas. Research determined this was a natural breakpoint that approximated the geographic difference between the States.

As expected, Interstates account for the lowest portion of total system miles, but the greatest portion of travel. Conversely, Local Roads comprise the greatest portion of system mileage with Collectors carrying the lowest percentage of travel volume. Therefore, as a primary consideration in functional classification, planners and engineers can use mileage as a guideline. Where roadway systems significantly deviate from these ranges, State DOTs should consider adjusting their roadway assignments during the functional classification review process and at least every 10 years as part of the response to Census defined Urban Boundary changes. FHWA intends to review these guideline ranges for mileage and VMT periodically.

Lastly, as a result of variances within the functional classification system, the guidelines have overlapping ranges of values. This allows greater flexibility in determining functional classification (see **Figure 3-8**).

**Figure 3-8: Classification Overlap**



Source: FHWA

Table 3-5: VMT and Mileage Guidelines by Functional Classifications - Arterials

Arterials:	Interstate	Other Freeways & Expressway	Other Principal Arterial	Minor Arterial
<b>Typical Characteristics</b>				
Lane Width	12 feet	11 - 12 feet	11 - 12 feet	10 feet - 12 feet
Inside Shoulder Width	4 feet - 12 feet	0 feet - 6 feet	0 feet	0 feet
Outside Shoulder Width	10 feet - 12 feet	8 feet - 12 feet	8 feet - 12 feet	4 feet - 8 feet
AA DT <sup>1</sup> (Rural)	12,000 - 34,000	4,000 - 18,500 <sup>2</sup>	2,000 - 8,500 <sup>2</sup>	1,500 - 6,000
AA DT <sup>1</sup> (Urban)	35,000 - 129,000	13,000 - 55,000 <sup>2</sup>	7,000 - 27,000 <sup>2</sup>	3,000 - 14,000
Divided/Undivided	Divided	Undivided/Divided	Undivided/Divided	Undivided
Access	Fully Controlled	Partially/Fully Controlled	Partially/Uncontrolled	Uncontrolled
<b>Mileage/VMT Extent (Percentage Ranges)<sup>1</sup></b>				
<b>Rural System</b>				
Mileage Extent for Rural States <sup>2</sup>	1% - 3%	0% - 2%	2% - 6%	2% - 6%
Mileage Extent for Urban States	1% - 2%	0% - 2%	2% - 5%	3% - 7%
Mileage Extent for All States	1% - 2%	0% - 2%	2% - 6%	3% - 7%
VMT Extent for Rural States <sup>2</sup>	18% - 38%	0% - 7%	15% - 31%	9% - 20%
VMT Extent for Urban States	18% - 34%	0% - 8%	12% - 29%	12% - 19%
VMT Extent for All States	20% - 38%	0% - 8%	14% - 30%	11% - 20%
<b>Urban System</b>				
Mileage Extent for Rural States <sup>2</sup>	1% - 3%	0% - 2%	4% - 9%	7% - 14%
Mileage Extent for Urban States	1% - 2%	0% - 2%	4% - 5%	7% - 12%
Mileage Extent for All States	1% - 3%	0% - 2%	4% - 5%	7% - 114%
VMT Extent for Rural States <sup>2</sup>	17% - 31%	0% - 12%	16% - 33%	14% - 27%
VMT Extent for Urban States	17% - 30%	3% - 18%	17% - 29%	15% - 22%
VMT Extent for All States	17% - 31%	0% - 17%	16% - 31%	14% - 25%

<p><b>Qualitative Description (Urban):</b></p> <ul style="list-style-type: none"> <li>• Serve major activity centers, highest traffic volume corridors, and longest trip demands</li> <li>• Carry high proportion of total urban travel on minimum of mileage</li> <li>• Interconnect and provide continuity for major rural corridors to accommodate trips entering and leaving urban area and movements through the urban area</li> <li>• Serve demand for intra-area travel between the central business district and outlying residential areas</li> </ul>	<ul style="list-style-type: none"> <li>• Interconnect with and augment the principal arterials</li> <li>• Serve trips of moderate length at a somewhat lower level of travel mobility than principal arterials</li> <li>• Distribute traffic to smaller geographic areas than those served by principal arterials</li> <li>• Provide more land access than principal arterials without penetrating identifiable neighborhoods</li> <li>• Provide urban connections for rural collectors</li> </ul>
<p><b>Qualitative Description (Rural):</b></p> <ul style="list-style-type: none"> <li>• Serve corridor movements having trip length and travel density characteristics indicative of substantial statewide or interstate travel</li> <li>• Serve all or nearly all urbanized areas and a large majority of urban areas with 25,000 and over population</li> <li>• Provide an integrated network of continuous routes without stub connections (dead ends)</li> </ul>	<ul style="list-style-type: none"> <li>• Link cities and larger towns (and other major destinations such as resorts capable of attracting travel over long distances) and form an integrated network providing interstate and inter-county service</li> <li>• Spaced at intervals, consistent with population density, so that all developed areas within the State are within a reasonable distance of an arterial roadway</li> <li>• Provide service to corridors with trip lengths and travel density greater than those served by rural collectors and local roads and with relatively high travel speeds and minimum interference to through movement</li> </ul>

1- Ranges in this table are derived from 2011 HPMS data.

2- For this table, Rural States are defined as those with a maximum of 75 percent of their population in urban areas.

Table 3-6: VMT and Mileage Guidelines by Functional Classifications – Collectors and Locals

Collectors:	Major Collector <sup>2</sup>	Minor Collector <sup>2</sup>	Local
<b>Typical Characteristics</b>			
Lane Width	10 feet - 12 feet	10 - 11 feet	8 feet - 10 feet
Inside Shoulder Width	0 feet	0 feet	0 feet
Outside Shoulder Width	1 foot - 6 feet	1 foot - 4 feet	0 feet - 2 feet
AADT <sup>1</sup> (Rural)	300 - 2,600	150 - 1,110	15 - 400
AADT <sup>1</sup> (Urban)	1,100 - 6,300 <sup>2</sup>	1,100 - 6,300 <sup>2</sup>	80 - 700
Divided/Undivided	Undivided	Undivided	Undivided
Access	Uncontrolled	Uncontrolled	Uncontrolled
<b>Mileage/VMT Extent (Percentage Ranges)<sup>1</sup></b>			
<b>Rural System</b>			
Mileage Extent for Rural States <sup>3</sup>	8% - 19%	3% - 15%	62% - 74%
Mileage Extent for Urban States	10% - 17%	5% - 13%	66% - 74%
Mileage Extent for All States	9% - 19%	4% - 15%	64% - 75%
VMT Extent for Rural States <sup>3</sup>	10% - 23%	1% - 8%	8% - 23%
VMT Extent for Urban States	12% - 24%	3% - 10%	7% - 20%
VMT Extent for All States	12% - 23%	2% - 9%	8% - 23%
<b>Urban System</b>			
Mileage Extent for Rural States <sup>3</sup>	3% - 16%	3% - 16% <sup>2</sup>	62% - 74%
Mileage Extent for Urban States	7% - 13%	7% - 13% <sup>2</sup>	67% - 76%
Mileage Extent for All States	7% - 15%	7% - 15% <sup>2</sup>	63% - 75%
VMT Extent for Rural States <sup>3</sup>	2% - 13%	2% - 12% <sup>2</sup>	9% - 25%
VMT Extent for Urban States	7% - 13%	7% - 13% <sup>2</sup>	6% - 24%
VMT Extent for All States	5% - 13%	5% - 13% <sup>2</sup>	6% - 25%
<b>Qualitative Description (Urban)</b>	<ul style="list-style-type: none"> <li>• Serve both land access and traffic circulation in higher density residential, and commercial/industrial areas</li> <li>• Penetrate residential neighborhoods, often for significant distances</li> <li>• Distribute and channel trips between local streets and arterials, usually over a distance of greater than three-quarters of a mile</li> </ul>	<ul style="list-style-type: none"> <li>• Serve both land access and traffic circulation in lower density residential, and commercial/industrial areas</li> <li>• Penetrate residential neighborhoods, often only for a short distance</li> <li>• Distribute and channel trips between local streets and arterials, usually over a distance of less than three-quarters of a mile</li> </ul>	<ul style="list-style-type: none"> <li>• Provide direct access to adjacent land</li> <li>• Provide access to higher systems</li> <li>• Carry no through traffic movement</li> </ul>
<b>Qualitative Description (Rural)</b>	<ul style="list-style-type: none"> <li>• Provide service to any county seat not on an arterial route, to the larger towns not directly served by the higher systems, and to other traffic generators of equivalent intra-county importance such as consolidated schools, shipping points, county parks, important mining and agricultural areas</li> <li>• Link these places with nearby larger towns and cities or with arterial routes</li> <li>• Serve the most important intra-county travel corridors</li> </ul>	<ul style="list-style-type: none"> <li>• Be spaced at intervals, consistent with population density, to collect traffic from local roads and bring all developed areas within reasonable distance of a minor collector</li> <li>• Provide service to smaller communities not served by a higher-class facility</li> <li>• Link locally important traffic generators with their rural hinterlands</li> </ul>	<ul style="list-style-type: none"> <li>• Serve primarily to provide access to adjacent land</li> <li>• Provide service to travel over short distances as compared to higher classification categories</li> <li>• Constitute the mileage not classified as part of the arterial and collectors systems</li> </ul>

1- Ranges in this table are derived from 2011 HPMS data.

2- Information for Urban Major and Minor Collectors is approximate, based on a small number of States reporting.

3- For this table, Rural States are defined as those with a maximum of 75 percent of their population in urban areas.

*State DOTs are required to collect, analyze and publish traffic data on the roadways within their borders. Specifically, through the Highway Performance Monitoring System, each roadway segment on the Federal-aid highway (e.g., urban roadways classified as Minor Collectors and above and rural roadways classified as Major Collectors and above) is required to have an AADT value that is based on an actual traffic count within the last 3 years. Therefore, AADT is a readily available and objective metric that can be brought into the functional classification determination process.*

**Mileage and Daily Vehicle - Miles of Travel (DVMT) Ranges:** While these guidelines should be considered general rules of thumb, FHWA encourages State DOTs to generate similar statistics for their roadway network and evaluate whether they fall within the normal ranges presented here. States should also apply the urban and rural guidelines as appropriate to their urban and rural areas.

**Annual Average Daily Traffic:** Roadway traffic volumes are typically expressed as annual average daily traffic (AADT) and represent one of the most objective characteristics of a roadway's usage, providing a standard, easy to understand and simple metric for comparing the relative importance of roadways. In general, the higher the traffic volume is, the higher the functional classification will be (relative to the norms in the surrounding area). Therefore, examining the AADT with other roadways in both the immediate vicinity (and in the region as a whole) is helpful when deciding a "borderline" roadway classification. If, for example, when trying to determine whether a given roadway with an AADT of 3,500 should be classified as a Minor Arterial or Major Collector, most of the Minor Arterials (in the immediate area and the region at large) fall within the 4,000 to 10,000 range, and the Major Collectors fall within the 2,000 to 4,000 range, the roadway should be classified as a Major Collector.

**The Big Picture:** If there still remains some ambiguity surrounding what classification should be applied to a given roadway, it is often helpful to examine the roadways in close proximity to it and to consider the spacing. For example, if trying to determine whether a roadway should be classified as a Minor Arterial or Major Collector, it is useful to take a "step back" and determine whether any functional classification is under- or over-represented. If the area has a significant number of Minor Arterials, then the roadway could very well be best classified as a Major Collector. Alternatively, if there is not another Minor Arterial within a few-mile radius of the roadway (assuming an urban context), then the roadway may best be designated as a Minor Arterial.

Even after careful review of a given roadway's attributes, a small set of roadway segments that are difficult to classify can remain. For this reason, the set of mileage guidelines in Tables 3-5 and 3-6 can help provide high-level guidance regarding both the extent (mileage) and usage (vehicle miles of travel [VMT]) of the roadway system that should fall into the different functional classification categories. While these guidelines have been developed for application at the State level, they can also be applied within regions.

## SECTION 4. PROCEDURES

*Agencies can use travel demand models to validate or update their functional classification assignments. These models and the software they use produce estimates of the number of trips that travel between activity centers as well as the flows of travel on roadway segments. A particularly useful feature is “select link analysis” that shows the origin and destination location of travel from a roadway segment, and select zone analysis, which shows the path of trips from or to an activity center. Travel demand model “activity centers” represent collections of smaller areas such as block groups, census tracts or even counties, so their ability to track the path of travel from smaller areas is often limited.*

### 4.1 Introduction

This section of the guidance outlines suggested procedures for assigning functional classifications to highways, including a discussion of the specific technical tasks that describe the detailed technical “how to” tasks, as well as the collaborative efforts with partner agencies to ensure the functional classification of the roadway network considers State, regional and local needs. Currently, each State maintains a categorized roadway network consistent with the Federal functional classification system. While functional classifications of some roadways can and do change over time, the functional classification of the vast majority of roadways remains stable. Consequently, the focus of each State’s efforts should be to identify roadways where the functionality has changed. These changes can take the form of newly constructed, re-aligned, extended, widened or otherwise reconfigured roadways. Equally important are changing land use and development patterns — growing residential areas, newly developed commercial or industrial centers and construction of isolated traffic generators can all have a profound impact on the roadway network serving these developments. State DOTs should establish, with local planning partners, a collaborative process of monitoring development and roadway usage patterns to ensure that the functional classification system is kept current.

While the nation’s roadway system is mature in comparison to the 1960’s-era highway system, the concepts and processes pertaining to the original Federal functional classification system are still relevant. The following section briefly presents an adaptation of the key recommendations of the 1989 guidance document, which is based on an earlier 1960’s era document.

Many State DOTs have generated their own functional classification guidance documents. For the most part, these State-specific documents are based upon FHWA’s 1989 document, augmented with additional details as necessary. To obtain a complete understanding of functional classification procedures in a particular State, these supporting documents should be reviewed as well.

### 4.2 Identifying the Functional Classification of a Roadway Network

A primary objective of the functional classification system is to connect traffic generators (population centers, schools, shopping areas, etc.) with a roadway network that channelizes trips logically and efficiently. As classification proceeds from identifying Arterials to Collectors to Locals, the perspective (and size) of traffic generators also moves from a larger to a smaller scale (or from a smaller to a larger scale, if starting from the local development).

When developing a functional classification network in a given area, the same basic procedures should be followed, whether the functional classification is applied in a rural or an urban area. However, due to the differences in population

and land development intensity between rural and urban areas, the process and considerations used to classify roadways may be different. Because functional classification is part art and part science, these procedures are a blend of detailed, task-oriented steps and qualitative guidelines. These procedures do not eliminate judgment from the classification process, but when used as a guide, they help to apply judgment in a sound and orderly fashion.

1. **Identify traffic generators.** In rural areas, traffic generators may be population centers (cities and towns); recreational areas such as lakes, national and State parks; military facilities; consolidated schools; and shipping points. In urban areas, traffic generators may be business districts; air, rail, bus and truck terminals; regional shopping centers; colleges and universities; hospital complexes; military bases; industrial and commercial centers; stadiums; fairgrounds; and parks. Regional traffic generators adjacent, but outside of the area of interest, should also be identified.
2. **Rank traffic generators.** Traffic generators should be categorized based on their relative ability to generate trips and be first stratified into urban and rural groupings. Traffic generators thought to be significant enough to be served by a Major Collector or higher should be categorized into five to eight groups (it is better to have too many groups than to have too few, especially toward the lower end of the scale). Traffic generators with similar significance should be placed in the same group. These groups will be used to identify the functional classification of connecting roadways. Population, sales tax receipts, retail trade, visitation and employment are some examples of factors to consider when ranking traffic generations according to their significance.
3. **Map traffic generators.** Traffic generators should be mapped using graduated symbols of varying sizes and/or colors according to the group to which the generator belongs. This will produce a visual representation of the ranking. For example, the group of generators ranked highest should all be symbolized with the largest symbol.
4. **Determine the appropriate functional classification to connect traffic generators.** To determine the functional classification of roadways, work from the highest mobility facilities first by identifying Interstates, Other Freeways & Expressways, Other Principal Arterials, then Minor Arterials and Collectors (Major, then Minor). Then, by definition, Local Roads will be all of the roadways that were not classified as Arterials or Collectors. In other words, begin with a wide, regional perspective to identify Principal Arterials, then gradually move to smaller, more localized perspectives as Minor Arterials, Major Collectors and Minor Collectors are identified. In this process, consider the size of the traffic generators connected and the predominant travel distances and “travel shed”<sup>4</sup> served.

---

<sup>4</sup> “Travel shed” refers to the general area from which most travelers originate.

### 4.2.1 Arterial Considerations

Arterials serve a wide range of functions across the access-mobility spectrum. Some considerations and rules of thumb for designating roads as Arterials include:

- Start with Interstates and Other Freeways & Expressways. Control of access is perhaps the easiest criterion to apply since roadways with full or partial control of access will most always be in the Arterial classification category. It is therefore advantageous to identify these roadways first, providing a convenient starting point in defining the Arterial system.
- Preserve the continuity of Principal Arterials (Interstates, Other Freeways & Expressways and Other Principal Arterials). Continuity of Principal Arterial routes traveling from rural areas, then into and through urban areas, should be preserved.
- Arterials should avoid neighborhoods. They often serve as buffers between incompatible land uses and should avoid penetration of residential neighborhoods.
- Most high-volume roadways in urban areas function as Arterials. Notable exceptions to this rule in intensely developed area exist in cases where high volume roadways actually function as Collectors that serve traffic movements between Locals and Arterials or provide a high degree of direct access service to abutting land uses. For example, roadways that border on high-activity, low-land area generators may carry proportionally high volumes of traffic while functioning as Collectors.
- The network of Minor Arterial roadways will usually intersect roadways in all other classifications.
- In urban areas, guidance for distinguishing between Principal and Minor Arterials includes:
  - *Principal Arterials typically serve:*
    - *Activity centers, from CBDs to larger town centers*
    - *Important air, rail, bus and truck terminals*
    - *Regional shopping centers*
    - *Large colleges, medical complexes, military bases and other institutional facilities*
    - *Major industrial and commerce centers*
    - *Important recreational areas*
  - Principal Arterials provide more mobility; Minor Arterials provide more access. The land access function of Principal Arterials is subordinate to their primary function of providing mobility for traffic not destined to land adjacent to the roadway. Minor Arterials, on the other hand, have a slightly more important land access function (although even for this classification category, this is a secondary consideration).
  - In general, the spacing between Principal Arterials should be greater than the spacing between Minor Arterials. In most cases, Minor Arterials will be located between Principal Arterials.

- Minor Arterials in urban areas should provide service to all remaining major traffic generators not served by a Principal Arterial, and they provide adequate area-wide circulation.
- Location matters when assigning functional classification. Because traffic volumes in the outlying portions of an urban area are generally lower than in the more densely populated central areas, the traffic volume on a Minor Arterial in the central city may be greater than the volume on a Principal Arterial in a suburban area.

Note: Under MAP-21, the National Highway System (NHS) was expanded on October 1, 2012, to include the Principal Arterials at that time. This one-time event did not create a link between the NHS and Principal Arterials. A change to the Principal Arterials does not automatically change the NHS.

### 4.2.2 Collector Considerations

Collectors, which may have an important land access function, serve primarily to funnel traffic between Local and Arterial roadways. In order to bridge this gap, Collectors must and do provide access to residential neighborhoods.

When deciding between Major and Minor Collectors, the following guidelines should be considered:

- A road that is not designated as an Arterial but that connects larger generators to the Arterial network can be classified as a Major Collector. Major Collectors generally are busier, have more signal-controlled intersections and serve more commercial development.
- Identify Minor Collectors for under-served residential areas. After Major Collectors have been identified, Minor Collectors should be identified for clustered residential areas that have yet to be served by a roadway within higher classification categories.
- In rural areas, Minor Collectors should have approximately equal distance between Arterial or Major Collector routes for equal population densities, such that equitable service is provided to all rural areas of the State. The population density within each area bounded by an Arterial and/or Major Collector route can be determined, and the existing spacing of routes already selected can be measured. Areas with poor service can then be identified by comparing the data with a table of desirable Collector spacing (mileage between routes) versus population density. Additional routes can be added to the system as necessary.

### 4.2.3 General Rules of Thumb for All Categories and the System as a Whole

While working through the functional classification system of roadway classifications, the following additional considerations should be kept in mind:

- Roadways that connect to and allow for the interchange of traffic with Principal Arterials are most likely to be Other Principal Arterials, Minor Arterials or Collectors.

- Avoid, if possible, within spacing guidelines, assigning the same functional classification to parallel routes. In the event that parallel routes are determined to provide identical functions, a determination should be made as to which of the routes is more important (as perhaps indicated by traffic volumes); the other parallel route(s) will be assigned the next lower functional classification.
- In general, the more intense the development, the closer the spacing of roadways within the same functional classification category. In less dense suburban locations within an urban area, neighborhoods tend to be larger than in the denser central parts of cities. These less dense areas generally do not require the same close spacing of facilities to serve traffic as the areas closer to the central business district.
- For the most part, a single connection between two generators is all that is required. However, in some instances, an additional alternative route might be included where:
  - *Two apparently alternative routes are separated by geographic barriers and each is needed for connection to another intermediate generator or another intersecting route within the same classification category*
  - *One roadway excludes commercial vehicles*
  - *Total traffic volume is not adequately handled by one of the roadways*
  - *One roadway is tolled*
- Ensure that each route terminates at a route of the same or higher functional classification. As each subsequent category in the functional classification hierarchy is identified and added to the system, the continuity of the system must be maintained.
- In rural, sparsely developed areas, the spacing of various functional classification categories is often not a helpful criterion in determining functional classification.
- In most cases, the most direct, most improved and most heavily traveled route should be chosen for connecting medium and small size traffic generators.

*FHWA encourages States to develop their own more detailed and more quantifiable guidelines. The state of Wisconsin has developed robust algorithms taking into account factors of the population of the areas connected by a roadway, land use, spacing and current AADT volumes.*

### 4.3 Good Practices

The following section discusses and recommends a series of good practices that State DOTs may follow to keep the functional classification of its roadways as accurate as possible.

#### 4.3.1 Ongoing Maintenance of the Functional Classification System

State DOTs are charged with ensuring that the functional classification of their roadways is kept up-to-date. In addition, FHWA recommends that States update their functional classification system continually as the roadway system and land use developments change. States should also consider reviewing their systems every 10 years to coincide with the decennial census and the adjusted urban area boundary update cycle.

This maintenance process involves ongoing coordination with local planning partners to identify roadways that require changes to their functional classification, due to changes in transportation network and/or land use patterns. These changes can involve:

- Adding newly constructed or extended roadways to the network, which can in turn affect the functional classification of connecting or nearby roadways
- Upgrading the functional classification of an existing roadway due to land use changes or an improvement made to the roadway
- Downgrading the functional classification of an existing roadway due to land use changes, traffic controls that discourage through traffic or other controls that limit the speed and capacity of a road

Actively maintaining the functional classification attributes of roadways will reduce the level of effort needed for the periodic updates. As State DOTs work with their local transportation planning partners on various initiatives such as long-range planning activities and project programming and development, issues related to the functional classification should be kept in mind. Useful questions to ask are the following:

- Have new significant roadways been constructed that may warrant Arterial or Collector status?
- Has any previously non-divided Principal Arterial roadway been reconstructed as a divided facility?
- Has any new major development (such as an airport, regional shopping center major medical facility) been built in a location that has caused traffic patterns to change?
- Has there been significant overall growth that may have caused some roadways to serve more access or mobility needs than they have previously?
- Have any Arterial or Collector roadways been extended or realigned in such a way to attract more through trip movements?
- Has a particular roadway experienced a significant growth in daily traffic volumes?

A key success factor for State DOTs is to have a well-documented process for changing the functional classification of an existing roadway. This process, along with a description of what the functional classification is and why it is important, should be readily accessible on the internet.

Many State DOTs have developed a functional classification change request form (see **Figure 4-1**). These forms ensure that consistent information and evidence supporting such a change are provided. Typically, information — such as the roadway location, the justification for the change and letters or signatures expressing local support — is required.

Figure 4-1: Minnesota DOT Functional Classification Change Request Form

Functional Class Change Request Form		
Date Request Initiated	Route Name	Route Number
Total Miles to be Re-classified	Begin Point	End Point
Current Classification	Proposed Classification	
County	State Project Number <small>if applicable</small>	Proposed or Existing Road <small>(specify which)</small>
Description of the Road Segment		
Reason for Change in Classification		
Impact on Classification Percentages in the Jurisdiction and Plan for Maintaining Balance		
City/County Engineer Signature		Date
RDC/MPO Board Review Signatures		Date
District Planner/District State Aid Engineer Signature		Date
Next Steps for the District: <ol style="list-style-type: none"> <li>1. Scan signed document to PDF format</li> <li>2. Email PDF file to:                             <ul style="list-style-type: none"> <li>• City/County and RDC/MPO who initiated the request and any others as appropriate</li> <li>• Mn/DOT Functional Classification Change contact (As of July 2010, Kim DeLaRosa: <a href="mailto:kimberlie.delarosa@state.mn.us">kimberlie.delarosa@state.mn.us</a>)</li> </ul> </li> </ol> <i>The Mn/DOT contact should also receive a copy of the map (paper or electronic) showing the classification change.</i>		

Source: Minnesota DOT, Functional Classification, Request to Change Classification;  
<http://www.dot.state.mn.us/roadway/data/html/roadwaydata.html>

When new Local Roads get added to the State’s roadway inventory databases, as a good practice, State DOTs should evaluate how closely their roadways fit within each functional classification category based on the percentage guidelines found in Tables 3-5 and 3-6. If any significant differences are found, steps may be taken to either correct or explain them. However, this refinement process should not be conducted simply to keep adding or removing roadways until certain percentage guidelines are met. Bearing in mind that the classification process is as much art as science, it should still be as systematic, reproducible and logical as possible. Additionally, states and their planning partners (to be discussed later) should document their methodology and attempt to follow it as consistently as possible.

## 4.4 Geographic Information Systems

Transportation agencies rely on a variety of up-to-date spatial data to carry out their planning, maintenance and operations responsibilities. The most important element of this, for functional classification purposes, is an accurate GIS-based inventory of all roadways for a given area. This inventory contains the current functional classification of all roadways and AADT estimates to calculate daily VMT.<sup>5</sup> Total mileage and total DVMT can then be calculated for the entire network, independent of functional classification, thereby providing the denominator for the mileage and DVMT percentages by functional classification.

State DOTs identify new roadways and roadway improvements in their State Transportation Improvement Program (STIP). DOTs should maintain basic information such as mileage, functional classification, lanes and traffic forecasts in a Linear Referencing System/GIS format. A variety of other GIS data can be useful in the functional classification evaluation process — this includes land use, major traffic generators and digital ortho-photography.

As DOTs move toward integrated, enterprise-wide GIS-based asset management systems, it is becoming increasingly important to ensure consistency between traditional tabular roadway inventory data and geospatial databases representing the physical roadway network. Some State DOTs have been maintaining tabular databases that contain information on the numerous attributes of a roadway (e.g., number of lanes, speed limit and functional classification).

**Figure 4-2** illustrates the potential consequences of an inconsistency between databases. The example shows the merging of a GIS network and an underlying database containing functional class information. Because the network, as represented in the GIS system, does not correlate completely with the roadway section representation of the non-GIS database, the displayed non-GIS database information appears to be inaccurate.

*Figure 4-2: Example of Shifting due to Inconsistency between Tabular Event Data and Geospatial Data*




Source: CDM Smith

<sup>5</sup> Vehicle miles of travel can be calculated as: DVMT = length in miles \* annual average daily traffic volume.

Today's geospatial technologies allow this data to be easily "viewed" in the context of a spatially accurate map display. Therefore, it is important that the linearly referenced tabular data, when integrated into a state DOT's traditionally separated databases, be dynamically segmented on a routed roadway network and be spatially correct.

This issue may become apparent when roadways are mapped and symbolized according to their functional classification. The mapped functional classification designations often stop short or slightly overshoot their proper terminal location.

As shown above, GIS systems enable roadway segment color coding for validation and public display. An example of a color coding scheme for roadways by functional classification is shown in **Figure 4-3**. If followed, this suggestion would improve future mapping consistency.



*Source: CDM Smith*

#### 4.4.1 Proactive Communication and Accessibility of Information

State DOTs should create a 2-way communication network with internal and external users of functional classification information. The unit within the State DOT responsible for maintaining the official functional classification network should keep a list of internal and external users of functional classification information and provide them with guidance and a mechanism for updating functional classifications. Increasingly, enterprise-wide databases and information provided over the internet (either with static PDF maps or more sophisticated interactive, dynamic online mapping applications) allow end-users quick and convenient access to roadway attribute information, including functional classification. Additionally, internal linkages and strong lines of communication with the DOT offices responsible for asset management, system inventories and operations can ensure that updates and changes to their roadway databases are transferred to a master GIS inventory which the functional classification process has access.

### 4.5 Partners in the Functional Classification Process

Whether processing a single functional classification change request or conducting a comprehensive statewide functional classification review in response to the establishment of the updated Adjusted Census Urban Boundaries, a variety of planning partners should be involved to ensure informed consent of the functional classification designation for a State's roadways.

#### 4.5.1 Metropolitan Planning Organizations

MPOs are the primary local contact for the DOTs in Urbanized Areas. MPOs may initiate requests for revising the functional classification of a roadway within their planning area, either on their own initiative or on behalf of member jurisdictions. For requests originating from a member jurisdiction, the MPO may conduct an initial review to ensure compliance with functional classification criteria. Typically, MPOs will forward requests along with their recommendation for approval or disapproval to the State DOT unit responsible for maintaining the functional

classification information. In some cases, local governments work directly with the State DOT, with concurrence from the MPO.

#### 4.5.2 State DOTs

For the sake of efficiency, a single specific unit with the DOT should be responsible for maintaining the official functional classification designation of all roads within the State. This unit should also be in charge of coordinating with FHWA on matters related to functional classification and be the final State decision-maker for all functional classification issues. The unit should also ensure that all submissions for changes to the functional classification of a roadway have followed the appropriate documented procedures. If the State DOT approves a change, the unit should submit the change, along with supporting information, to the FHWA Division Office for their review and approval. Upon receipt of FHWA approval (or disapproval), the DOT should notify the affected local jurisdiction of the decision.

DOT regional or district offices may be responsible for submitting system revisions for all State highways outside an MPO's planning area and coordinating proposed system revisions for areas within the planning jurisdiction of an MPO.

Once a change has been approved by the FHWA Division Office, the State DOT may revise the official repository of functional classification information and update ancillary systems and work products to reflect the change.

#### 4.5.3 Counties and Other Agencies

Counties may be responsible for initiating functional classification changes on roadways under their jurisdiction but outside of an MPO planning area. Counties within an MPO's planning area should coordinate proposed system revisions with the MPO and submit any proposed changes to the State DOT.

In addition to MPOs, counties and State DOTs, other local government and regional entities — such as cities, rural transportation planning organizations, regional development commissions, councils of government, etc. — may also submit changes and participate in the update process.

### 4.6 Suggested Procedural Tasks

This section of the guidance outlines a series of recommended technical and procedural steps to review the functional classification of a State's roadway network. These tasks should be conducted through a collaborative effort between each State DOT and its local planning partners. In an ideal setting, the State and its partners should assess whether its roadways are properly classified on a continuous basis. Because new roads and major land development projects take years of advance planning, State DOTs should anticipate and respond to functional class adjustments in tandem with development activity. Additionally, the entire network of roadways should be reviewed after the development of the adjusted urban area boundaries. For those State DOTs that actively maintain and update the functional classifications of their roadway system, this formal process should be rather straightforward.

The following suggested procedures offer the most robust and detailed steps in the update process (**Figure 4-4**). Even for the most challenging of circumstances, the process of official review and submittal of the updated functional classification

*State DOTs should complete the adjusted urban area boundary process within 1 year of the boundary release date.*

*The functional classification update should be completed within 2 years following the approval of the adjusted urban area boundaries.*

system should take less than 24 months to complete from the time of FHWA approval of the adjusted urban area boundaries.

Figure 4-4: Good-Practice Timeframe for Functional Classification Updates in Months

Task	Mo. 1	Mo. 2	Mo. 3	Mo. 4	Mo. 5	Mo. 6	Mo. 7	Mo. 8	Mo. 9	Mo. 10	Mo. 11	Mo. 12	Mo. 13	Mo. 14	Mo. 15	Mo. 16	Mo. 17	Mo. 18	Mo. 19	Mo. 20	Mo. 21	Mo. 22	Mo. 23	Mo. 24
<b>1. Mobilize the Functional Classification Update Process:</b>																								
1a. Establish FC Review Team	X	X																						
1b. Generate data, maps, etc. for use by local planning partners			X	X																				
1c. Contact local planning partners			X	X																				
<b>2. Work with Local Planning Partners in Functional Classification Review Process:</b>																								
2a. Deliver data and documents to local planning partners					X																			
2b. Work with Local Planning Partners in Functional Classification Review Process				X	X	X	X	X	X	X	X	X	X	X	X	X	X							
<b>3. Make Functional Classification Changes:</b>																								
3a. Gather, review, and incorporate all proposed changes																		X	X	X				
3b. Submit draft functional classification network information to FHWA																					X			
3c. Incorporate Functional Classification Changes into Enterprise Systems																						X	X	X

Source: CDM Smith

States and their partners should re-evaluate the functional classification of the road system at least every 10 years, coinciding with the decennial census. FHWA highly recommends that this process be completed within 2 years of the formal approval of the adjusted urban area boundaries so that all States are coordinated with the same census. FHWA considers the State DOT to be the authority during this process and relies upon it to take an active leadership role.

FHWA Division Offices may correspond with State DOTs to formally launch the functional classification system review. This notice, which can accompany the approval of the adjusted urban area boundaries, reminds the State DOTs of their responsibilities, and provide information regarding how and when the functional classification information should be submitted.

The following listing presents a functional classification review process with a 24-month completion timeframe, following approval of the adjusted urban area boundaries.

1. Mobilize the Functional Classification Update Process

- a. **Form a team to specifically guide the functional classification review and update process.** Establish a functional classification review team composed of State and regional planners that have a vested interest in the final delineation of the functional classification designations. Individuals with experience in Federal transportation funding, highway design, traffic operations and the metropolitan

transportation planning process should have a seat on the committee. This review team should be responsible for reviewing proposed changes to the functional classification network from local planning partners.

- b. **Generate data, maps, etc. for use by local planning partners.** Incorporate approved adjusted urban area boundaries in the enterprise GIS system and produce functional classification maps at a variety of scales that are relevant to local planning partners. These may include statewide, district, county and municipal scales.
  - c. **Contact local planning partners.** Contact various local planning partners to explain the task at hand and request their participation. MPO staff should be key partners, and other regional planning agencies, counties and/or local municipalities should be consulted as necessary. For many areas in which engaging local partners can be difficult, it is appropriate for State DOTs to be responsible for reviewing the functional classification of roadways.
2. **Work with Local Planning Partners in the Functional Classification Review Process**
- a. **Deliver data and documents to local planning partners.** Transmit the maps described in #1b (and/or GIS data used to make such maps) to local planning partners. This transmittal should include specific instructions in terms of data formats, spatial accuracy, update processes and expected completion dates. The functional classification guidance document should also be shared with everyone involved in this process. A strong emphasis should be placed on transmitting the data in a timely fashion. In-person or video conference meetings can be extremely valuable to ensure proper communication and mutual understanding.
  - b. **Work with Local Planning Partners.** As necessary, a State DOT will work with the local planning partners to ensure that the functional classification review and update process meets their expectations. In urban areas, close collaboration with MPOs is extremely important. Regional workshops hosted by MPOs can be valuable in ensuring that there is a common understanding of the process and the schedule for delivery. While the exact details surrounding information exchange may vary from state to state, the local planning partners are generally expected to review the current functional classification network, in the context of the newly revised adjusted urban area boundaries and submit a set of proposed changes to the functional classification of roadways in their area. Whether a large or minimal number of changes, sufficient explanation should be provided to justify each recommended functional classification change (see Table 3-1: Characteristics of Urban and Rural Arterials for examples). In many areas, proposed functional classification changes require formal MPO approval.

### 3. Make Functional Classification Changes

- a. **Gather, review and incorporate all proposed changes.** The State DOT must review a local or regional transportation agency's proposed changes to ensure that they are reasonable. Special attention should be paid to the consistency of classifications at regional boundaries, overall route continuity, spacing and mileage and DVMT percentage guidelines. In addition, DOTs should coordinate with neighboring States to ensure consistency at State boundaries. If possible, potential system-wide changes should be made in a "test" environment to avoid affecting the official enterprise system during the analysis of proposed changes. Follow-up meetings may be necessary to resolve issues discovered by the DOT.
- b. **Submit draft functional classification network information to FHWA.** Once the State DOT has successfully reviewed and concurred with all recommend functional classification changes, it should submit the draft final functional classification network to its FHWA Division Office for final approval. The specific geospatial format of data delivery should be worked out between the State DOT and its FHWA Division. Separately, hard copy maps at a scale sufficiently small enough to evaluate the functional classification network should be provided. Should the Division Office have any issues with the proposed functional classification network, the State DOT and the affected local planning entities should meet to decide upon a mutually agreeable solution. *Note: Any changes to the National Highway System (NHS) will need to be coordinated with FHWA HQ Office of Planning, Environment and Realty. Approval of changes to the NHS happens in FHWA HQ, and the procedures for modifications are detailed in 23 CFR 470.*
- c. **Incorporate Functional Classification Changes into Enterprise Systems** Once FHWA approval has been received, any proposed functional classification changes should be made into the enterprise database systems that house the official records of roadway functional classification. These functional classification changes should be forwarded to FHWA HEPP (Planning) for inclusion into the HEPGIS database and also be incorporated into the June 15<sup>th</sup> HPMS data transmittal.

An example functional classification table from Massachusetts can be found in **Table 4-1**.

**Table 4-1: Example Massachusetts Roadway Functional Classification Table**

Ref#	City/Town	Roadway	From	To	Existing Classification	Proposed Classification	Distance (Miles)	Map
1	Blandford	Huntington Rd	Chester Rd / North St	Huntington Town Line	Rural Major Collector	Local Road	3.80	1
	Huntington	Blandford Hill Rd	Route 20	Blandford Town Line	Rural Major Collector	Local Road	0.83	
2	Blandford	Cobble Mountain Rd	Russell Town Line	Birch Hill Rd	Rural Major Collector	Local Road	2.80	
	Blandford	Birch Hill Rd	Route 23	Cobble Mountain Rd	Rural Major Collector	Local Road	0.24	
	Granville	Wildcat Rd	Cobble Mountain Rd	Old Westfield Rd	Rural Major Collector	Local Road	1.94	
	Granville	Phelon Rd	North Lane #2	Cobble Mountain Rd	Rural Minor Collector	Local Road	1.78	
	Granville	Cobble Mountain Rd	Phelon Rd	Russell Town Line	Rural Minor Collector	Local Road	1.30	
	Russell	Cobble Mountain Rd	Blandford Town Line	Granville Town Line	Rural Major Collector	Local Road	0.33	
	Chester	Bromley Rd	Huntington Town Line	Skyline Trail	Local Road	Rural Minor Collector	3.14	
	Huntington	Bromley Rd	Chester Town Line	Route 112	Local Road	Rural Minor Collector	1.79	
4	Huntington	Country Rd	Route 112	Route 66	Local Road	Rural Major Collector	3.04	
5	Holyoke	Bobala Rd	Whitney Ave	West Springfield Town Line	Local Road	Urban Minor Collector	0.83	2
	West Springfield	Interstate Dr	Holyoke Town Line	Prospect Ave	Local Road	Urban Minor Collector	0.53	
6	West Springfield	Prospect Ave	Westfield Town Line	Bernie Ave	Urban Minor Collector	Local Road	2.18	
	West Springfield	Morgan Rd	Prospect Ave	Amostown Rd	Urban Minor Collector	Local Road	1.24	
	West Springfield	Amostown Rd	Morgan Rd	Pease Ave	Urban Minor Collector	Local Road	0.65	
	Westfield	Old Holyoke Rd	East Mountain Rd	West Springfield Town Line	Urban Minor Collector	Local Road	0.60	

Description of Changes

- Huntington Road in the Town of Blandford and Blandford Hill Road in the Town of Huntington no longer provide access to through traffic. Additionally, portions of this roadway are unsurfaced. For this reason, it is recommended that this roadway be downgraded from a Rural Major Collector to a Local Road.*
- The Department of Homeland Security recently closed access to Cobble Mountain Road in the Town of Blandford in order to increase security of the Cobble Mountain Reservoir. Consequently, it is recommended that all roadways discussed in Reference #2 in Table 1 be downgraded to Local Roads due to the inaccessibility and lack of continuity of the roadway functional classification system.*

*Sample functional classification changes listed, with examples of supporting justification*

**Table 4-2** presents good practice milestones for the overall development and submittal process.

*Table 4-2: Key Milestones for Development and Submittal of the Functional Classification Network*

Event	Month Following FHWA Adjusted Urban Area Boundary Approval
State DOT launches the formal functional classification update process after FHWA approves the State’s adjusted urban area boundaries	Month 1
State DOT works with planning partners to review and propose changes to the functional classification of its roadways	Months 2-17
State DOT gathers and processes all proposed function classification changes and submits draft final data and/or maps to FHWA Division Office for review	Months 18-21
DOT incorporates updates into planning process and related databases to ensure submittal of updated functional classification in upcoming June 15 <sup>th</sup> HPMS submittal	Months 22-24

## SECTION 5. APPLICATIONS

### 5.1 Performance

This section of the guidance document details a variety of ways functional classification data may be used by Federal, State, local and other entities. Transportation agencies organize many of their administrative, budgetary, operations and maintenance activities around functional classification. Functional classification is also an important organizing element in data management and highway statistics reporting.

Currently, Federal and State funding programs assign a substantial share of capital and operating resources to the Principal Arterial system, in comparison to lower functional classifications. Likewise, expectations for condition and performance tend to be higher for the higher functional classifications. There is risk associated with not investing in and maintaining the system that carries the most people and goods.

### 5.2 Data Needs and Reporting

Statistics derived from the Federal roadway databases are organized around functional classification. This data are used in a number of ways, including reporting on the condition of the nation's roadways to Congress and in other highway statistics reports and studies.

#### 5.2.1 Impact of Functional Classification Changes

The changes brought about in the functional classification categories with this updated guidance document will lead to more uniform and more accurate classification of roadways across the country. This will improve the tracking, monitoring, and reporting on the performance of the system and specific system elements at a national and State level.

### 5.3 Secondary Functional Classification Uses

Functional classification is used by transportation agencies in a number of ways, from design to maintenance. The hierarchal system correlates the purpose of a roadway with all the external factors transportation agencies handle. The functional classification of a roadway is often a factor in decision-making by transportation agencies.

- **Program and Project Prioritization** – In a climate of constrained resources, functional classification often plays a role in the prioritization of expenditures. Several transportation agencies have developed separate funding programs to support the roadway systems that serve their longest distance travel, a large proportion of which comprises the Principal Arterial system.
- **Asset Management** – Functional classification plays a role in transportation agencies' asset management programs, as agencies generally work to preserve

and protect their most important assets — those that serve the most people and goods.

- **Safety Programs** – Functional classification is used by transportation agencies to evaluate the safety of their roadways and implement safety improvement programs. Agencies consider the type of roadway in evaluating the significance of crash rates. The typical safety improvement may also vary widely depending on the functional classification of a roadway. For example, speed reduction or signage improvements may be more effective in reducing crashes on a Local Road than on an Arterial.
- **Highway Design** – There is a correlation between functional classification and design. As an illustration, lower class roadways have lower speed limits, narrower lanes, steeper curves, etc., while higher class roadways have higher speed limits, wider lanes and fewer sharp curves. The relationship between functional classification and highway design is discussed in the following section (Subsection 5.4.1).
- **Bridge programs** – Functional classification often plays a key role in a States’ bridge program. For example, some States have set thresholds, such as a functional classification of Local with low traffic volume, at which 1-lane bridges are acceptable.
- **Traffic control** – Some transportation agencies may look to functional class to determine the most appropriate intersection control measure to use.
- **Maintenance** – Functional classification often plays a role in resurfacing cycles, which is related to asset management and project prioritization. The classification of a roadway also impacts general maintenance and snow/ice removal in inclement weather.

## 5.4 Highway Design

### 5.4.1 The Relationship between Functional Classification and Design

Functional classification does not dictate design; however, the two influence one another. There is a great deal of latitude in the design of a roadway relative to its functional classification.

Transportation agencies may maintain their own roadway typology. But it is also important that the Federal functional classification system (e.g., FHWA reporting guidelines) be followed. Secondary roadway typologies developed by transportation agencies can be descriptive of how an agency wants vehicles to interact in different settings. Some States, for example, allow for local control over design standards in roadway-dense areas. This is essentially a form of context sensitive solutions (CSS).<sup>6</sup>

---

<sup>6</sup> Context sensitive design describes a process and practice that considers both the immediate environment of the roadway and the transportation needs of the communities it serves. For more information, see <http://contextsensitivesolutions.org>.

The following presents a summary of how key resources available on functional classification can work in concert with livable and walkable communities.

#### 5.4.1.1 AASHTO Green Book and Flexibility in Highway Design

Although States' design standards are often based on the American Association of State Highway and Transportation Officials (AASHTO) Green Book, FHWA's *Flexibility in Highway Design* document illustrates flexibility options for States to tailor their designs to incorporate community values while safely and efficiently moving people and goods.

The AASHTO Green Book and other design manuals recognize the relationship between highway functional classification and design criteria. The AASHTO Green Book states that, "The first step in the design process is to define the function that the facility is to serve. The level of service required to fulfill this function for the anticipated volume and composition of traffic provides a rational and cost-effective basis for the selection of design speed and geometric criteria within the range of values available to the designer (for the specified functional classification). The use of functional classification as a design type should appropriately integrate the highway planning and design process."

The Green Book explains that functional classification decisions are made well before an individual project is selected to move into the design phase. This decision is made on a system-wide basis by cities, counties or State DOTs or MPOs as part of their transportation planning process. Because these decisions require considerable lead time, the functional classification of a roadway often represents a decision made years before the road is built. After a functional classification has been assigned to a roadway, however, there is still a degree of flexibility in the major controlling factor of design speed. There are no "cookie-cutter" designs for roadways. Instead, there is a range of geometric design options available.

#### 5.4.1.2 Livability

By FHWA definition, "Livability is about tying the quality and location of transportation facilities to broader opportunities such as access to good jobs, affordable housing, quality schools, and safe streets." The term captures and recognizes the pervasive influence of transportation in our daily lives and provides a justification for transportation investments that address broader social goals such as quality of life. Specific investments include expanding the use of Intelligent Transportation System (ITS) technologies, quiet pavements and Travel Demand Management approaches in system planning and operations.

FHWA's *Livability in Transportation Guidebook* cautions that functional classification-based designs may not be responsive to context. The report notes the traditional association of functional classification with the movement of vehicles, but it also notes the historical lack of recognition regarding the influence of land use density and mix on the feasibility and desirability of walking, as well as the influence of land use density and mix on setting operating speeds that are appropriate for the level of pedestrian activity present. The report describes corridor re-design initiatives that have preserved mobility for vehicles and enhanced access for travel by foot. These initiatives have produced, when considering all modes, including bicyclists, pedestrians, transit users, a more optimal outcome on the mobility-access continuum.

5.4.1.3 Smart Transportation Guidebook

The *Smart Transportation Guidebook: Planning and Designing Highways and Streets that Support Sustainable and Livable Communities*, New Jersey and Pennsylvania Departments of Transportation, March 2008, recommends an approach to roadway planning and design that tailors transportation investments to the specific needs of each project. The ultimate goal of the guidebook is to integrate the planning and design of streets and highways in a manner that fosters development of sustainable and livable communities. The guidebook proposes a new roadway typology to design roadways that better reflect their role in the community and the larger transportation network. The typology (Table 5.1 in the Smart Transportation Guidebook) is shown below as **Figure 5-1**. This scheme focuses more narrowly on the characteristics of access, mobility and speed. And, the guidebook emphasizes that this typology should be used only as a planning and design “overlay” for individual projects and should not replace the traditional functional classification system.

*Figure 5-1: “Roadway Categories”  
from the Smart Transportation Guidebook, March 2008*

Roadway Class	Roadway Type	Desired Operating Speed (mph)	Average Trip Length (mi)	Volume	Intersection Spacing (ft)	Comments
Arterial	Regional	30-55	15-35	10,000-40,000	660-1,320	Roadways in this category would be considered “Principal Arterial” in traditional functional classification.
Arterial	Community	25-55	7-25	5,000-25,000	300-1,320	Often classified as “Minor Arterial” in traditional classification but may include road segments classified as “Principal Arterial.”
Collector	Community	25-55	5-10	5,000-15,000	300-660	Often similar in appearance to a community arterial. Typically classified as “Major Collector.”
Collector	Neighborhood	25-35	<7	<6,000	300-660	Similar in appearance to local roadways. Typically classified as “Minor Collector.”
Local	Local	20-30	<5	<3,000	200-660	

Source: Pennsylvania Department of Transportation

The guide addresses design options for roadway attributes such as:

- Travel lane width
- A shift to designing for desirable operating speed versus design speed
- Shoulder width
- On-street parking
- Bicycle facilities
- Medians
- Intersections (including turn radii)
- Pedestrian facilities
- Landscaping
- Access and spacing

The guidebook describes seven prototypical development types and the design attributes appropriate for each, by roadway classification. The design options for a Community Arterial (row 2 from Figure 5-1 above) are shown in **Figure 5-2**.

Many States and localities have adopted policies that aim to consider the needs of all roadway users. Such policies have been referred to as ‘Complete Streets’ policies. The PennDOT Smart Transportation Guide has been identified as a good example of addressing Complete Streets issues in the American Planning Association Report #559, “Complete Streets: Best Policy and Implementation Practices.”

Figure 5-2: Community Arterial Roadway Design Guidelines in Smart Transportation Guidebook

Community Arterial:	Rural	Suburban Neighborhood	Suburban Corridor	Suburban Center	Town/Village Neighborhood	Town/Village Center	Urban Core
Lane Width <sup>1</sup>	11' to 12'	10' to 12' (14' outside lane if no shoulder or bike lane)	11' to 12' (14' to 15' outside lane if no shoulder or bike lane)	10' to 12' (14' outside lane if no shoulder or bike lane)	10' to 12' (14' outside lane if no shoulder or bike lane)	10' to 12' (14' outside lane if no shoulder or bike lane)	10' to 12' (14' outside lane if no shoulder or bike lane)
Paved Shoulder Width <sup>2</sup>	8' to 10'	4' to 8' if no parking	8' to 10'	4' to 6' (if no parking or bike lane)	4' to 6' (if no parking or bike lane)	4' to 6' (if no parking or bike lane)	4' to 6' (if no parking or bike lane)
Parking Lane <sup>3</sup>	NA	7' to 8' parallel	NA	8' parallel; see 7.2 for angled	7' to 8' parallel; see 7.2 for angled	7' to 8' parallel; see 7.2 for angled	7' to 8' parallel; see 7.2 for angled
Bike Lane	NA	5' to 6' (if no shoulder)	5' to 6' (if no shoulder)	5' to 6'	5' to 6'	5' to 6'	5' to 6'
Median	4' to 6'	12' to 18' for LT; 6' to 8' for pedestrians	12' to 18' for LT; 6' to 8' for pedestrians	12' to 18' for LT; 6' to 8' for pedestrians	12' to 18' for LT; 6' to 8' for pedestrians	12' to 18' for LT; 6' to 8' for pedestrians	12' to 18' for LT; 6' to 8' for pedestrians
Curb Return	25' to 50'	25' to 35'	25' to 50'	20' to 40'	15' to 30'	15' to 35'	15' to 40'
Travel Lanes	2' to 4'	2' to 4'	2' to 4'	2' to 4'	2' to 4'	2' to 4'	2' to 4'
Clear Sidewalk Width	NA	5'	5' to 6'	6'	6' to 8'	6' to 10'	8' to 14'
Buffer <sup>4</sup>	NA	6'+	5' to 10'	4' to 6'	4' to 6'	4' to 6'	4' to 6'
Shy Distance	NA	NA	NA	0' to 2'	0' to 2'	2'	2'
Total Sidewalk Width	NA	5'	5' to 6'	10' to 14'	10' to 16'	12' to 18'	14' to 22'
Desired Operating Speed	35-55	30-35	35-50	30	25-30	25-30	25-30

- 1 12' preferred for regular transit routes, and heavy truck volumes > 5%, particularly for speeds of 35 mph or greater.
- 2 Shoulders should be installed in urban contexts only as part of a retrofit of wide travel lanes, to accommodate bicyclists.
- 3 7' parking lanes on this roadway type to be considered in appropriate conditions
- 4 Buffer is assumed to be planted area (grass, shrubs and/or trees) for suburban neighborhood and corridor context, street furniture/car door zone for other land use contexts. Min. of 6' for transit zones.

Sources for values in matrix: AASHTO Green Book (2001), and ITE “Context Sensitive Solutions in Designing Major Urban Thoroughfares for Walkable Communities” (2006).

Source: Delaware Valley Regional Planning Commission

#### 5.4.1.4 CSS in Designing Major Urban Thoroughfares for Walkable Communities

ITE’s *Context Sensitive Solutions in Designing Major Urban Thoroughfares for Walkable Communities, 2006* is another valuable resource for practitioners. This report advances the successful use of context sensitive solutions in the planning and design of major urban thoroughfares for walkable communities. The document, which can be found at <https://www.epa.gov/sites/default/files/2015-11/documents/rp036.pdf>, provides guidance on how to apply CSS concepts and principles to create roadway improvement projects consistent with their physical settings.

This guidance document can be found at: <https://www.dvrpc.org/reports/o8o3oA.pdf>

Specifically, this work describes the principles, benefits and importance of CSS in transportation projects; identifies how CSS principles can be applied in the planning and development of improvements to major urban thoroughfares; describes the relationship, compatibility and tradeoffs that may be appropriate when balancing the needs of users, adjoining land uses, environment and community interests; presents guidance on how to identify and select appropriate thoroughfare types and corresponding design parameters to best meet the needs of a particular context; and provides criteria for specific roadway elements along with guidance on balancing stakeholder, community and environmental needs and constraints.

### 5.5 Assessment of Functional Classification Systems

While the Federal functional classification categories play an important role in Federal, State, regional and local transportation planning, there is an emerging trend in transportation to develop new classification categories with which to group and describe roadways. At the heart of this trend is the recognition that roadways do more than move traffic. Roadways are the basic skeleton of a community and are travelways for other modes of transportation, including walking, bicycling and public transportation. The following section describes other functional classification systems in use and touches upon emerging concepts in the realm of roadway functional classification.

### 5.6 Emerging/Other Functional Classification Systems

While most States only use the FHWA functional classification scheme, several States have developed additional or alternative classification systems to suit their planning and engineering needs. Reasons for developing alternative functional systems include the need to incorporate unique roadway types or roadways that are not part of the Federal-aid system and the need to develop a system to meet the unique administrative or jurisdictional requirements of a State.

Oregon DOT is one State that has employed a separate classification system. This alternate system has only four categories (Interstate, Statewide, Regional and District). While there is not a single translation to convert the Federal functional classification categories to the four State categories, **Table 5-1** represents a general “rule of thumb” that Oregon DOT uses for the translation between the two systems.<sup>7</sup>

*Table 5-1: Oregon DOT’s Classification System*

State Classification System (SCS)	Description	Corresponding Functional Classifications
Interstate Highways	Provide connections to major cities, regions or other states; regional trips within metro areas.	<ul style="list-style-type: none"> <li>Urban or Rural Interstate</li> </ul>
Statewide Highways	Provide connection to larger urban areas, ports and recreational areas that are not directly served by interstate highways	<ul style="list-style-type: none"> <li>Urban or Rural Principal Arterial – Other Freeway Expressway</li> <li>Urban or Rural Other Principal Arterial</li> </ul>
Regional Highways	Provide links to regional centers, statewide or interstate highways or economic or activity centers of regional significance	<ul style="list-style-type: none"> <li>Urban or Rural Minor Arterial</li> </ul>
District Highways	Facilities of county-wide significance function largely as county and city Arterials or Collectors	<ul style="list-style-type: none"> <li>Urban or Rural Minor Arterial</li> <li>Urban or Rural Major Collector</li> <li>Rural Minor Collector</li> </ul>

<sup>7</sup> Department of Transportation, Guidelines for Updating Federal Aid Urban Boundaries and Functional Classification, July 2003

<http://www.oregon.gov/ODOT/TD/TDATA/rics/docs/InstructionsForFCReview.pdf?ga=t>

With the institutionalization of new concepts such as sustainability, smart growth, new urbanism, and complete streets comes a different perspective on transportation as a whole and on roadways in particular. These movements have shifted the dialogue from the movement of automobiles to the mobility of persons. Some States have developed roadway design guidelines that decouple the Federal functional classification system from the specific design needs of a roadway that are determined through a project development process.

The MassDOT Project Development and Design Guide<sup>8</sup> provides designers with options that reflect the needs of a considerable range of prevailing land uses and roadway user types. While the guide notes the role that the Federal functional classification system plays in ensuring mobility, access and connectivity, as well as its role in determining funding eligibility, it also points out that MassDOT's guidance on access control, cross-sections, sight distance, design speeds etc. reflect the appropriate level of flexibility that the department applies to roadway design. As an example, MassDOT provides ranges of acceptable design speeds based on roadway type (Arterial, Collector) and subtype, as well as area type (Rural, Suburban and Urban) and subtype.

The Idaho DOT also embraces this new concept. The DOT's August 2009 Technical Report 5 entitled "Highway System Classification (Functional Classification)"<sup>9</sup> states that the department has come to a new understanding that *"streets should connect to their surrounding environment through adjustments in highway/street elements and functions."* This approach bucks the traditional 'one size fits all' approach to roadway design that has been effective in supporting vehicular mobility.

The new approach of multimodal street design encompasses four distinct elements or zones (the travelway zone, the pedestrian zone, the context zone and the intersection zone). Each element works with the others to accommodate the needs of multiple modes in harmony with their abutting land uses, taking into account environmental, historical preservation and economic development objectives. Idaho's new functional street classification system is consistent with other national good practices which recognize the importance of the different transportation functions that are accommodated within the roadway's right of way. Increasingly, municipal thoroughfare plans are breaking the traditional "Arterial, Collector, Local" mold and using alternate typology. These typologies expand the rural/urban construct into more granular categories that recognize aesthetic and neighborhood-level concerns and explicitly account for all modes of transportation.

Idaho's proposed functional street classification system is consistent with other national practices, which are often found at the local level. **Figure 5-3** illustrates the proposed multimodal functional street classification system (which includes

<sup>8</sup> The MassDOT Project Development and Design Guide, <http://www.massdot.state.ma.us/highway/DoingBusinessWithUs/ManualsPublicationsForms/ProjectDevelopmentDesignGuide.aspx>

<sup>9</sup> Technical Report 5, Highway System Classification, August 12, 2009, <http://itd.idaho.gov/transportation-performance/lrtp/reports/Tech%20Rept%205-Highway%20Systems%20Classification.pdf>

the categories of Freeways, Boulevards, Avenues and Streets) and relates it to the conventional street classification system. Idaho has other classes as well.


Figure 5-3: Idaho DOT’s Proposed Redefinition of Functional Street Classifications

Functional Street Classification		Principal Arterial	Minor Arterial	Collector	Local
Freeway		X	X	X	X
Boulevard	Urban	X	X	X	
	Suburban	X	X	X	
	Transit	X	X	X	
	Industrial	X	X	X	
	Couplet	X	X	X	
Avenue	Urban	X	X	X	
	Suburban	X	X	X	
	Transit	X	X	X	
	Industrial	X	X	X	
	Couplet	X	X	X	X
Street	Urban	X	X	X	X
	Suburban	X	X	X	X

Source: Idaho Department of Transportation

Idaho Department of Transportation  
*Statewide Transportation Systems Plan*  
 The broadening of road typologies and design options within the context of functional classification is not limited to a few DOTs. The Institute of Traffic Engineers’ *Context Sensitive Solutions in Designing Major Urban Thoroughfares for Walkable Communities*<sup>10</sup> supports and extends this way of thinking. (Figure 5-4) In addition, the ARTIST (Arterial Streets Toward Sustainability)<sup>11</sup> concept and the United Kingdom’s *Manual for Streets*<sup>12</sup> offer new ways of categorizing roadways that support short-distance mobility and access with design options to accommodate a variety of modes and roadway treatment options.

Figure 5-4: ITE Report: Context Sensitive Solutions in Designing Major Urban Thoroughfares for Walkable Communities



Source: Institute of Transportation Engineers

10 Institute of Traffic Engineers, *Context Sensitive Solutions in Designing Major Urban Thoroughfares for Walkable Communities*, March, 2010.

11 Lund University, Department of Technology and Society, *Arterial Streets Toward Sustainability*, Sweden, [http://www.tft.lth.se/english/research/traffic\\_safety/artists/?L=2](http://www.tft.lth.se/english/research/traffic_safety/artists/?L=2)

12 Department for Transport, *Manual for Streets*, March 29, 2007  
[https://www.gov.uk/government/uploads/system/uploads/attachment\\_data/file/3891/pdf/man-orstreets.pdf](https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/3891/pdf/man-orstreets.pdf)

## 5.7 Future Trends

Additionally, a significant change is occurring in the transportation industry related to the development of improvement projects focusing on the performance of the facility. Roadway performance can be measured in a number of ways, including mobility, speed, safety and surface condition, as well as by person throughput and the accommodation of multiple transportation modes. Increasingly, the character and context of the environment within which the roadway is located, as well as the expectation of its performance on a number of measures, are driving the design of roadway improvement projects. Gone are the days of simply verifying a roadway's functional classification and applying a "one-size-fits-all" approach to the application of design standards of a roadway improvement project.

This movement in transportation planning to categorize roadways beyond the traditional "Arterial, Collector, Local" spectrum will continue to evolve. Continuing research and dialogue among transportation practitioners will deepen the understanding of what these alternatives can offer to a functional classification system that is relevant and meaningful at the national level.

## SECTION 6. URBAN BOUNDARIES

### 6.1 Introduction

Many Federal transportation programs and policies rely upon a clear and well-documented distinction between urban and rural areas. Urban and rural areas are explicitly defined by the Census Bureau according to specific population, density and related criteria. From these technical definitions, irregularities and boundaries that are separated from or inconsistent with transportation features may result. For transportation purposes, States have the option of using census-defined urban boundaries exclusively, or they may adjust the census-defined boundaries to be more consistent with transportation needs. States, in coordination with local planning partners, may adjust the urban area boundaries so fringe areas having “...residential, commercial, industrial, and/or national defense significance” (as noted in the December 9, 1991 Federal-Aid Policy Guide), are included.

Reasons for adjusting urban area boundaries for transportation planning purposes often relate to a need for consistency or geographic continuity. For example, it may be logical to include, as part of an urban area, a roadway that is used by urban residents but is located just outside the official Census Bureau urban area boundary. Or, it may make sense to designate as urban a rural pocket in the middle of an urban area (or to address alternating patterns of rural and urban-designated areas). Additionally, large, low-density land uses on the urban fringe that serve the urban population such as airports, industrial parks, regional shopping centers and other urban attractions may also be included in an urban area.

On October 14, 2008, FHWA issued the memorandum “Updated Guidance for the Functional Classification of Highways” which stated, “Functional classification should not automatically change at the rural/urban boundary.” This extended the 1991 Addendum to the 1989 guidance *Highway Functional Classification: Concepts, Criteria and Procedures*, which provided “greater flexibility for deciding on an appropriate place for changing the functional classification when rural routes cross an urban boundary.” The 2008 memorandum proposed further study of functional classification and urban area boundary adjustment process which led to this document.

This section is intended to assemble and complete all previous policy given by FHWA for establishing urban area boundaries. It has three main objectives:

1. To provide a clear definition of adjusted urban area boundaries and other related boundaries
2. To define a set of technical and administrative processes by which States, working in conjunction with local planning partners, could develop adjusted urban areas based upon urban areas as defined by the US decennial census
3. To establish data delivery protocols from the States to FHWA


*The authority to establish the geographic definitions is set forth in Section 101(a) of Title 23 U.S.C. and subsequent guidance has been provided in 23 CFR 470 and in FHWA policy documents.*

*The concept of adjusted urban areas has evolved since the issuance of the Federal guidance on the topic in Chapter 4 of FHWA's Federal-Aid Policy issued in December 1991.*

## 6.2 Defining Urban and Rural

The terms “urban” and “rural” mean different things to different people, and in many cases, their definitions differ depending upon the context in which they are used. At their core, the concepts of urban and rural are clear; urban areas are considered to have *dense* development patterns, while rural areas are considered to have *sparse* development patterns (see **Figure 6-1**). What has changed over the years, however, is the terminology used and the technical definitions of “dense” and “sparse”.

*Figure 6-1: Prototypical Urban and Rural Areas*



Source: CDM Smith

### 6.2.1 Census Definitions

The Census Bureau's urban-rural classification is fundamentally a delineation of geographical areas, identifying individual urban areas as well as the rural portion of the nation. The Census Bureau's urban areas represent densely developed territory, and encompass residential, commercial, and other non-residential urban land uses. The Census Bureau delineates urban areas after each decennial census by applying specified criteria to decennial census and other data.

Prior to the 2020 Census, the boundaries of the urban areas were defined primarily by using measures based on population counts and residential population density, and also by using measures based on criteria that account for non-residential urban land uses, such as commercial, industrial, transportation, and open space that are part of the urban landscape.

With the 2020 Census, urban areas now comprise a densely developed core of census blocks that meet minimum housing unit density requirements (replacing the previous use of population density), along with adjacent territory containing non-residential urban land uses as well as other lower density territory included to link outlying densely settled territory with the densely settled core.

To qualify as an urban area, the territory must encompass at least 2,000 housing units or at least 5,000 persons. The term “rural” still encompasses all population, housing, and territory not included within an urban area. Geographic entities, such as metropolitan areas, counties, minor civil divisions (MCDs), places, and census tracts often contain both urban and rural territory, population, and housing units.”

### 6.2.2 FHWA Definitions

There are differences in the way FHWA and the Census Bureau define and describe urban and rural areas. The Census Bureau defines urban areas solely for the purpose of tabulating and presenting Census Bureau statistical data. A number of Federal agency programs use the census definitions as the starting point (if not the basis) for implementing and determining eligibility for a variety of their funding programs.

According to 23 U.S.C. 101(a)(35), areas with a population of 5,000 or more can qualify as urban. According to 23 U.S.C. 101(a)(36), areas with a population of 50,000 or more qualify as urbanized. Furthermore, FHWA refers to the urban areas with populations between 5,000 and 49,999 as *Small Urban Areas*<sup>13</sup>. These differences are presented in **Table 6-1** and **Table 6-2**.

**Table 6-1: US Census Bureau Urban Area Types Defined by Population range**

Census Bureau Area Definition	Population Range
Urban Area	At least 5,000 persons or 2,000 housing units

**Table 6-2: FHWA Urban Area Types Defined by Population Range**

FHWA Area Definition	Population Range	Allowed Urban Area Boundary Adjustments
Urban Area	5,000+	Yes
Small Urban Area	5,000-49,999	Yes
Urbanized Area	50,000+	Yes

Federal transportation legislation allows for the outward adjustment of Census Bureau defined urban boundaries (of population 5,000 and above) as the basis for development of adjusted urban area boundaries for transportation planning purposes, through the cooperative efforts of State and local officials. By Federal rule, these adjusted urban area boundaries must encompass the entire census-designated urban area (of population 5,000 and above) and are subject to approval by the Secretary of Transportation (23 USC 101(a) (35) - (36) and 49 USC 5302(23) - (24)).

For the purposes of the boundary adjustment process, the term “adjusted urban area boundaries” refers to the FHWA boundary adjustment process in all areas of 5,000 population and above.

During the time between the release of the Census Bureau boundaries and the formal approval of the new adjusted boundaries, the previously developed and approved adjusted urban area boundaries remain in effect. For FHWA and State DOT planning purposes, if a State DOT chooses not to or is unable to adjust the urban area boundaries, the most recent unadjusted census boundaries will take effect. This could cause a roadway previously considered to be urban to now be considered rural, which may affect Federal aid funding eligibility.

<sup>13</sup> FHWA has traditionally used this term to describe Urban Areas with a population greater than or equal to 5,000 and less than 50,000

To avoid this situation, States are encouraged to work with their FHWA Division Office and their local planning partners to go through the process of developing the adjusted urban area boundaries within the recommended timeframe.

### 6.3 Relationship to Functional Classification

While the urban/rural designation is independent of the functional classification, it is important to recognize that the adjusted urban area boundary is a significant factor in developing the functional classification of a road in an urban/rural context.

FHWA policy has normalized<sup>14</sup> the concepts of urban boundaries and functional classification to improve consistency. The seven functional classifications each for urban and rural areas create 14 possible combinations of functional class and area type. As an example, a roadway classified as a Minor Arterial that happens to be in an urban area has a combined classification of Urban Minor Arterial. There is no change in the definitions of the functionally classified roads; nor does this in any way change the eligibility of rural and urban-classified roads for Federal programs and policies, or how highway statistics are reported.


This policy provides an opportunity to clarify how functional classifications at the boundaries of urban/rural areas should be treated. The previous practice in some States of automatically changing the functional classification of a route that crosses into or out of an adjusted urban area boundary can be phased out and eliminated. Upgrading due to an actual change in function should be the operative criterion.

Special attention should be paid to locations at which roadways and boundaries are in close proximity. The adjusted urban area boundary should be designed to eliminate or minimize a roadway's snaking in and out of the boundary. In these cases, as the boundary is adjusted, it needs to be clearly defined that the road is either in or out. This adjustment serves to maintain consistent designation of these peripheral routes and avoids the situation of a roadway alternating between urban and rural designations. Special care should be taken when developing the boundary so that spatial consistency is maintained with the roadways and associated attributes.

Roads that define a boundary should be considered consistently urban or rural, and it is strongly recommended that these roadways be carefully evaluated before they are included in or out of the adjusted urban area boundary. For example, in **Figure 6-2**, Plympton Street (a Major Collector) defines the adjusted urban area boundary and is considered to be an Urban Major Collector, while Plymouth Street (a Local Road) is considered to be an Urban Local Road.

<sup>14</sup> Normalization here means simplifying the functional classification so that a roadway is classified with one meaning while urban/rural is a separate context in which the road is located.

Figure 6-2: Example of Roadway Coinciding with Adjusted Urban Area



Source: CDM Smith 2012; Data provided by Massachusetts DOT

## 6.4 Developing Adjusted Urban Area Boundaries

This section outlines a series of recommended technical and procedural steps to develop adjusted urban area boundaries. These tasks are typically conducted through a collaborative effort between State DOTs and local planning partners. The process begins with the release of the urban area boundaries by the Census Bureau and concludes with the approval of the appropriate FHWA Division Office. Overall, the process typically takes between six months and a year to complete from the time that the census boundaries are released.

As described previously, there is no requirement to adjust the census urban boundaries. States may adopt the census boundaries as is, or they may adjust them for transportation planning purposes. The only official requirement is that an adjusted boundary includes the original urban area boundary defined by the Census Bureau in its entirety. In other words, any adjustment must expand, not contract, the Census Bureau urban area boundary.

### 6.4.1 Adjusted Urban Area Boundaries – Technical Tasks


The first step in defining adjusted urban area boundaries is to obtain the census urban area geospatial boundary files from the Census Bureau. These files are available from FHWA's HEPGIS website <https://hepgis.fhwa.dot.gov/fhwagis/> or from the Census Bureau in a variety of GIS-compatible formats, including Arc/Info export, Arc View shape file and Arc/Info format. Historical cartographic boundary files from previous censuses are available for download at:

<https://www.census.gov/geographies/mapping-files/time-series/geo/tiger-line-file.html> These urban area boundary files should be edited in GIS. Additional GIS layers should also be gathered from the same year as the decennial census (e.g., 2010) or of similar vintage (see **Figure 6-3**). Potentially useful GIS layers include:

- Land use, including areas of recent growth
- Roadway network
- Railroads
- Transit routes
- Ports (e.g., airports, seaports)
- Military installations

- Other significant traffic generators
- Hydrography
- Municipal boundaries (i.e., incorporated areas)
- Digital ortho-photography

Figure 6-3: 2020 Census Urban Areas (Ohio and Vicinity)




Source: HEPGIS/ US Census Bureau

### 6.4.2 Consideration Factors for Adjusting Urban Areas

When adjusting the urban areas, a variety of factors should be considered. The list below describes these factors and includes an example for each. All examples are courtesy of the Arizona or Massachusetts departments of transportation.

- The adjusted urban area boundary will encompass the entire urban area (of population 5,000 or greater) as designated by the Census Bureau. In **Figure 6-4**, no part of the original urban area was removed.


Figure 6-4: Example Original Urban Area



Source: Arizona DOT; <http://azdot.gov/mpd/qis/fclass/urban.asp>

- The adjusted urban area boundary will be one, single contiguous area. In **Figure 6-5**, the new boundary, like the original census boundary, is a single contiguous area without any holes or discontinuities, such that there is no rural area contained within the outer urban boundary.


Figure 6-5: Example Single Contiguous Area



Source: Arizona DOT; <http://azdot.gov/mpd/qis/fclass/urban.asp>

- The adjusted urban area boundary often is designed to encompass areas outside of municipal boundaries that have urban characteristics with residential, commercial, industrial or national defense land uses that are consistent with or related to the development patterns with the boundary. The adjusted urban area boundary should include terminals and their access roads, if such terminals lie within a reasonable distance of the urban area (e.g., airports, seaports). In **Figure 6-6**, the urban area was expanded to cover the nearby Air Force base.


Figure 6-6: Example Area Expanded to Cover Air Force Base



Source: Map created by CDM Smith, using data provided by Massachusetts DOT and US 2000 Census.

- The adjusted urban area boundary is adjusted in many instances to encompass all large traffic generators that are within a reasonable distance from the urban area (e.g., fringe area public parks, large places of assembly, large industrial plants, etc.). In **Figure 6-7**, the urban area was expanded to include the industrial area east of the census urban area boundary.

Figure 6-7: Example Area Expanded to Include Industrial Area




Source: Arizona DOT; <http://azdot.gov/mpd/qis/fclass/urban.asp> with overlay graphic by CDM Smith to identify industrial plant.

- The adjusted urban area boundary should consider transit service routes (e.g., bus route, passenger rail line) in the placement of a boundary location. However, their inclusion should not unduly distort the shape or composition of the original census-defined urban area boundary.
- The adjusted urban area boundary should be defined so that its physical location is easy to discern in the field from data shown on the map. Whenever possible, if the boundary is going to deviate from political jurisdictional boundaries, it should follow physical features (e.g., rivers, streams, irrigation canals, transmission lines, railroads, streets or highways).

In instances where physical features are lacking, the boundary should cross at roadway intersections which are readily identifiable in the field. In **Figure 6-8**, the boundary was adjusted to align with the major east-west roadway to the south.


*Figure 6-8: Example Boundary Adjusted to Align with Major Roadway*



Source: Source: Arizona DOT; <http://azdot.gov/mpd/qis/fclass/urban.asp>

- After the adjusted urban area boundary has been defined using all the factors previously listed, remaining boundary irregularities should be minimized to avoid the confusion that irregular boundaries can create. In **Figure 6-9**, the boundary was adjusted to be considerably less complex than the original irregular census boundary.

*Figure 6-9: Example Boundary Adjusted for Simplicity*



Source: Arizona DOT; <http://azdot.gov/mpd/qis/fclass/urban.asp>

Additional recommendations regarding the adjustment of the urban area boundaries include:

- Adjusted urban area boundaries should be defined so that confusion or ambiguity is minimized. For example, a boundary should not be drawn in the middle of a divided highway. The divided highway should be either completely in or completely out of the urban area boundary.
- In instances where a roadway defines the boundary between two urban areas, the roadway should be clearly assigned to the urban area it primarily serves. If the roadway serves each urban area equally, a business rule should be developed that assigns the roadway appropriately.
- If access-controlled roadways are used to define the adjusted urban area boundary, all ramps and interchanges should be either included or excluded concerning the adjusted urban area boundary and interchanges should not be divided by the boundary.
- For coastal areas, if the intent of the adjusted urban area boundaries is to be reflective of the shoreline, then the generally accepted coastal boundaries most commonly used for geospatial processes, such as spatial analysis or map-making, should be used.

## 6.5 Adjusted Urban Area Boundaries – Procedural Tasks

If States and their local partners choose to adjust the urban area boundaries, then they must be reviewed, at a minimum, in conjunction with the census urban area boundary release.<sup>15</sup> FHWA recommends that this process be completed within 1 year of the release of the census urban area GIS datasets. FHWA considers a State's DOT, working with the appropriate local government entities, to be the authority during this process and relies upon State DOTs to take an active leadership role.

### 6.5.1 Risk Factors to Urban Area Adjustment Schedule

There are several risk factors that could potentially arise and impact the amount of time it takes to complete the adjustment process. Therefore, each State should develop a carefully planned approach for addressing these potential risk factors, which include:

- A large number of urban areas within a State
- Newly created urban areas
- Merging of previously separate urban areas
- Urban areas that cross State boundaries
- A large number of local planning partners with which to coordinate
- Inconsistency in the application of adjustment criteria across the State
- Inconsistent interim data submittal formats
- Lack of active engagement by local planning partners
- Lack of DOT resources to complete the process in a timely fashion

<sup>15</sup> Although there is no specific FHWA policy on how often adjustments to urban area boundaries can be made, states are encouraged to make such adjustments as infrequently as possible and only when deemed absolutely necessary.

### 6.5.2 Urban Area Adjustment Schedule

It is expected that the States will begin adjusting their Urban Area Boundaries as soon as possible after the Census Bureau releases its urban area boundaries, which typically occurs about 12 to 18 months following the decennial census.

**Figure 6-10** and the list that follows present a good practice level of procedural steps that should be completed within 12 months of the release of the Census Bureau’s urban area boundary files.

*Figure 6-10: Good Practice Level of Procedural Steps for an Urban Boundary Update Process*

Task	Mo. 1	Mo. 2	Mo. 3	Mo. 4	Mo. 5	Mo. 6	Mo. 7	Mo. 8	Mo. 9	Mo. 10	Mo. 11	Mo. 12
<b>1. Mobilize the Adjusted Urban Area Boundary Update Process:</b>												
1a. Obtain Urban Area Boundaries from U.S. Census	X											
1b. Establish AUAB Review Team	X	X										
1c. Generate data, maps, etc. for use by local planning partners		X	X									
1d. Contact local planning partners		X	X									
<b>2. Work with Local Planning Partners in Adjusted Urban Area Boundary Review Process:</b>												
2a. Deliver data and documents to local planning partners				X								
2b. Work with Local Planning Partners in Adjusted Urban Area Boundary Review Process				X	X	X	X	X	X			
<b>3. Make Functional Classification Changes:</b>												
3a. Gather, review, and incorporate all proposed changes										X		
3b. Submit draft Adjusted Urban Area Boundary information to FHWA											X	
3c. Incorporate Adjusted Urban Area Boundary Changes into Enterprise Systems												X

Source: CDM Smith

1. **Mobilize the Urban Area Boundary Adjustment Process**
  - a. **Acquire newly developed urban area boundaries from US Census.** Obtain the latest decennial census urban area boundaries from the Census Bureau.
  - b. **Form a team to guide the urban area boundary update process.** Staff the team with FHWA Division personnel, along with State and regional transportation planners who have a vested interest in the final delineation of the boundaries. Individuals with experience in functional classification, Federal transportation funding, highway design, traffic operations and the metropolitan transportation planning process should have a role in this process. This review team should be responsible for reviewing draft adjusted urban area boundary submittals from local planning partners.

- c. **Generate data, maps, etc. for use by local planning partners.** Incorporate urban area boundaries from the census into data and maps that are relevant to local planning partners. These may include statewide, district, county and municipal scales.
  - d. **Contact local planning partners.** Contact the impacted local planning partners to explain the task at hand and request their participation. For Urbanized Areas contained and/or very proximate to metropolitan planning areas, the MPO should be a key partner. For Small Urban Areas, regional planning agencies, counties and/or local municipalities should be consulted. However, for many of these urban areas, additional effort may be required to properly engage these partners. In these instances, it is appropriate for State DOTs to make urban area adjustments in these areas. Finally, in some instances, regional transit service providers should also be consulted to understand their short-term routing plans.
2. **Work with Local Planning Partners in the Adjusted Urban Area Boundary Update Process**
- a. **Deliver data and documents to local planning partners.** Share the original decennial census-based urban boundary maps and/or GIS data (including both Urbanized Areas and Small Urban Areas) with the local planning partners. In addition, to inform the partners and the process more completely, it helps if maps and/or GIS data representing both the previous unadjusted and adjusted urban area boundary are shared in a timely manner. This transmittal should include specific instructions in terms of data formats, spatial accuracy, update processes and expected completion dates, as well as this guidance document. In-person or video conference meetings are encouraged to enhance communication and mutual understanding. Creation of adjusted urban area boundaries should follow each State's GIS data editing and quality control procedures (e.g., issues of scale) and performed by qualified GIS users.
  - b. **Work with local planning partners.** As necessary, each State DOT will need to work with the local planning partners to ensure that the urban area adjustment process is meeting their expectations. Close collaboration with MPOs is extremely important, and regional workshops hosted by MPOs can be very valuable in ensuring there is a common understanding of the process and schedule. While the exact details surrounding information exchange may vary from state to state, the expectation is that local planning partners will review the US census urban area boundaries in the context of the existing adjusted urban area boundaries (based upon the previous census) and determine the extent to which the boundaries should be adjusted for transportation planning purposes. The local planning partners should submit a set of proposed adjustments to the current US Census urban area boundaries in their area to their State DOT.

3. **Make Adjusted Urban Area Boundary Changes**
  - a. **Gather, review and incorporate proposed changes from local planning partners.** As local planning partners submit their recommendations for adjusted urban area boundaries, the State DOT must review the proposed adjustments to ensure that they are reasonable. At the very least, the DOT must ensure that no territory considered urban by the Census Bureau be left out of the adjusted urban area boundary. In addition, the State DOT should review all proposed adjusted urban area boundaries paying particular attention to locations where the adjusted urban area boundaries are co-located with another feature such as a roadway, a municipal boundary or a hydrographic feature. Some follow-up meetings may be necessary to resolve issues discovered by the DOT. The updated GIS adjusted urban area boundaries need to be incorporated into the master urban boundary layer and subjected to the DOT's GIS quality control checks with the metadata for the layer updated.
  - b. **Submit draft adjusted urban area boundary information to FHWA Division Office.** Once the State DOT has successfully reviewed and concurred with all adjusted urban area boundaries, the State DOT should submit the draft final adjusted urban area boundaries to its FHWA Division Office for final approval. The specific format of data delivery should be worked out between the State DOT and their FHWA Division Office. Various geospatial formats will be acceptable, and as developed, FHWA systems such as HPMS or HEPGIS may be used. As a final resort, hard copy maps at a scale sufficient to identify the adjusted urban area boundaries can be submitted.
  - c. **Incorporate adjusted urban area boundary changes into Enterprise Systems.** Once FHWA has approved the adjusted urban areas, the State DOT should incorporate the adjusted urban area boundary changes into the enterprise geospatial database systems that house the official record of the adjusted urban area boundaries. States are required to submit their adjusted urban area boundaries to FHWA when changes are made to the boundaries. In most cases, this submittal should only occur once after the State has completed its adjustment process.

**Table 6-3** presents key milestones for the overall development and submittal process (for example, using submitted data based upon the 2020 US Census data.

*Table 6-2: Key Milestones for Development and Submittal of Adjusted Urban Area Boundaries*

Event	Months Following Decennial Census Data Release (approximate)
Census releases urban area boundaries	Month 24
Begin adjusted urban area boundary update process	Month 24
DOT works with planning partners to define adjusted urban area boundaries	Month 27-Month 33
Provide draft final data and/or maps to FHWA Division Office for review and approval	Month 34
DOT incorporates updates	Month 35
DOT submits adjusted urban area boundaries via annual HPMS submittal	Month 36

Each State should submit only boundaries for the HPMS submittal that have been approved by their FHWA Division Office.

**Table 6-4** lists the attributes that are required within the FHWA geospatial database.

*Table 6-3: Geospatial Database Required Attributes*

Field Name	Description
Year_Record	Year for which the data apply
Urban_Code	Census urban code
Urban_Name	Urban name
Census_Land_Area	Census land area (in square miles)
Shape	Polygon feature

## 6.6 Adjusted Urban Area Boundaries – Data Transmittal Process

Each State DOT should coordinate with its local FHWA Division Office to discuss the data transmittal process. To the extent possible, all draft final boundaries should be submitted electronically in the form of GIS data and/or PDF maps. If GIS data are provided, appropriate metadata delineating the spatial accuracy, projection and definition/domain of all attributes should also be provided, as well as supporting documentation that briefly describes the process by which the boundaries were adjusted. In addition, each adjusted urban area boundary should be a single (multi-part, if necessary) polygon GIS feature. Feature names and codes should follow Federal Information Processing Standards (FIPS) conventions as well as any applicable State naming and coding standards.

## SECTION 7. GRAPHICS SOURCES

---

Akos Szoboszlay

Arizona DOT

CDM Smith

Creative Commons Attribution-Share Alike 2.0 generic license; Benjamin Clark

Department for Transport, United Kingdom

FHWA

Google Earth Pro

Lund University, Department of Technology and Society

Idaho DOT

Institute of Transportation Engineers

Idaho DOT

Massachusetts DOT

Minnesota DOT

Ohio DOT


Ohio Statewide Imagery Program

Oregon DOT

Smart Transportation Guidebook

Texas DOT

US Census (2000)



# Appendix B

## Detailed Functional Classification Criteria



## Introduction

Development of new and/or changes of existing functional classifications are based on an evaluation of the following criteria:

- Type and magnitude of travel generators.
- Route feasibility and directness of travel.
- Traffic characteristics and trip length.
- Spacing between types of functional classes.
- Continuity of various functional classes.
- Multiple service capability (accommodation of other modes of transportation).
- Relationships of functional classes to transportation plan(s).
- Miles and travel classification control values.
- Access Spacing.
- Integration of classifications of adjoining jurisdictions.

## Travel Generators

Any facility that creates or attracts vehicular traffic movements is a travel generator. The travel generators to be used in the classification process have been ranked and the parameters for each functional class have been established. Listed below are the travel generators and the parameters to be used in the functional classification process.

## Population Generators

A population generator is defined as any designated urbanized or urban area or incorporated city or town not within an urban area. The population of a place generally reflects its economic importance and capacity for generating and attracting travel; therefore, the greater the population, the higher the classification of the facility serving it. Generators of similar population and economic importance should be served by routes of the same functional classification. The functionally classified network required for connecting the appropriate population generators has been established as follows:



TABLE 1  
Population Generator Levels

Area Type	Functional Classification/Population			
	Principal	Minor Arterials	Collectors	
	Arterials		Major	Minor
Rural	Over 30,000	10,000-30,000	1,500-10,000	Under 1,500
Urban*	Over 10,000	5,000-10,000		Under 5,000
*In the urbanized, boundary	and urban areas population	consideration is to generators within	be given for the established	connecting only those federal urban area

### Recreational/Cultural Generators

These traffic generators are used by residents and visitors for recreational and cultural purposes. Examples of recreational and cultural generators include parks, beaches, national and State forests, civic centers, stadiums, historical sites and monuments, outdoor theaters, State and County exhibition halls, museums, tourist attractions, and other facilities. For this type of travel generator, annual visitations are converted to population equivalencies.

If several recreational travel generators are located closely together or can be served by only one possible route, such as in a coastal peninsula or mountainous area, the visitations may be combined in the ranking process, and areas that are mixed recreational and residential (i.e. areas like Waikīkī and Ka'anapali), the trip equivalencies are determined for the recreational areas, and grouped with

VISITATION VS. EQUIVALENT POPULATION  
FOR RANKING RECREATION GENERATORS




Figure is from FHWA Functional Classification Guidelines: Concepts, Criteria and Procedures (Revised 1989) Section III

the expected trips generated by the residential areas. Annual recreational generator visitations are to be reduced to a population equivalency by the following graph. Enter the chart at the bottom with the appropriate number of annual visitations and read on the left the population equivalency at the point where the vertical visitation line intersects the curve. Enter this population equivalency value into the appropriate area of the population rankings (see following Tables 8 and 9).

### Industrial Generators

Industrial generators are facilities having as their prime function the manufacture and/or processing of material and



goods. With few exceptions, most industrial generators will be contained within or in close proximity to urban areas where transportation modes for the processed goods as well as an adequate labor force are available. The impact of the industrial generators must be considered in the urban areas where they exist, while rural classification evaluation may in most cases disregard this element. It is to be considered in the functional classification of rural facilities when a high level of activity is maintained over a reasonably long period of time, e.g., the hauling of agricultural products.

The following subcategories and employment figures are to be used in the evaluation of industrial generators.

- Large — a complex with an aggregate employment in excess of 3,000.
- Medium — a complex with an aggregate employment between 1,000 and 3,000.
- Small — a complex or facility with employment less than 1,000.

### **Commercial Generators**

Included in this category are the central business district, shopping centers, airports, port and railway warehousing, and terminals. Commercial generators are also storage or warehousing areas from which distribution is made to retail outlets and includes processing plants such as fruit packing and storage warehouses and creameries. An area to be considered within this category must be definable with concentrated retail goods and personal services outlets, distribution centers or processing plants, or a combination thereof. The following subcategories and parameters are to be used in the evaluation of commercial generators.

### **Shopping Centers and Central Business Districts (CBD)**

- Regional — an area with three or more department stores and 75 or more support retail and/or personal service outlets.
- Community an area with at least one department store and between 25 and 75 support retail and/or personal service outlets.
- Neighborhood — an area having at least one supermarket as the major outlet and other facilities limited to day-to-day needs and personal services.

### **Ports and/or Railway Terminals**

- Major — those facilities handling in excess of 4,000,000 tons annually.
- Minor — those facilities handling between 1,000,000 and 4,000,000 tons annually.
- Other — those facilities handling between 250,000 and 1,000,000 tons annually



### **Transit**

- Central or significant transit centers and/or stations.
- Transit Oriented Development (TOD)

### **Airports**

*The terms and parameters listed are extracts from the report of the State Aeronautics Commission for the establishment of the Statewide Airport Plan.*

- Primary — airports handling over 1,000,000 passenger boardings, or 250,000 aircraft operations (take offs or landings), or 50,000 tons of air cargo annually.
- Secondary — airports handling between 50,000 to 1,000,000 passenger boardings, or 100,000 to 250,000 aircraft operations, or 5,000 to 50,000 tons of air cargo annually.
- Feeder — airports handling less than 50,000 passenger boardings, or 100,000 aircraft operations or 5,000 tons of air cargo annually.

### **Resorts Areas**

Refer to the most recent edition of the ITE Trip Generation Manual to determine generation rates for resort hotels (current rate is 0.42 trips per unit).

### **Governmental Generators**

This group of travel generators includes military bases, colleges, universities, governmental administrative complexes, and others. For military establishments, a combination of military and civilian resident population and the employed civilian support personnel should be considered in estimating population.

For defining the population of civil (City, County, State and Federal) administrative complexes, consider those personnel whose main function is performed within the complex.

Educational/Institutional facilities are universities, colleges, vocational and technical institutes, schools, hospitals, penal institutions, etc. Population values are given as the appropriate aggregate of on-campus students, staff, patients, inmates and support personnel.

The size of governmental generators to be served by each functional class has been established as indicated in the following table:



**TABLE 2**  
Guidelines for Government Generators

Type of Travel Generator	Functional Classification /		Population
	Principal Arterial	Minor Arterial	Collector
Military (urban)	Over 20,000	10,000-20,000	Under 10,000
Civil (urban)	Over 1,500	100-1,500	Under 100
Educational/Institutional (urban)	Over 5,000	1,000-5,000	Under 1,000

## Feasibility of Route and Directness of Travel

The feasibility of route and directness of travel are considered where a choice of routes exist. The higher functional classification is assigned to the route having the larger volume of traffic, higher degree of development, and ability to accommodate further development along the existing alignment. Because most State roads on Maui, Kaua'i, and Hawai'i are the only route available, this criterion is most applicable on O'ahu and the larger cities on the neighbor islands.

## Traffic Characteristics and Trip Length

The term traffic characteristic is used to more clearly associate with trip purpose rather than traffic composition measures like percentage of trucks, pickups, passenger vehicles, etc. Basic information for evaluating this element is data obtained in origin-destination studies. When such data are not available, the evaluation is to be made on the design and/or basis of the service the route is intended to provide.

In rural areas principal arterials should be used for longer trips in most, if not all, cases. The major portion of shorter county travel is served by minor arterials. These facilities that service longer trips will generally be longer and may entirely cross the county, providing service for relatively long trips. Major collectors provide for the shorter trips and serve as the major feeder system to the principal and minor arterials. Minor collectors provide for shorter intracounty travel not satisfied by higher classifications, on a facility with a higher design than that on the local access roads. The general intended length of service is as follows:

**TABLE 3**  
Rural Functional Classification Guidelines – Type of Travel Service

Functional Classification	Principal Arterial	Minor Arterial	Collector	
			Major	Minor
Length of travel	Greater than 8 miles	Medium-to short trips (2-6 miles depending on development density)	Short trips (1-4 miles depending on development density)	Short trips (1-4 miles depending on development density)



In urbanized areas (over 50,000 population) consideration is to be given the trip length within the area and the connections required between travel generators in answer to travel desire as follows:

**TABLE 4**

Urban and Urbanized Areas	Functional Classification	Guidelines – Type	of Travel Service
Functional Classification	Principal Arterial	Minor Arterial	Collector
Type of travel	Through trips (rural to rural) and long distance internal trips between travel generators of like value Trips greater than 5 miles	Internal trips between travel generators of like value in relatively close proximity. Medium-to-short trips (2-4 miles depending on development density)	Intraurban and local trips to a higher classified facility. Short trips (1-4 miles depending on development density)

## Spacing

In rural areas, the spacing of the principal and minor arterials is dictated by travel desire and generator demands. The collectors are spaced such that all identifiable and ranked travel generators are within a reasonable driving time of a higher classification road and all county seats not served by either a principal or minor arterial are served by a rural major collector.

In urban or urbanized areas, the spacing of various functional classifications is usually less in order to accommodate traffic flow in the central business district (CBD) and between the CBD and industrial, commercial, and residential areas. The values given below indicate the minimum distance between facilities of like classification. The prime consideration in assigning functional classification is the service to the travel generators with spacing as a qualifier toward the accomplishment of service.

**TABLE 5**

Urban and Urbanized Areas	Guideline for Functional	Classification/Spacing	
Location	Functional	Classification/Spacing	
	Principal Arterial	Minor Arterial	Collector
CBD	1/2 mile	1/8 – 1/2 mile	1/4 mile to higher *
Urban Residential	1 mile	1/2 – 1 mile	classified facility in all
Suburban and urban fringe	1 – 5 miles	1 – 3 miles	urban regions

\*In some CBDs and in other areas of like development, the spacing of collectors may be less to incorporate the downtown circulation system including consideration of adjacent streets which may act as one-way couplets



## System Continuity

The principal and minor arterial functional classifications should be continuous, without any breaks, except that geographical or topographic conditions may otherwise dictate. In isolated cases, an arterial may have a beginning point at a specific travel generator (population or recreational area), but its ending termini must be at a junction with an equal or higher functionally classified facility. Continuity for urban collectors and rural major collectors is desirable and should be obtained if possible. System continuity is generally not necessary for the rural minor collectors.

## Multiple Service Capability

Multiple service capability is defined as the capability of a route to accommodate other modes of transportation (movement of people or goods) on the same facility *without a* significant impact on normal traffic flow. This classification element need not be considered in the evaluation of rural facilities, except when they are in close proximity to the urban areas.

In urban areas the factors which should be considered in the evaluation of existing facilities are: (1) the impact other rubber tired transportation modes (buses, trucks, etc.) have on the normal traffic flow; (2) the capability of the route for improvement to better accommodate other modes; (3) the ability of other transportation mode use to satisfy the demand or desire and accomplish the objectives by current routings; and (4) consideration of an alternate route which would or could be improved to better accommodate other transportation modes. The route or routes, which would best accommodate other transportation modes, should generally have a higher functional class assignment than the alternate routes with all other factors in the evaluation being equal.

## Relationship of Route to Transportation Plan

The relationship of routes to the regional or local transportation plan can be considered as an element in the classification evaluation process only where transportation plans has been developed. The Statewide Long-Range Land Transportation Plan is used in evaluating the State highway system. Where comprehensive long-range planning has been performed, the higher functional classifications should be assigned to those routes having the greatest importance in the plan. The proper evaluation and assignment of functional class to the existing facilities indicates the routes performing the higher functions or service under existing conditions. In effect, this produces a current transportation plan, which does not take into consideration future growth, land use, and zoning restrictions; however, the classified facilities will generally be the “backbone” of the future transportation plan.

## Classification Controls

In order to obtain balanced functionally classified systems, both rural and urban, two primary controls have been established: (1) miles by functional class; and (2) travel by functional class. In



establishing these controls, it is not the intent to restrict the miles and travel within an urban area, county, or planning region to the established parameters but rather to establish statewide controls when the mileage and travel is aggregated on a rural area and urbanized and urban area basis.

Geographic, topographic, and land use factors in the rural areas, coupled with size in the urban areas, will play a large part in the determination of functional classifications.

The following table contains guideline ranges of travel volume (VMT) and mileage of each of the seven functional classifications for urban and rural systems. Systems developed for each area using the criteria will usually fall within the percentage ranges shown.

**TABLE 7**  
Guidelines on Extent of Urban Functional Systems

System	Urban System Mileage/VMT Extent <sup>1</sup> (percentage ranges)		Rural System Mileage/VMT Extent <sup>1</sup> (percentage ranges)	
	Mileage	VMT	Mileage	VMT
Principal arterial - Interstate	1% - 3%	17% - 31%	1% - 2%	20 - 38%
Principal arterial – Other Freeways & Expressways	0% - 2%	0% - 17%	0% - 2%	0% - 8%
Principal arterial - Other	4% - 5%	16% - 31%	2% - 6%	14% - 30%
Minor Arterial	7% - 14%	14% - 25%	3% - 7%	11 - 20%
Major Collector	7% - 15%	5% - 13%	9% - 19%	12% - 23%
Minor Collector	7% - 15%	5% - 13%	4% - 15%	2% - 9%
Local street system	63% - 75%	6% - 25%	64% - 75%	8% - 23%

*Source: FHWA Highway Functional Classification Concepts, Criteria and Procedures, 2023 Edition, Tables 3-5 and 3-6  
1 – Mileage and VMT Extent for All States. Ranges are derived from 2011 Highway Performance Monitoring System (HPMS) data.*

When the mileage of the functionally classified facilities exceeds these percentages based upon the total mileage within the urban area, county, or planning region, the reasoning and rationale for the excess is to be documented and supporting information furnished. In developing these data, the following instructions are to be adhered to:


1. Rural functionally classified mileage is to include the classified facilities in rural and unincorporated areas and the classified facilities within incorporated towns or cities of 0 to 4,999 population that are not included within a federal aid urbanized or urban area boundary.



- Urban functionally classified mileage is to include all classified facilities within incorporated cities and towns and unincorporated areas lying within the established federal urbanized or urban boundaries.

## Access Spacing

Access management protects the functional integrity of the roadways system by ensuring that roadways maintain their planned movement versus access functions. Figure 1 below shows the balance between movement and increased access for a range of functional classifications. Higher order roadways, such as principal arterials have a higher degree of access control (i.e. longer driveway spacing) to preserve their movement function. Local streets have less restrictive access control because they are primarily intended to provide access to abutting properties. Access management strategies can include medians, shared driveways, relocating driveways onto side streets, or minimum spacing for driveways or roadways.



**FIGURE 1**  
Hierarchy of Roadways in a Functionally Designed System  
Source: TRB (2003).

Roadway functional classification provides a hierarchy of roads is useful in prioritizing facilities where mobility is more important than access. This functional classification hierarchy can be used as a tool to institute mobility goals on State roadways and conversely, looking at access spacing (intersection and driveway spacing) can help to determine a roadway's functional classification.



Classification	Speed	Driveway Spacing	Signal Spacing
Principal arterial	> 45 mph	625 ft*	½ mile**
Principal Arterial	<= 45 mph	440 ft*	½ mile**
Minor arterial	> 45 mph	625 ft*	½ mile**
Minor arterial	<= 45 mph	440 ft**	½ mile**
Major collector	> 45 mph	440 ft**	¼ mile**
Major collector	<= 45 mph	245 ft**	¼ mile**
Minor collector	> 45 mph	400 ft*	¼ mile**
Minor collector	<= 45 mph	245 ft*	¼ mile**

\* AASHTO guidelines

\*\* ITE guidelines

## System Integration

The final step in the classification procedure is to assemble all areas which have had the streets, roads, and highways individually classified (urban areas, counties, or regions) and to review the individual products as a whole. This final step determines the changes in functional class assignment of routes that cross the federal aid urban and/or county boundaries and consistency of functional classification with those of adjoining States and provinces. With the resolution of these changes by the involved agencies, a unified statewide classification of streets, roads, and highways with the required continuity is established.



**TABLE 8**  
Rural Functional Classification  
Criteria

Item	Functional Classification			
	Principal Arterial	Minor Arterial	Collector	
			Major	Minor
1. Mileage (percentage ranges)	Interstate: 1% - 3% Other Freeways & Expressways: 0% - 2% Other: 2% - 6%	3% - 7%	9% - 19%	4% - 15%
2. Vehicle Miles Traveled (percentage ranges)	Interstate: 20% - 38% Other Freeways & Expressways: 0% - 8% Other: 14% - 30%	11% - 20%	12% - 23%	2% - 9%
3. Travel generators				
a. Population (persons)	> 30,000	10,000 – 30,000	1,500 – 10,000	< 1,500
b. Recreational/cultural (population equivalencies) <sup>a</sup>	> 30,000	10,000 – 30,000	1,500 – 10,000	< 1,500
4. Trip length	8+ miles	2-6 miles	1-4 miles	
5. System continuity <sup>b</sup>	Required	Required	Desirable	
6. Directness of travel and feasibility of route	The route with the highest in mileage is to be assigned the	design standard, greatest higher functional	cost benefit, and differential classification when alternate	not greater than 10 percent routes are available
7. Relation to Transportation Plan	To be considered	To be considered	To be considered	



**TABLE 8**  
Rural Functional Classification  
Criteria

8. Access Spacing (Mobility vs. Land Access)	Greater emphasis on mobility than on land access. Little or no direct land access	Emphasis on mobility rather than on land access	Equal emphasis on mobility and land access. Direct land access predominantly to development concentrations
<sup>a</sup> See page C-2 and C-3 for natural barriers	the process used to	equate visitations to	population Subject to specific conditions such as

**TABLE 9**  
Urban Functional Classification Criteria

Item	Functional Classification		
	Principal Arterial	Minor Arterial	Collector
1. Mileage (percentage ranges)	Interstate: 1% - 3%		
	Other Freeways & Expressways: 0% - 2%	3% - 7%	Major & Minor: 7% - 15%
	Other: 4% - 5%		
2. Vehicle Miles Traveled (percentage ranges)	Interstate: 17% - 31%		
	Other Freeways & Expressways: 0% - 17%	11% - 20%	Major & Minor: 5% - 13%
	Other: 16% - 31%		



**TABLE 9**  
Urban Functional Classification Criteria

Item	Functional Classification		
	Principal Arterial	Minor Arterial	Collector
3. Travel generators			
a. Population (people)	> 10,000	5,000 – 10,000	< 5,000
b. Industrial	3,000 employees	1,000 – 3,000 employees	1,000 employees
c. Commercial			
Shopping centers and CBDs (population equivalencies) <sup>a</sup>	Regional > 4,000,000	Community 1,000,000 – 4,000,000	Neighborhood 250,000 – 1,000,000
Ports and terminals (Annual tons)	Primary	Secondary	Feeder
Airports (population equivalencies) <sup>a</sup>	> 10,000	5,000 – 10,000	< 5,000
d. Recreational/cultural (population equivalencies) <sup>a</sup>			
e. Governmental	> 20,000	10,000 – 20,000	< 10,000
Military (population)	> 1,500	100 – 1,500	< 100
Civil (population)	> 5,000	1,000 – 5,000	< 1,000
Educational/institutional (population)			
4. Feasibility of route and directness of travel	The route with the highest design standard, greatest cost benefit, and differential not greater than 10 percent in mileage is to be assigned the higher functional classification when alternate routes are available		
5. Traffic characteristics and trip length	b 8+ miles	c 2-6 miles	d 1-4 miles
6. Spacing (miles)	1/2 in CBD; 1 in urban residential; 1 – 5 in suburban and urban fringe	1/8 – 1/2 in CBD; 1/2 – 1 in urban; 1 – 3 in suburban and urban fringe	Not less than 1/4 mile from higher classified arterials
7. System Continuity <sup>e</sup>	Required	Required	Desirable
8. Multiple Services	Surface type mass transit systems and intermodal connections	Limited transit services	Not applicable



**TABLE 9**  
Urban Functional Classification Criteria

Item	Functional Classification		
	Principal Arterial	Minor Arterial	Collector
9. Relation to Transportation Plan	To be considered	To be considered	To be considered
10. Access Spacing (Mobility vs. Land Access)	Greater emphasis on mobility than on land access. Little or no direct land access	Emphasis on mobility rather than on land access. Direct land access restricted to concentrations of commercial/industrial land uses	Equal emphasis on mobility and land access. Direct land access predominantly to development concentrations

<sup>a</sup> Population or population equivalencies (see page C-2 and C-3)  
<sup>b</sup> Through trips and long distance internal trips between travel generators of like value  
<sup>c</sup> Intergenerator trips between generators of like value in relatively close proximity  
<sup>d</sup> Intraurban and local trips to higher classified facilities  
<sup>e</sup> Subject to specific conditions such as natural barriers



# **Appendix C**

## **Functional Classification Revision**

### **Application**





10. TRAFFIC GENERATORS *(Generators that route serves – est. VPD)*

INDUSTRIAL: Employees _____ VPD _____	SHIPPING POINTS: Annual Tons _____
AIRPORTS: Annual Flights _____ VPD _____	RECREATIONAL: Annual Visitors _____ <i>(parks, lakes, beaches, etc.)</i>
MILITARY INSTALLATIONS: Type _____	AGRICULTURE AREAS: _____
VPD _____	COLLEGE OR UNIVERSITY: Enrollment _____
SHOPPING CENTER: No. Stores _____ VPD _____	GOV. INSTITUTION: VPD _____
OTHER: Type _____ VPD _____	

11. Are there zoning ordinances which can restrict growth or encourage growth of any of the above generators? Please indicate below.

12. TRAFFIC (at significant volume change locations)

Location _____	Location _____
Existing Traffic _____ VPD	Existing Traffic _____ VPD
Future Traffic (20 years) _____ VPD	Future Traffic (20 years) _____ VPD

13. Written description of route *(general characteristics including alignment, speed limit and how it relates to the surrounding area in terms of importance.)*



14. A brief description why the proposed change is requested and justification for the change.

15. Additional remarks to more fully explain the situation.

---

16. Attach a vicinity map showing the **proposed changes**, and **existing Federal Functional Classifications**.



# **Appendix D**

## **Sample Functional Classification Application (with concurrency letters)**

# SAMPLE APPLICATION

## FEDERAL FUNCTIONAL CLASSIFICATION REQUESTS

This form has been developed for use in all future requests for Federal Functional classification changes. One form should be completed and submitted for each requested classification change. Functional classification changes require coordination with the Oahu MPO, if applicable. Upon completion of the requested forms they should be submitted to the HDOT with a concurrence letter from the local government and any necessary maps or narrative to support the change.

1. COUNTY or CITY NAME <b>City and County of Honolulu</b>		COUNTY or CITY NO. <i>(refer to Local Agency Guidelines)</i>
2. LOCAL AGENCY CONTACT PERSON <b>Keoni Doe</b>		TELEPHONE NO. <b>808-555-5555</b>
3. LOCAL NAME OF ROUTE <b>Rainbow Road</b>		ROUTE NO. <i>(if State Route use SR No.)</i> <b>7700</b>
4. TERMINI OF ROUTE <i>(Description and milepost (if available))</i> FROM <b>Fort Weaver Road</b> TO <b>Kualakai Parkway</b> LENGTH: Miles <b>2</b>		
5. TYPE OF AREA <i>(Federal Aid Highway Urban Area):</i> <input checked="" type="checkbox"/> URBAN <input type="checkbox"/> RURAL		
6. EXISTING FUNCTIONAL CLASSIFICATION <b>N/A</b>		PROPOSED FEDERAL FUNCTIONAL CLASSIFICATION <b>Urban Major Collector</b> <i>(Urban Freeway/Expressway, Principal Arterial, Minor Arterial, Collector, Rural Major Collector, Rural Minor Collector, Local Access)</i>
7. SPACING <i>(Distance to parallel Federal functionally classified route)</i> Miles: <b>0.5 mile</b>		
8. DOES REQUESTED FC CHANGE EXTEND INTO ANOTHER JURISDICTION? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <i>(If yes – concurrence from the other affected agency is required.)</i>		
9. EXISTING/PROPOSED ROAD CHARACTERISTICS Roadway Width (incl. shoulders): <b>30</b> ft. Surfacing Type <i>(mark appropriate space)</i> <input type="checkbox"/> Gravel <input checked="" type="checkbox"/> ACP <input type="checkbox"/> BST <input type="checkbox"/> Earth <input type="checkbox"/> Other:		
10. TRAFFIC GENERATORS <i>(Generators that route serves – est. VPD)</i> INDUSTRIAL: Employees <b>250</b> VPD <b>6,000</b> AIRPORTS: Annual Flights <b>N/A</b> VPD _____ MILITARY INSTALLATIONS: Type <b>N/A</b> VPD _____ SHOPPING CENTER: No. Stores <b>80</b> VPD <b>10,000</b> OTHER: Type <b>N/A</b> VPD _____		SHIPPING POINTS: Annual Tons <b>N/A</b> RECREATIONAL: Annual Visitors <b>1,000,000</b> <i>(parks, lakes, beaches, etc.)</i> AGRICULTURE AREAS: <b>N/A</b> COLLEGE OR UNIVERSITY: Enrollment <b>2,050</b> GOV. INSTITUTION: VPD <b>N/A</b>
11. Are there zoning ordinances which can restrict growth or encourage growth of any of the above generators? Please indicate below. <b>N/A</b>		

12. TRAFFIC (at significant volume change locations)

Location **Akamai College**

Existing Traffic **10,000** VPD

Future Traffic (20 years) **55,500** VPD

Location **Ohana New Home Development**

Existing Traffic **0** VPD

Future Traffic (20 years) **94,000** VPD

13. Written description of route (general characteristics including alignment, speed limit and how it relates to the surrounding area in terms of importance.)

The proposed roadway runs east-west, parallel to the Interstate Highway H-1 and Farrington Highway on the makai side of Farrington Highway, connecting Fort Weaver Road and Fort Barrette Road. It will be a two-lane roadway with a posted speed limit of 35 mph. The surrounding area is currently undeveloped. However, the region is steadily urbanizing and slowly outgrowing existing infrastructure. The proposed roadway will proactively meet the growing demands of planned developments and support the sub-regional mobility and efficiency, and relieve congestion within the sub-regional transportation network.

14. A brief description why the proposed change is requested and justification for the change.

The proposed roadway should be classified as a major urban collector based on traffic volumes, significant trip generators and anticipated demands from planned developments. In addition, it will help to establish the hierarchy of roadways in the area.

15. Additional remarks to more fully explain the situation.

N/A

16. Attach a vicinity map showing the proposed changes, and existing Federal Functional Classifications.



# Sample Consensus Letter

*Place on Agency Letterhead*

County of Maui  
Department of Public Works  
200 S. High Street, 4th Floor  
Wailuku, Hawaii 96793

*DATE*

State of Hawaii, Department of Transportation  
Planning Branch, Room 031  
869 Punchbowl Street  
Honolulu, HI 96813


**Re: Federal-Aid Urban Boundary and Functional Classification Update for the County of Maui**

Dear Mr. Tatsuguchi,

The County of Maui, Department of Public Works, appreciates the engagement with the statewide update of the Urban Boundary and Functional Classification update. The County of Maui has made recommendations and agrees with all of the proposed changes referenced in Federal-Aid Urban Boundary Policies and Procedures Report, dated November 2024 and the Federal-Aid Functional Classification Policies and Procedures Report, dated November 2024.

Sincerely,

Director of Public Works,  
County of Maui



# Appendix E

## Functional Classification Revision Process



1

Applicant agency develops functional classification justification report (includes the functional classification revision application)

2

Applicant agency obtains concurrency of the counties, Oahu MPO, and Maui MPO as appropriate

3

Request submitted to HDOT Highways Planning

1. HDOT Highways Planning reviews application for completeness and within functional classification methodology thresholds
2. HDOT Highways Planning prepares findings and concurrence/non-concurrence

4

Request processed and sent to FHWA

5

FHWA approval/denial conditional approval received by HDOT


6

The applicant agency receives the approval/denial  
End of approval process

7

HDOT Highways Internal Update (if approved)

1. HDOT Highways Planning to notify the appropriate offices and agencies of the approved change.
2. Update GIS
3. Update Single Line Diagrams
4. Update the HPMS



# Appendix F

## Route Numbering Guidelines



## 1.0 Introduction

### 1.1 Purpose

The purpose of this memorandum is to provide guidelines for the numbering of State and County routes in the State of Hawai'i. The Federal Highways Administration requires that all federally funded roads be designated a route number that follows the route numbering trend of the interstate system. The following are guidelines for the State of Hawai'i and set of basic rules that can aid in determining route numbers for newly constructed or future roads.

### 1.2 Rules for Numbering Routes

In the 1950s and 1960s, most State and County routes were numbered or renumbered to what Hawai'i's system is today. The following provides guidelines based on the current numbering system. *Please note that there are many exceptions to these rules and the following statements intend to serve only as guidelines rather than absolute rules for route numbering.*

The following are general guidelines:

- -Route numbers should change when jurisdiction changes
- -Roadways should maintain one route number along the entire route
- -Roadways which are physically separate should be given different route numbers
- -A route number may remain constant along a roadway regardless of changes in urban characterization and functional classification

The interstate route numbering procedure was developed by officials of the American Association of State Highway and Transportation Officials (AASHTO). Major interstate routes are designated by one- or two- digit numbers (ex. H-1 and H-2). Connecting interstate routes and full or partial beltways around or within urban areas have a three- digit number (ex. H-201). There are currently four interstates, all on the island of O'ahu, within the City and County of Honolulu: H-1, H-2, H-201 and H-3. Other numbered roads are State or County owned and are numbered based on their functional classification, rural/urban classification, and proximity to other routes. In general, a route number is not fixed and can be modified if necessary; for example, a road may change its route number if a bypass road becomes the more dominant route.

All State and County route numbers follow the same general set of guidelines and consist of 2, 3, or 4 digit numbers usually without prefixes or suffixes. The first number in the route number is determined by the island. This helps to prevent duplication of route numbers and aids in location of routes. The assigned numbers are:


- Hawai'i -1, 2
- Maui -3



- Molokai/Lanai – 4
  - Kaua'i -5
  - O'ahu – 6, 7, 8, 9.
- 1) Double (2) digit numbers are typically Principal Arterials or primary highways. For example, a primary highway in Maui is Route 30.
  - 2) Triple (3) digit route numbers are typically Minor Arterials and Major Collectors, secondary highways. The first two digits usually are related to the major highway which it is connected to. For example, a secondary highway connected to Route 11 might be Route 110 or 115.
  - 3) Four (4) digit numbers identify the collector system and minor roads. Similar to secondary highway route numbers, the first two digits usually are related to the higher classified road it is connected to. The last two digits are typically determined by proximity to other routes. For example, a newly constructed collector parallel to a collector with route number 7315 would be numbered 7316 or 7320. The numbering should also take into account future functionally classifiable routes planned nearby.

However, as mentioned above, there are many exceptions to the guidelines mentioned above. Other areas of confusion that may occur is when roadways with the same name changes route numbering or when multiple roads are encompassed by a single route number; for example King Street is Route 7410 west of Kalihi Street and Route 7402 east of Kalihi Street.

Historically, numbering of new roads is dependent on the numbering of existing surrounding roads of similar functional classification. Creating a new system which is consistent throughout the State may be difficult without renumbering many of the roadways.



# Appendix G

## Justification of Changes to the Federal-Aid System

**Justification of Changes to the Federal-Aid System**


Route Number	Roadway Name and Extent	Existing				Proposed				NHS	Ownership	Comment
		Begin MP	End MP	Urban/Rural	Functional Classification	Begin MP	End MP	Urban/Rural	Proposed Functional Classification			
<b>County of Kaua'i</b>												
50	Kaumualii Highway : Rice Street (Route 5020) > Cane Haul Road (dirt road)	0.000	2.100	Urban	Principal Arterial	0.000	6.690	Urban	Principal Arterial	Yes	State	Roadway in Federal-Aid Urban Boundary; combined into one segment from Rice Street to Maluhia Road
50	Kaumualii Highway : Cane Haul Road (dirt road) > Maluhia Road (Route 520)	2.100	6.690	Rural	Principal Arterial							
50	Kaumualii Highway : Maluhia Road (Route 520) > Omao bridge (#007000500302465)	6.690	8.270	Rural	Minor Arterial	6.690	17.020	Urban	Minor Arterial		State	Roadway in Federal-Aid Urban Boundary; combined into one segment from Maluhia Road to Lele Road
50	Kaumualii Highway : Omao bridge (#007000500302465) > Lele Road	8.270	17.020	Urban	Minor Arterial							
522	Ala Kalanikaumaka : Koloa Road (Route 530) > Poipu Road (Route 520)	-	-	-	-	3.320	5.010	Urban & Rural	Minor Collector		County	Upgrade to Minor Collector to provide a key north-south connection between two Major Collectors
526	Koloa Road/Wailani Road/Wailaau Road : Maluhia Road (Route 520) > Ala Kinoiki (Route 522)	0.000	0.760	Urban	Major Collector	0.000	0.420	Urban	Major Collector		County	Revised segment to include Wailani Road and Wailaau Road, and end at Ala Kinoiki; will provide a key west-east connection between two Major Collectors
527	Waikomo Road : Koloa Road/Wailani Road > Poipu Road (Route 520)	-	-	-	-	0.000	0.580	Urban	Minor Collector		County	Previously part of Route 526; separated into new segment and downgraded to Minor Collector
540	Halewili Road : Kaumualii Highway (east junction)(Route 50) > Kaumualii Highway (west junction) (Route 50)	0.000	3.870	Rural	Major Collector	0.000	2.600	Urban	Major Collector		State	Portion of road now within the Federal-Aid Urban Boundary; changed these portions to Urban
						3.577	3.870	Urban				
550	Waimea Canyon Drive : Kaumualii Highway (Route 50) > Nele Road	0.000	0.430	Urban	Major Collector	0.000	0.590	Urban	Major Collector		State	Revised to include more Urban area up to Waimea Ditch
552	Alae Road/Kokee Road : Kaumualii Highway (Route 50)> Waimea Canyon Drive	0.000	7.550	Rural	Major Collector	0.000	0.395	Urban	Major Collector		County	Portion of road now within the Federal-Aid Urban Boundary; changed this portion to Urban
562	Kilauea Road : Mihi Road > Kilauea National Wildlife Refuge	1.160	1.710	Rural	Minor Collector	1.160	1.710	Rural	Major Collector		County	Upgrade to Major Collector; AADT similar to other Major Collectors
564	Ala Namahana Parkway : Kilauea Road (Route 562) > Kuhio Highway (Route 56)	-	-	-	-	0.000	0.560	Rural	Major Collector		County	Upgrade to Major Collector to provide access from Kuhio Highway to Kilauea Town
TBD	Lihue Mauka Road : Kuhio Highway > Kaumualii Highway	0.000	5.560	Urban	Major Collector	3.090	5.190	Rural	Major Collector		County	Portions of road not within the Federal-Aid Urban Boundary; changed these portions to Rural
						5.340	5.370	Rural	Major Collector		County	
<b>County of Maui</b>												
30	High Street/Honoapiilani Highway: Main Street (Route 32) > Kuihelani Highway (Route 380)	0.000	4.880	Urban	Principal Arterial	0.000	7.456	Urban	Principal Arterial	Yes	State	Revised to include more Urban Area past Maalaea Boat Harbor and Maalaea Bay Place
30	Honoapiilani Highway: Kuihelani Highway (Route 380) > proposed Lahaina Bypass (Route 3000)			4.880								
30	Honoapiilani Highway/ Kahekili Highway : Plantation Estates Drive > end of state route (0.35 mi east of Papanahoa Stream Bridge (bridge #009000300304184)	31.140	41.670	Rural	Major Collector	31.126	31.396	Urban	Major Collector		State	Portion of road now within the Federal-Aid Urban Boundary; changed this portion to Urban
36	Hana Highway : Haleakala Highway (Route 37) > Kaupakalua Road (Route 365)	2.920	16.214	Urban	Minor Arterial	2.920	4.350	Rural	Minor Arterial		State	Portions of road not within the Federal-Aid Urban Boundary; changed these portions to Rural
						8.350	10.100					

**Justification of Changes to the Federal-Aid System**

Route Number	Roadway Name and Extent	Existing				Proposed				NHS	Ownership	Comment
		Begin MP	End MP	Urban/Rural	Functional Classification	Begin MP	End MP	Urban/Rural	Proposed Functional Classification			
374	Kihei-Upcounty Maui Highway : Kihei Urban Boundary > Haleakala Highway (Route 37)/Haliimaile Road (Route 371)	2.600	9.800	Rural	Minor Arterial	8.400	9.800	Urban	Minor Arterial		State	Portion of road within the Federal-Aid Urban Boundary; changed this portion to Urban
378	Haleakala Crater Road : Hakeakala Highway (Route 377) > Haleakala National Park boundary (at the cattle guard near the "End State Hwy Sign")	0.000	10.099	Rural	Major Collector	0.000	0.100	Urban	Major Collector		State	Portion of road within the Federal-Aid Urban Boundary; changed this portion to Urban
<b>3045</b>	Kuhua Street: Keawe Street (Route 3075) > Lahainaluna Road (Route 3040)	0.000	0.551		Local	0.000	0.551	Urban	Minor Collector		County	Upgrade from Local to Urban Minor Collector for redundancy and connectivity in South Maui
3115	North-South Connector: Keonekai Road > Kilohana Road	4.910	7.000		Local	4.910	7.000	Urban	Minor Collector		County	Upgrade from Local to Urban Minor Collector for the North-South road extensions
3180	Waiale Road: Kuikahi Drive (Route 3210) > Honoapiilani Highway (Route 30)	1.100	3.720		Local	1.100	3.720	Urban	Minor Collector		County	Upgrade from Local to Urban Minor Collector due to transportation system improvements in Central Maui
3185	E. Waiko Road: Waiale Road > Kuihelani Highway	0.420	1.304		Local	0.420	1.304	Urban	Major Collector		County	Added segment to extend to Kuheilani Highway; existing segment ends at Waiale Road
3200	West Main Street/Iao Valley Road : High Street (Route 30) > Iao Valley State Park	0.000	2.700	Urban	Minor Collector	2.200	2.700	Rural	Minor Collector		County	Portion of road not within the Federal-Aid Urban Boundary; changed this portion to Rural
3210	Kuikahi Drive : Waiale Road (Route 3180) > Maui Lani Parkway (Route 3220)	1.160	1.766		Local	1.160	1.766	Urban	Minor Collector		County	Upgrade from Local to Urban Minor Collector due to growth in Central Maui
<b>3220</b>	Maui Lani Parkway: Kuihelani Highway (Route 380) > Kaahumanu Avenue (Route 32)	-	-		-	0.000	2.770	Urban	Major Collector		County	Upgrade to Urban Major Collector due to growth in Central Maui
<b>3430</b>	Imi Kala Street: Lower Main Street > Kahekili Highway (Route 3405)	0.000	0.850		Local	0.000	0.850	Urban	Minor Collector		County	Upgrade from Local to Urban Minor Collector due to growth in Central Maui
3700	Piilani Highway : Kula Highway (Route 37) > Haleakala National Park boundary	0.000	28.800	Rural	Minor Collector	0.000	0.020	Urban	Minor Collector		County	Portion of road within the Federal-Aid Urban Boundary; changed this portion to Urban
3940	Kamehameha Avenue : Papa Avenue (Route 3910) > Maui Lani Parkway (Route 3220)	1.750	2.374		Local	1.750	2.374	Urban	Minor Collector		County	Upgrade from Local to Urban Minor Collector due to growth in Central Maui
<b>Lanai</b>												
441	Airport Road : Airport terminal > Kaunalapau Highway (Route 440)	0.000	0.470	Rural	Major Collector	0.000	0.470	Rural	Major Collector		State	Route number changed from 440c to 441
442	Kaunalapau Highway : Manele Road (Route 440) > Near Fraser Avenue (Route 430)	0.000	0.030	Rural	Major Collector	0.000	0.030	Rural	Major Collector		State	Portion of road transferred to the State from the City
<b>City and County of Honolulu</b>												
83	JP Leong Highway/Kamehameha Highway/Kahekili Highway/Likelike Highway/Kamehameha Highway : Kaukonahua Road (Route 930) > Pali Highway (Route 61)	0.000	43.904	Urban	Principal Arterial	0	0.627	Rural	Principal Arterial	Yes	State	Portions of road not within the Federal-Aid Urban Boundary; changed these portions to Rural
						13.098	15.139					
						28.984	29.181					
<b>94</b>	Hanua Street : Farrington Highway (Route 93) > Hanua Street	-	-		-	0.000	1.500	Urban	Major Collector		County	Added in 2023 and given a new Route Number
95	Kalaeloa Boulevard : Palailai Overpass > Malakole Street (Route 95)	0.000	1.520		Private	0.000	1.520	Urban	Principal Arterial		County	Road was privately owned and has been transferred to the City; adding road back on to the Federal-Aid system

**Justification of Changes to the Federal-Aid System**

Route Number	Roadway Name and Extent	Existing				Proposed				NHS	Ownership	Comment
		Begin MP	End MP	Urban/Rural	Functional Classification	Begin MP	End MP	Urban/Rural	Proposed Functional Classification			
99	Kamehameha Highway/Kamananui Road/Wilikina Drive : JP Leong Highway (Route 83) > Kunia Road (Route 750)	0.000	9.100	Urban	Principal Arterial	0.000	2.812	Rural	Principal Arterial		State	Portions of road not within the Federal-Aid Urban Boundary; changed these portions to Rural
						6.784	7.845	Rural	Principal Arterial		State	
750	Kunia Road : 1.06 miles past Anonui Street > 0.15 miles before divided highway	2.000	7.040	Rural	Minor Arterial	2.000	7.040	Urban	Principal Arterial	Yes	State	Portion of road within the Federal-Aid Urban Boundary; changed to this portion to Urban. Upgrade from Minor Arterial to Urban Principal Arterial due to growth and increased AADT in the area
750	Kunia Road : 0.15 miles before divided highway > Wilikina Drive (Route 99)	7.040	8.046	Urban	Minor Arterial	7.040	8.046	Urban	Principal Arterial	Yes	State	Upgrade from Minor Arterial to Urban Principal Arterial due to growth and increased AADT in the area
7172	Lumiaina Street/Managers Drive/Mokuola Street: Paiwa Street (Route 7170) > Farrington Highway (Route 7101)	0.000	2.100		Local	0.000	2.100	Urban	Minor Collector		County	Upgraded from Local to Urban Minor Collector in 2022
<b>7190</b>	Anonui Street: Kunia Road (Route 750) > Anoiki Street	0.000	1.700		Local	0.000	1.700	Urban	Minor Collector		County	Requested to add to the Federal-Aid system due to growth and increase in traffic
8755	Maililili Road/Paakea Road : Hakimo Road (Route 8741) > Lualualei Naval Road	2.700	3.028		Local	2.700	3.028	Urban	Minor Collector		County	Added segment to extend to Lualualei Naval Road; existing segment ends at Hakimo Road
8918	Wakea Street : Kamokila Boulevard (Route 8915) > Farrington Highway (Route 93)	0.000	0.600	Urban	Minor Collector	0.477	0.593	Urban	Minor Arterial		County	New section of Wakea Street constructed, upgrade this section from Minor Collector to Urban Minor Arterial
H-3	H-3 : H-1 > Kaneohe Marine Corps Base Hawaii main gate	0.000	15.320	Urban	Principal Arterial - Interstate	1.069	6.772	Rural	Principal Arterial - Interstate		State	Portion of road not within the Federal-Aid Urban Boundary; changed this portion to Rural
<b>County of Hawai'i</b>												
11	Volcano Road/Mamalahoa Highway : Old Keaau-Paho Road (Route 139) > 0.01 miles past Capt. Cook Village Road	7.300	109.220	Rural	Minor Arterial	7.300	9.121	Urban	Minor Arterial		State	Portion of road within the Federal-Aid Urban Boundary; changed this portion to Urban
11	Mamalahoa Highway : 0.01 miles past Capt. Cook Village Road (end of state highway) > Palani Road (Route 190)	109.220	113.690	Urban	Principal Arterial	109.220	110.000	Rural	Principal Arterial		County	Portion of road not within the Federal-Aid Urban Boundary; changed this portion to Rural
130	Paho-Kalapana Road/Kaimu-Chain of Craters Road : Paho-Kapoho Road > end of route (0.83 miles past Royal Palm Drive)	12.140	21.639	Rural	Major Collector	12.140	12.440	Urban	Major Collector		State	Portion of road within the Federal-Aid Urban Boundary; changed this portion to Urban
132	Paho-Kapoho Road : Paho-Keeau Road (Route 130) > Kaimu-Kapoho Road	0.000	7.730	Rural	Major Collector	0.000	0.930	Urban	Major Collector		County	Portion of road within the Federal-Aid Urban Boundary; changed this portion to Urban
191	Waikoloa Road : Mamalahoa Highway (Route 190) > Queen Kaahumanu Highway (Route 19)	0.000	11.930	Urban	Minor Arterial	0.000	6.050	Rural	Minor Arterial		County	Portion of road not within the Federal-Aid Urban Boundary; changed this portion to Rural
200	Saddle Road : Hilo Urban Boundary (0.16 miles before Ua Nahele St) > Queen Kaahumanu Highway (Route 19)	0.000	54.000	Rural	Minor Arterial	0.000	2.170	Urban	Minor Arterial		State	Portions of road within the Federal-Aid Urban Boundary; changed these portions to Urban
						50.920	54.000					
210	Mauna Kea Access Road : Saddle Road (Route 200) > Observatory	0.000	14.860		Local	0.000	14.860	Rural	Minor Collector		State	Road jurisdiction transitioned to the State; upgrade from Local to Minor Collector



# Appendix H

## Updated System Analysis



The updated statewide functional classification is in line with FHWA’s guidance regarding functional system characteristics. FHWA recognizes that Hawaii, as an island state, may have roads on small islands or in other areas that are isolated from the rest of the state. Therefore, the state is likely to have a different breakdown of lane miles for arterials, collectors, and local roadways than would be typically expected. Overall, the amount of change in arterials and collectors from the previous system is minor. The 2024 update increased the percentage of miles on arterials by 0.2 percent and increased the percentage of miles on collectors by 2.7 percent. There was no discernible change to the Federal-Aid Highway system. Overall, the growth of the federal aid highway system is 1.3%, which primarily accounts for an increase in collectors in urban locations where housing and jobs have increased.

Typical statewide breakdown of mileage from FHWA<sup>4</sup> for percent miles for functional classification systems is described in the table on the right, compared with the percentage of miles in the updated Hawaii statewide system.

	FHWA Guidelines	Hawai'i Statewide System
Urban Arterials and Collectors	25 – 59%	24%
Rural Arterials and Collectors	18 – 47%	15%
Urban Principal Arterials	4 – 5%	8%
Rural Principal Arterials	2 – 6%	2%

FHWA recommends that the combined percentage of miles on urban arterials and collectors combined is a maximum of 25 to 59 percent of statewide route mileage. The Hawaii Functional Classification update is 24 percent.

Hawaii’s unique topography allows for an exception as many of the statewide roads are in a coastal or mountainous terrain areas and don’t meet the arterial design criteria.

FHWA recommends that rural principal arterials comprise a maximum of 4 percent of statewide route mileage – the Hawaii Functional Classification Update has 2 percent rural principal arterials. For urban principal arterials, FHWA recommends no more than 4 to 5 percent of statewide routes mileage; the update includes 8 percent urban principal arterials.

<sup>4</sup> <http://www.fhwa.dot.gov/policy/ohpi/hpms/fchgguidance.cfm>



The detailed changes from this update to the centerline miles of roadways by specific classification are as follows:

STATEWIDE CLASSIFICATION (all numbers in centerline miles)	Existing Miles	New Miles	Total Miles	Percent Change
Urban Interstate	54.900	-5.703	49.197	-10.39%
Rural Interstate	0.000	5.703	5.703	-
Urban Other Freeway/Expressway	33.634	0.000	33.634	0.00%
Urban Other Principal Arterial	279.888	11.937	291.825	4.27%
Rural Other Principal Arterial	70.850	-4.162	66.688	-5.87%
Urban Minor Arterial	208.296	0.652	208.948	0.31%
Rural Minor Arterial	264.004	-6.352	257.652	-2.41%
Urban Major Collector	278.557	7.016	285.573	2.52%
Urban Minor Collector	192.674	7.887	200.561	4.09%
Rural Major Collector	225.660	4.324	229.984	1.92%
Rural Minor Collector	87.840	15.422	103.262	17.56%
<b>STATEWIDE SUMMARY</b>				
Arterials	911.572	2.076	913.648	0.23%
Collectors (Rural Minor excluded)	696.891	19.227	716.118	2.76%
<b>Federal Aid</b>	<b>1608.463</b>	<b>21.303</b>	<b>1629.766</b>	<b>1.32%</b>



# Appendix I

## Federal-Aid System

**County of Kauai Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
50	Kaumualii Highway : Rice Street (Route 5020) > Maluhia Road (Route 520)	State	0.000	6.690	3	Yes	Urban			6.690			
50	Kaumualii Highway : Maluhia Road (Route 520) > Lele Road	State	6.690	17.020	4		Urban				10.330		
50	Kaumualii Highway : Maluhia Road (Route 520) > Omao bridge (#007000500302465)	State	17.020	22.510	4		Rural				5.490		
50	Kaumualii Highway : Waimea River bridge (#007000500301039) > Bridge #4 (#007000500300570)	State	22.470	27.210	4		Urban				4.740		
50	Kaumualii Highway/Lio Road/Kao Road : Bridge #4 (#007000500300570) > North entrance gate of the Pacific Missile Range Facility	State	27.210	32.930	4		Rural				5.720		
51	Waapa Road/Rice Street/Kapule Highway : Nawiliwili Road (Route 58) > Kuhio Highway (Route 56)	State	0.000	3.440	3	Yes	Urban			3.440			
56	Kuhio Highway : Rice Street/Kaumualii Hwy (Route 50) > 0.11 miles past Mailihuna Road (Route 5870)	State	0.000	9.950	3	Yes	Urban			9.950			
56	Kuhio Highway : 0.11 miles past Mailihuna Road (Route 5870) > Aliomanu Road (North connection)	State	9.950	15.110	4		Urban				5.160		
56	Kuhio Highway : Aliomanu Road > Route markers 56 and 560 (same as begin Route 560, Kuhio Hwy)	State	15.110	28.110	4		Rural				13.000		
58	Nawiliwili Road : Waapa Road (Route 51) > Kaumualii Highway (Route 50)	State	0.000	2.060	3	Yes	Urban			2.060			
520	Maluhia Road : Kaumualii Highway (Route 50) > 0.26 miles north of Wailaau Road	County	0.000	2.500	4		Rural				2.500		
520	Maluhia Road/Koloa Road : 0.26 miles north of Wailaau Road > Poipu Road (Route 520)	County	2.500	3.350	4		Urban				0.850		
520	Poipu Road : Koloa Road (Route 530) > Ala Kinoiki (Route 522) and Pee Road	County	3.350	6.350	5		Urban					3.000	
521	Omao Road : Kaumualii Highway (Route 50) > Koloa Road (Route 530)	County	0.000	2.120	6		Urban						2.120
522	Ala Kinoiki : Poipu Road (Route 520) > Koloa Road (Route 530)	County	0.000	3.320	5		Urban					3.320	

**County of Kauai Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes						
								Interstate	Freeway & Expressway	Arterial		Collector		
										Principal	Minor	Major	Minor	
522	Ala Kalanikaumaka : Koloa Road (Route 530) > 0.2 miles south of Koloa Road (by Smith Ditch crossing)	County	3.320	3.520	6		Rural							0.200
522	Ala Kalanikaumaka : 0.2 miles south of Koloa Road (by Smith Ditch crossing) > 0.58 miles south of Koloa Road	County	3.520	3.900	6		Urban							0.380
522	Ala Kalanikaumaka : 0.58 miles south of Koloa Road > 0.03 miles north of Lopoka Paipa Boulevard	County	3.900	4.150	6		Rural							0.250
522	Ala Kalanikaumaka : 0.03 miles north of Lopoka Paipa Boulevard > Poipu Road (Route 520)	County	4.150	5.010	6		Urban							0.860
523	Lawai Road : Poipu Road (Route 520) > End of Urban Boundary 0.13 miles east of Alania Road	County	0.000	1.569	5		Urban						1.569	
523	Lawai Road : Spouting Horn Beach Park parking lot exit > Gate at the end of route	County	1.569	2.350	5		Rural						0.781	
525	Weliweli Road : Koloa Road (Route 526) > Ala Kinoiki (Route 522)	County	0.000	0.660	6		Urban							0.660
526	Koloa Road/Wailani Road/Wailaau Road : Maluhia Road (Route 520) > Ala Kinoiki (Route 522)	County	0.000	0.420	5		Urban						0.420	
<b>527</b>	Waikomo Road : Koloa Road/Wailani Road > Poipu Road (Route 520)	County	0.000	0.580	6		Urban							0.580
530	Koloa Road : Kaumualii Highway (Route 50) > Maluhia Road (Route 520)	County	0.000	3.500	5		Urban						3.500	
531	Papalina Road : Kaumualii Highway (Route 50) > Waha Road (Route 532)	County	0.000	1.210	5		Urban						1.210	
532	Waha Road : Niho Road > Koloa Road (Route 530)	County	0.000	2.410	6		Urban							2.410
534	Puuwai Road : Kaumualii Highway (Route 50) > Kikala Road	County	0.000	1.450	6		Urban							1.450
536	Piko Road : Kaumualii Highway (Route 50) > Koloa Road (Route 530)	County	0.000	0.400	6		Urban							0.400
540	Halewili Road : Kaumualii Highway (east junction)(Route 50) > McBride New Mill Rd	State	0.000	0.260	5		Urban						0.260	
540	Halewili Road : McBride New Mill Rd > 0.3 miles east of Iluna Street	State	0.260	3.577	5		Rural						3.317	

**County of Kauai Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
540	Halewili Road : Kaumualii Highway (east junction)(Route 50) > Kaumualii Highway (west junction) (Route 50)	State	3.577	3.870	5		Urban					0.293	
541	Waimea Canyon Drive : Kaumualii Highway (Route 50) > Near Nele Road	State	0.000	0.370	5		Urban					0.370	
543	Moi Road : Kaumualii Highway (Route 50) > Gate at the end of road	County	0.000	1.410	6		Urban						1.410
545	Hanapepe Road : Kaumualii Highway (west junction) (Route 50) > Kaumualii Highway (east junction) (Route 50)	County	0.000	0.980	6		Urban						0.980
550	Waimea Canyon Drive : Kaumualii Highway (Route 50) > Near Waimea Ditch	State	0.000	0.590	5		Urban					0.590	
550	Waimea Canyon Drive/Kokee Road : Near Waimea Ditch > Kokee State Park	State	0.590	14.100	5		Rural					13.510	
551	Kekaha Road/Akialoa Road : Kaumualii Highway (east junction) (Route 50) > Kaumualii Highway (west junction) (Route 50)	County	0.000	2.520	6		Urban						2.520
552	Alae Road/Kokee Road : Kaumualii Highway (Route 50)> 0.1 miles before Mana Road intersection	County	0.000	0.395	5		Urban					0.395	
552	Alae Road/Kokee Road : 0.1 miles before Mana Road intersection > Waimea Canyon Drive (Route 550)	County	0.395	7.550	5		Rural					7.155	
553	Menehune Road : Kaumualii Highway (Route 50) > end of paved road	County	0.000	2.100	6		Urban						2.100
554	Waimea Road : Kaumualii Highway (Route 50) > Ala Wai Road	County	0.000	0.200	6		Urban						0.200
560	Kuhio Highway : end of Route 56 > Aku Road (Route 563)	State	0.000	2.650	4		Rural				2.650		
560	Kuhio Highway : Aku Road (Route 563) > end of paved	State	2.650	10.010	5		Rural					7.360	
562	Kolo Road/Kilauea Road : Kuhio Highway (Route 56) > Mihi Road	County	0.000	1.160	5		Rural					1.160	
562	Kilauea Road : Mihi Road > Kilauea National Wildlife Refuge	County	1.160	1.710	5		Rural					0.550	
563	Aku Road : Kuhio Highway (Route 560) > Weke Road (Route 565)	County	0.000	0.250	5		Rural					0.250	

**County of Kauai Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/ Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
<b>564</b>	Ala Namahana Parkway : Kilauea Road (Route 562) > Kuhio Highway (Route 56)	County	0.000	0.560	5		Rural					0.560	
565	Weke Road : Anae Road > Hanalei Beach Park	County	0.000	1.090	6		Rural						1.090
566	Anahola Road/Manai Road/Kukuihale Road : Kuhio Hwy (N junction) (Route 56) > Kuhio Hwy (S junction) (Route 56)	County	0.000	1.680	5		Urban					1.680	
570	Ahukini Road : Kuhio Highway (Route 56) > 0.06 miles east of Kapule Highway (Route 51)	State	0.000	1.120	3	Yes	Urban			1.120			
580	Kuamoo Road : Kuhio Highway (Route 56) > Kamalu Road (Route 581)	State	0.000	2.770	4		Urban				2.770		
580	Kuamoo Road : Kamalu Road (Route 581) > UH AGR. Station	State	2.770	4.810	5		Urban					2.040	
580	Kuamoo Road : UH AGR. Station > Forest Reserve Sign (end of urban boundary)	State	4.810	6.130	6		Urban						1.320
580	Kuamoo Road : Forest Reserve Sign (end of urban boundary) > Beginning of the ford crossing (end of 2 lane section)	State	6.130	6.680	6		Rural						0.550
581	Kukui Street/Olohena Road : Kuhio Highway (Route 56) > Kamalu Road (Route 581)	County	0.000	3.420	5		Urban					3.420	
581	Kamalu Road : Olohena Road (Route 581)> Kuamoo Road (Route 580)	County	3.420	5.060	6		Urban						1.640
583	Maalo Road : Kuhio Highway (Route 56) > Cane Haul Road/Quarry Road (end of urban boundary)	State	0.000	0.920	6		Urban						0.920
5010	Puhi Road : Kaumualii Highway (Route 50) > Kaneka Street	County	0.000	0.356	5		Urban					0.356	
5010	Puhi Road : Kaneka Street > End of Urban Boundary 0.07 miles south of Haleukana Street	County	0.356	0.856	6		Urban						0.500
5010	Puhi Road : End of Urban Boundary 0.07 miles south of Haleukana Street > Hulemalu Street	County	0.856	0.988	6		Rural						0.132
5020	Rice Street : Kapule Highway (Route 51) > Kaumualii Highway (Route 50)	County	0.000	1.000	4		Urban				1.000		
5030	Nuhou Street : Kaumualii Highway (Route 50) > Halehaka Road	County	0.000	1.034	5		Urban					1.034	

**County of Kauai Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/ Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
5035	Kalepa Street : Kaumualii Highway (Route 50) > Pikake Street	County	0.000	0.430	5		Urban					0.430	
5040	Haleko Road : Rice Street (Route 5020) > Nawiliwili Road (Route 58)	County	0.000	0.680	5		Urban					0.680	
5710	Umi Street : Rice Street (Route 5020) > Ahukini Road (Route 570)	County	0.000	0.500	6		Urban						0.500
5720	Hardy Street : Kuhio Highway (Route 56) > Rice Street (Route 5020)	County	0.000	0.700	5		Urban					0.700	
5730	Puaole Street : Umi Street (Route 5710) > Hoolako Street	County	0.000	0.800	6		Urban						0.800
5740	Laukona Street : Kuhio Highway (Route 56) > Laukona Street [loop]	County	0.000	1.050	6		Urban						1.050
5750	Hanamalu Road : Kuhio Highway (Route 56) > Hehi Road	County	0.000	0.300	6		Urban						0.300
5805	Ulu Street : Kuhio Highway (Route 56) > Kukui Street (Route 581)	County	0.000	0.200	6		Urban						0.200
5840	Haleililo Road : Kuhio Highway (Route 56) > Kaulana Road	County	0.000	1.250	6		Urban						1.250
5850	Nonou Road : Haleililo Road (Route 5840) > Lanakila Road	County	0.000	0.570	6		Urban						0.570
5860	Kawaihau Road : Kuhio Highway (Route 56) > Kapahi Road	County	0.000	3.000	5		Urban					3.000	
5860	Kawaihau Road/Kaapuni Road : Kapahi Road > Olohena Road (Route 581)	County	3.000	4.780	6		Urban						1.780
5865	Hauaala Road : Kuhio Highway (Route 56) > Kawaihau Road (Route 5860)	County	0.000	1.060	6		Urban						1.060
5870	Mailihuna Road : Kuhio Highway (Route 56) > Kawaihau Road (Route 5860)	County	0.000	0.570	5		Urban					0.570	
HI10P2	Nawiliwili Harbor : Nawiliwili Road (Route 58) > Pier 1 and Pier 3	Port	0.000	0.680	5	Yes	Urban						
HI9A	Lihue Airport : Ahukini Road (Route 570) > Terminal	Airport	0.000	0.500	5	Yes	Urban						
TBD	Lihue Mauka Road : Kuhio Highway (Route 56) > Cane Haul Road near Lower Lihue Ditch Reservoir	County	0.000	3.090	5		Urban					3.090	
TBD	Lihue Mauka Road : Cane Haul Road near Lower Lihue Ditch Reservoir > 0.2 miles north of Kaumualii Highway (Route 50)	County	3.090	5.190	5		Rural					2.100	

**County of Kauai Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/ Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
TBD	Lihue Mauka Road : 0.2 miles north of Kaumualii Highway (Route 50) > .06 miles north of Kaumualii Highway (Route 50)	County	5.190	5.340	5		Urban					0.150	
TBD	Lihue Mauka Road : 0.06 miles north of Kaumualii Highway (Route 50) > 0.03 miles north of Kaumualii Highway (Route 50)	County	5.340	5.370	5		Rural					0.030	

**City and County of Honolulu Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
61	Pali Highway/Kalaniana'ole Highway : Vineyard Boulevard (Route 98) > Kailua Road (Route 61)	State	0.000	9.500	2	Yes	Urban		9.500				
61	Kailua Road : Kalaniana'ole Highway (Route 61) > Northeast end of Kawainui bridge (Bridge # 003000610401060/1)	State	9.500	10.586	3	Yes	Urban			1.086			
63	Kalihi Street : Nimitz Highway (Route 92) > King Street (Route 7402)	State	0.000	0.620	4		Urban				0.620		
63	Kalihi Street : King Street (7402) > H-1 underpass	State	0.620	0.860	3	Yes	Urban			0.240			
63	Likelike Highway : H-1 underpass > Kahekili Highway (Route 83)	State	0.860	8.299	2	Yes	Urban		7.439				
64	Sand Island Parkway/Sand Island Access Road : 0.20 miles before Ulupono Street (Sand Island park entrance) > Nimitz Highway (Route 92)	State	0.000	2.600	3	Yes	Urban			2.600			
65	Kaneohe Bay Drive/Mokapu Saddle Road/Mokapu Boulevard : Kamehameha Highway (Route 83) > Kalaheo Avenue (Route 6012)	State	0.000	4.150	3	Yes	Urban			4.150			
72	Kalaniana'ole Highway : Kailua Road (Route 61) > Hawaii Kai Drive (7911)	State	0.000	14.270	3	Yes	Urban			14.270			
72	Kalaniana'ole Highway : Hawaii Kai Drive (7911) > Ainakoa Avenue (Route 7941)	State	14.270	18.430	2	Yes	Urban		4.160				
76	Fort Weaver Road : 0.01 miles before Popoi Place (Fort Weaver Gate) > North Road (Route 7145)/Kimopelekane Road	State	0.000	1.280	4		Urban				1.280		
76	Fort Weaver Road : North Road (Route 7145)/Kimopelekane Road > Renton Road (Route 7146)	State	1.280	3.990	3	Yes	Urban			2.710			
76	Fort Weaver Road/Kunia Road : Renton Road (Route 7146) > H-1 overpass	State	3.990	6.617	2	Yes	Urban		2.627				
78	Moanalua Freeway : Ramp #2 at Aiea Interchange (Route 99) > Beginning of H-1 underpass and H-1 ramp	State	0.000	0.740	2	Yes	Urban		0.740				
80	Kamehameha Highway : Wilikina Drive (Route 99) > Kamanui Road (Route 99)	State	0.000	1.890	3	Yes	Urban			1.890			

**City and County of Honolulu Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
83	JP Leong Highway : Beginning of Route 83 (Weed Circle) > Start of Urban Boundary, 0.15 miles south of Cane Haul Road	State	0.000	0.627	3	Yes	Rural			0.627			
83	JP Leong Highway : Start of Urban Boundary, 0.15 miles south of Cane Haul Road > Turtle Bay just east of Kuilima Drive at end of Urban Boundary	State	0.627	13.098	3	Yes	Urban			12.471			
83	Kamehameha Highway : East of Kuilima Drive (end of Urban Boundary) > Start of Urban Boundary 0.27 east of Pualalea Street	State	13.098	15.139	3	Yes	Rural			2.041			
83	Kamehameha Highway : Start of Urban Boundary 0.27 east of Pualalea Street > End of Urban Boundary near Kaaawa Stream	State	15.139	28.984	3	Yes	Urban			13.844			
83	Kamehameha Highway : End of Urban Boundary near Kaaawa Stream > 0.16 miles south of Kaaawa Stream	State	28.984	29.181	3	Yes	Rural			0.197			
83	Kamehameha Highway/Kahekili Highway/Likelike Highway - 51-0136 Kamehameha Hwy north of property > Pali Highway (Route 61)	State	29.181	43.904	3	Yes	Urban			14.723			
92	Kamehameha Highway/Nimitz Highway/Ala Moana Boulevard : Pearl Harbor main gate > End of Ala Wai Canal bridge (#003000920400861)	State	0.000	8.670	3	Yes	Urban			8.670			
92	Ala Moana Boulevard : End of Ala Wai Canal bridge (#003000920400861) > Kalakaua Avenue (Route 7612)	County	8.670	9.260	3	Yes	Urban			0.590			
93	Farrington Highway : Palailai overpass > 0.33 miles north of Keaau Homesteads Road	State	0.000	15.990	3	Yes	Urban			15.990			
93	Farrington Highway : 0.33 miles north of Keaau Homesteads Road > Satellite Tracking Station Road (Kaena Point State Park)	State	15.990	19.524	4		Rural				3.534		
<b>94</b>	Hanua Street : Farrington Highway (Route 93) > Hanua Street	County	0.000	1.500	5		Urban					1.500	

**City and County of Honolulu Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
95	Kalaeloa Boulevard : Palailai Overpass > Malakole Street (Route 95)	County	0.000	1.520	3		Urban			1.520			
98	Olomea Street/Halona Street/Vineyard Boulevard : Ramp from H-1 > On-ramp to H-1	State	0.000	1.758	3	Yes	Urban			1.758			
99	Kamehameha Highway/Kamananui Road : JP Leong Highway (Route 83) > Plantation Road	State	0.000	2.812	3	Yes	Rural			2.812			
99	Kamehameha Highway : Plantation Road > 0.02 miles South of Kaukonahua Rd	State	2.812	6.784	3	Yes	Urban			3.972			
99	Kamananui Rd/Wilikina Dr : 0.02 miles south of Kaukonahua Rd > Wilikina Drive near Kaukonahua Stream (Start of Urban Boundary)	State	6.784	7.845	3	Yes	Rural			1.061			
99	Wilikina Drive : Wilikina Drive near Kaukonahua Stream (Start of Urban Boundary) > Kunia Road (Route 750)	State	7.845	9.100	3	Yes	Urban			1.255			
99	Wilikina Drive/Kamehameha Highway/Farrington Highway : Kunia Road (Route 750) > Acacia Road (Route 7228)	State	9.100	18.268	2	Yes	Urban		9.168				
99	Kamehameha Highway : Acacia Road (Route 7228) > End of route (Pearl Harbor interchange)	State	18.268	23.842	3	Yes	Urban			5.574			
750	Kunia Road : H-1 interchange > 1.06 miles past Anonui Street	State	0.000	2.000	3	Yes	Urban			2.000			
750	Kunia Road : 1.06 miles past Anonui Street > 0.15 miles before divided highway	State	2.000	7.040	3	Yes	Urban			5.040			
750	Kunia Road : 0.15 miles before divided highway > Wilikina Drive (Route 99)	State	7.040	8.046	3	Yes	Urban			1.006			
801	Kaukonahua Road : Kamehameha Highway (Route 80) > Nui Ave	County	0.000	0.475	4		Urban				0.475		
801	Kaukonahua Road : Nui Ave > Wilikina Drive (Route 803)	County	0.475	2.182	4		Rural				1.707		
803	Wilikina Drive/Kaukonahua Road : Kamananui Road (Route 99) > Beginning of Urban Boundary	County	0.000	5.040	4		Rural				5.040		

**City and County of Honolulu Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
803	Kaukonahua Road : Beginning of urban boundary > Farrington Highway (Route 930)	County	5.040	5.840	4		Urban				0.800		
901	Fort Barrette Road/Makakilo Drive : Franklin D Roosevelt Avenue > Makakilo Overpass (beginning of Route 8810 - Makakilo Drive)	State	0.000	1.380	3	Yes	Urban			1.380			
930	Farrington Highway : 0.09 miles west of Dillingham Airfield Access Road (Kaena Point State Park boundary) > 0.06 miles east of Mokuleia Beach Park access road	State	0.000	1.232	4		Rural				1.232		
930	Farrington Highway/Kaukonahua Road/Farrington Highway : 0.06 miles east of Mokuleia Beach Park access road > Joseph P Leong Highway (Route 83)	State	1.232	7.931	4		Urban				6.699		
6001	Kailua Road : Kawainui Stream bridge (#003000610401060)> Oneawa Street (Route 6016)	County	0.000	0.164	3	Yes	Urban			0.164			
6010	Hamakua Drive : Keolu Drive (Route 6013) > Kailua Road (Route 61)	County	0.000	0.850	4		Urban				0.850		
6011	Kailua Road : Oneawa Street (Route 6016) > Kalaheo Avenue (Route 6012)	County	0.000	1.060	5		Urban					1.060	
6012	Kalaheo Avenue: Kailua Road (Route 6011) > Mokapu Boulevard (Route 65)	County	0.000	2.100	5		Urban					2.100	
6013	Keolu Drive : Kalaniana'ole Highway (Route 72) > Keolu Drive	County	0.000	3.170	5		Urban					3.170	
6014	Kuulei Road : Kailua Road (Route 6011) > Kalaheo Avenue (Route 6012)	County	0.000	0.600	4		Urban				0.600		
6015	Mokapu Road : North Kalaheo Avenue (Route 6012) > Kaneohe Marine Corps Air Station	County	0.000	0.600	5		Urban					0.600	
6016	Oneawa Street : Kailua Road (Route 6011) > Mokapu Boulevard (Route 65)	County	0.000	1.300	4		Urban				1.300		
6017	Wanaao Road : Kailua Road (Route 6011) > Keolu Drive (Route 6013)	County	0.000	0.850	6		Urban						0.850
6020	Nanialii Street : Keolu Drive (Route 6013) > Kina Street (Route 6048)	County	0.000	0.270	6		Urban						0.270

**City and County of Honolulu Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
6025	Kanapuu Drive : Kalaniana'ole Highway (Route 72) > Keolu Drive (Route 6013)	County	0.000	0.730	6		Urban						0.730
6041	Kainalu Drive : Kainui Drive (Route 6042) > Kailua Road (6011)	County	0.000	1.760	6		Urban						1.760
6042	Kainui Drive : Oneawa Street (Route 6016) > Kalaheo Avenue (Route 6012)	County	0.000	0.700	6		Urban						0.700
6043	Kihapai Street/Punaa Street : Oneawa Street (Route 6016) > Oneawa Street (Route 6016)	County	0.000	1.030	6		Urban						1.030
6044	Kalama Street : Oneawa Street (Route 6016) > Kainalu Drive (Route 6041)	County	0.000	0.380	6		Urban						0.380
6045	South Kalaheo Avenue/Lihikai Road/Kawailoa Road : Kailua Road (Route 6011) > Alala Road	County	0.000	0.530	4		Urban				0.530		
6045	Alala Road : Kawailoa Road > Mokulua Drive	County	0.530	0.600	5		Urban					0.070	
6046	Awakea Road/ Ka Awakea Road : Wanao Road (Route 6017) > Papalani Street (Route 6047)	County	0.000	0.330	6		Urban						0.330
6047	Papalani Street : Wanao Road (Route 6017) > Keolu Drive (Route 6013)	County	0.000	0.430	6		Urban						0.430
6048	Hele Street/Kina Street : Keolu Drive (Route 6013) > Hele Street (Route 6048)	County	0.000	1.650	6		Urban						1.650
6049	Akamai Street / Akumu Street : Keolu Drive (Route 6013) > Keolu Drive (Route 6013)	County	0.000	1.200	6		Urban						1.200
6050	Ulumanu Drive / Ulupii Street/Uluhala Street : Kailua Road (Route 61) > Kalaniana'ole Highway (Route 61)	County	0.000	1.090	6		Urban						1.090
6051	Auloa Road/Maunawili Road : Kalaniana'ole Highway (Route 61) > Aloha Oe Drive	County	0.000	1.260	6		Urban						1.260
6510	Kamehameha Highway : Kaneohe Bay Drive (Route 65) > Haiku Road (Route 6542)	County	0.000	1.420	4		Urban				1.420		
6510	Kamehameha Highway : Haiku Road (Route 6542) > Kahekili Highway (Route 83)	County	1.420	5.570	5		Urban					4.150	
6511	Kaneohe Bay Drive : Mokapu Saddle Road (Route 65) > Mokapu Boulevard (Route 65)	County	0.000	2.620	5		Urban					2.620	

**City and County of Honolulu Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
6542	Haiku Road : Kamehameha Highway (Route 6510) > Kahekili Highway (Route 83)	County	0.000	0.700	4		Urban				0.700		
6542	Haiku Road : Kahekili Highway (Route 83) > Kahuhipa Street (Route 6544)	County	0.700	1.200	6		Urban						0.500
6543	Keaahala Road : Kamehameha Highway (Route 6510) > Pookela Street	County	0.000	0.750	5		Urban					0.750	
6544	Kahuhipa Street : Kamehameha Highway (Route 6510) > Kahekili Highway (Route 83)	County	0.000	0.630	5		Urban					0.630	
6544	Kahuhipa Street : Kahekili Highway (Route 83) > Haiku Road (Route 6542)	County	0.630	1.190	6		Urban						0.560
6545	Lilipuna Road/Waialele Road/William Henry Road: Kamehameha Highway (Route 6510) > Kamehameha Highway (Route 6510)	County	0.000	1.370	6		Urban						1.370
6546	Waikalua Road : Kamehameha Highway (Route 6510) > Kaneohe Beach Park	County	0.000	1.030	5		Urban					1.030	
6547	Anoi Road/Luluku Road : Kapunahala Elementary entrance > Kamehameha Highway (Route 83)	County	0.000	1.070	6		Urban						1.070
6548	Koa Kahiko Street/Kenela Street/Namoku Street : Kamehameha Highway (Route 83) > Mokulele Drive (Route 6549)	County	0.000	0.800	6		Urban						0.800
6549	Mokulele Drive : Kamehameha Highway (Route 83) > Kaneohe Bay Drive (Route 65)	County	0.000	1.160	5		Urban					1.160	
6551	Aumoku Street : Kaneohe Bay Drive (Route 65) > Koa Kahiko Street (Route 6548)	County	0.000	0.180	6		Urban						0.180
6553	Hui Iwa St/Hui Ulili St/Ahuimanu Pl : Kahekili Hwy (S junction) > Kahekili Hwy (N junction) (Route 83)	County	0.000	1.390	6		Urban						1.390
6554	Waihee Road : Kamehameha Highway (Route 83)> Ahilama Road	County	0.000	0.430	6		Urban						0.430
7010	California Avenue : Kilani Avenue (Route 7011) > Kamehameha Highway (Route 80)	County	0.000	0.900	5		Urban					0.900	
7010	California Avenue : Kamehameha Highway (Route 80) > Uuku Street (Route 7041)	County	0.900	2.100	4		Urban				1.200		
7010	California Avenue : Uuku Street (Route 7041) > 0.20 miles northeast of Hill Drive	County	2.100	3.260	6		Urban						1.160

**City and County of Honolulu Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
7011	Kilani Avenue : California Avenue (Route 7010) > Cane Street	County	0.000	1.110	5		Urban					1.110	
7011	Kilani Avenue : Cane Street > Glen Avenue (Route 7041)	County	1.110	1.370	6		Urban						0.260
7012	Whitmore Avenue : Kamehameha Highway (Route 80) > Entrance to Naval Reservation	State	0.000	1.870	6		Urban						1.870
7013	Meheula Parkway : Kaapeha Street > Lanikuhana Avenue (Route 7042)	County	0.000	3.780	4		Urban				3.780		
7041	Glen Avenue/Royal Palm Drive/Uuku Street : Kilani Avenue (Route 7011) > California Avenue (Route 7010)	County	0.000	0.820	6		Urban						0.820
7042	Lanikuhana Avenue : Ahiku Street > Meheula Parkway (Route 7013)	County	0.000	1.230	6		Urban						1.230
7042	Lanikuhana Avenue : Meheula Parkway (Route 7013) > Meheula Parkway (Route 7013)	County	1.230	3.880	5		Urban					2.650	
7043	Kuahelani Avenue : Meheula Parkway (Route 7013) > Kamehameha Highway (Route 99)	County	0.000	0.900	5		Urban					0.900	
7043	Kuahelani Avenue : Kamehameha Highway (Route 99) > Lanikuhana Avenue (Route 7042)	County	0.900	2.200	6		Urban						1.300
7101	Farrington Highway : Kunia Road (Route 76) > Kamehameha Highway (Route 99)	State	0.000	2.990	3	Yes	Urban			2.990			
7110	Farrington Highway : Fort Weaver Road (Route 76) > West Access to Old Fort Weaver Road	State	0.000	0.606	4		Urban				0.606		
7139	Waipio Point Access Road : Farrington Highway (Route 7101) > Waipio Soccer Complex gate	County	0.000	0.840	6		Urban						0.840
7140	Geiger Road : Franklin D Roosevelt Avenue (Route 8940) > Fort Weaver Road (Route 76)	County	0.000	1.180	5		Urban					1.180	
7141	Iroquois Road : Fort Weaver Road (Route 76) > Military reservation (West Loch)	State	0.000	1.496	5		Urban					1.496	
7142	Waipahu Street : Kunia Road (Route 76)> Kamehameha Highway (Route 99)	County	0.000	3.030	4		Urban				3.030		

**City and County of Honolulu Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/ Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
7143	Waipahu Depot Road : Waipahu Street (Route 7142) > Farrington Highway (Route 7101)	County	0.000	0.200	5		Urban					0.200	
7144	Hanakahi Street : Fort Weaver Road (Route 76) > North Road (Route 7145)	County	0.000	1.000	6		Urban						1.000
7145	North Road : Fort Weaver Road (Route 76) > Hanakahi Street (Route 7144)	County	0.000	0.730	5		Urban					0.730	
7146	Renton Road : Fort Weaver Road (Route 76) > 0.01 miles west of Kihī Street	County	0.000	1.700	5		Urban					1.700	
7147	Old Fort Weaver Road: Farrington Highway (Route 7110) > Fort Weaver Road (Route 76)	County	0.000	1.270	6		Urban						1.270
7148	Papipi Road : Fort Weaver Road (Route 76) > Pohakupuna Road	County	0.000	0.800	6		Urban						0.800
7149	Mahoe Street : Waipahu Street (Route 7142) > Hiapo Street	County	0.000	0.260	6		Urban						0.260
7150	Kolowaka Drive : Fort Weaver Road (Route 76) > Kapolei Parkway (Route 8920)	County	0.000	0.560	5		Urban					0.560	
7160	Ka Uka Boulevard : H-2 > Kamehameha Highway (Route 99)	County	0.000	1.000	4		Urban				1.000		
7165	Waipio Uka Street : Ka Uka Boulevard (Route 7160) > Kamehameha Highway (Route 99)	County	0.000	1.430	5		Urban					1.430	
7170	Paiwa Street : Farrington Highway (Route 7101) > Lumiaina Street (Route 7175)	County	0.000	1.420	5		Urban					1.420	
7172	Lumiaina Street/Managers Drive/Mokuola Street: Paiwa Street (Route 7170) > Farrington Highway (Route 7101)	County	0.000	2.100	6		Urban						2.100
7175	Lumiaina Street : Paiwa Street (Route 7170) > Kamehameha Highway (Route 99)	County	0.000	0.980	5		Urban					0.980	
7180	Kupuna Loop : South junction with Kunia Road (Route 750) > North junction with Kunia Road (Route 750)	County	0.000	1.930	5		Urban					1.930	
<b>7190</b>	Anonui Street: Kunia Road (Route 750) > Anoiki Street	County	0.000	1.700	6		Urban						1.700
7210	Moanalua Road : Waimano Home Road (Route 7211) > Kaimakani Street	County	0.000	3.470	4		Urban				3.470		

**BOLD** Route Numbers are newly assigned routes.

**City and County of Honolulu Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
7211	Waimano Home Road : Kamehameha Highway (Route 99) > Komo Mai Drive (Route 7243)	County	0.000	1.250	4		Urban				1.250		
7211	Waimano Home Road : Komo Mai Drive (Route 7243) > Entrance to Waimano Hospital	County	1.250	2.230	5		Urban					0.980	
7212	Kuala Street : Waimano Home Road (Route 7211) > Kamehameha Highway	County	0.000	1.020	5		Urban					1.020	
7225	Hoomalu Street : Waimano Home Road (Route 7211) > Komo Mai Drive (Route 7243)	County	0.000	1.230	6		Urban						1.230
7226	Puu Poni Street : Kamehameha Highway (Route 99) > Hoomalu Street (Route 7225)	County	0.000	0.248	6		Urban						0.248
7228	Acacia Road : Kuala Street (Route 7212) > Kamehameha Highway (Route 99)	County	0.000	0.200	5		Urban					0.200	
7239	Ulune Street/Halawa Valley Road : Kahuapaani Street (Route 7241) > Iwaiwa Street	State	0.000	0.329	5		Urban					0.329	
7241	Kahuapaani Street : Salt Lake Boulevard (Route 7311) > Ulune Street (Route 7239)	State	0.000	0.880	4		Urban				0.880		
7241	Kahuapaani Street : Ulune Street > Halawa Heights Road (Route 7241)	State	0.880	0.990	5		Urban					0.110	
7241	Halawa Heights Road : Kahuapaani Street > Camp Smith Gate #3	State	0.990	2.320	6		Urban						1.330
7243	Komo Mai Drive : Aumakua Street > Kaahele Street (Route 7251)	County	0.000	2.910	5		Urban					2.910	
7244	Kaonohi Street : Kamehameha Highway (Route 99) > Moanalua Road (Route 7210)	County	0.000	0.350	4		Urban				0.350		
7244	Kaonohi Street : Moanalua Road (Route 7210) > 0.10 miles north of Iho Place	County	0.350	1.800	5		Urban					1.450	
7245	Kaamilo Street : Moanalua Road (Route 7210) > Aiea Heights Drive (Route 7246)	County	0.000	1.660	6		Urban						1.66
7246	Aiea Heights Drive : Moanalua Road (Route 7210) > Ulune Street	County	0.000	0.340	5		Urban					0.340	
7246	Aiea Heights Drive : Ulune Street > Keaiwa State Park	County	0.340	2.658	6		Urban						2.138

**City and County of Honolulu Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
7247	Hoolaulea Street : Waimano Home Road (S junction) (Route 7211) > Waimano Home Road (N junction) (Route 7211)	County	0.000	2.080	6		Urban						2.080
7248	Ulune Street : Aiea Heights Drive (Route 7246) > Kahuapaani Street (Route 7241)	County	0.000	0.830	5		Urban					0.830	
7249	Lehua Street : Kamehameha Highway (Route 99) > Lehua Elementary School Access Road	County	0.000	0.320	5		Urban					0.320	
7250	Kaahumanu Street : Kamehameha Highway (Route 99) > Moanalua Road (Route 7210)	County	0.000	0.260	4		Urban				0.260		
7250	Kaahumanu Street : Moanalua Road (Route 7210) > Komo Mai Drive (Route 7243)	County	0.260	1.020	5		Urban					0.760	
7251	Kaahahele Street : Moanalua Road (Route 7210) > 0.2 miles north of Hiliu Place	County	0.000	1.850	6		Urban						1.85
7260	Honomanu Street : Kamehameha Highway (Route 99) > Moanalua Road (Route 7210)	County	0.000	0.200	5		Urban					0.200	
7261	Moanalua Loop : Moanalua Road (Route 7210) > Kaonohi Street (Route 7244)	County	0.000	0.430	6		Urban						0.430
7262	Kanuku Street : Hekaha Street (Route 7263) > Kamehameha Highway (Route 99)	County	0.000	0.400	6		Urban						0.400
7263	Hekaha Street : Kamehameha Highway (Route 99) > Moanalua Road (Route 7210)	County	0.000	0.440	6		Urban						0.440
7310	Puuloa Road : Kamehameha Highway/Nimitz Highway (Route 92) > Southwest end of Puuloa Overpass	State	0.000	1.030	3	Yes	Urban			1.030			
7311	Salt Lake Boulevard : Puuloa Road (Route 7310) > Kamehameha Highway (Route 99)	County	0.000	3.430	4		Urban				3.430		
7341	Kikowaena Street/Ahua Street : Moanalua Freeway (Route 201) > Nimitz Highway (Route 92)	County	0.000	0.790	5		Urban					0.790	
7342	Pukoloa Street : Puuloa Road (Route 7310) > Ahua Street (Route 7341)	County	0.000	0.260	5		Urban					0.260	
7343	Arizona Road/Camp Catlin Road : Salt Lake Boulevard (Route 7311) > Nimitz Highway (Route 92)	County	0.000	0.530	5		Urban					0.530	

**City and County of Honolulu Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
7344	Ala Aolani Street : Moanalua Freeway (Route 210) > Ala Noe Place	County	0.000	1.460	6		Urban						1.460
7345	Jarret White Road : Moanalua Freeway (southwest Puuloa Road overpass) (Route 210) > Tripler Hospital gate	State	0.000	0.550	5	Yes	Urban					0.550	
7346	Ala Mahamoe Street : Jarret White Road (Route 7345) > Kaula Street	County	0.000	1.500	6		Urban						1.500
7346	Kaula Street : Ala Mahamoe Street > Middle Street (Route 7414)	County	1.500	2.110	5		Urban					0.610	
7347	Ala Liliko'i Street : Salt Lake Boulevard (Route 7311) > Likini Street (Route 7348)	County	0.000	0.340	6		Urban						0.340
7348	Pakini Street / Likini Street : Salt Lake Boulevard (Route 7311) > Ala Napunani Street (Route 7349)	County	0.000	2.360	6		Urban						2.360
7349	Ala Napunani Street : Salt Lake Boulevard (Route 7311) > Ala Aolani Street (Route 7344)	County	0.000	1.320	5		Urban					1.320	
7350	Bougainville Drive : Radford Drive (Route 7351) > Salt Lake Boulevard (Route 7311)	State	0.000	0.586	5		Urban					0.586	
7351	Radford Drive : Kamehameha Highway (Route 99) > Bougainville Drive (Route 7350)	State	0.000	0.230	5		Urban					0.230	
7401	Kamehameha Highway : Middle Street (Route 7415) > 0.10 miles past Middle Street (Route 7415)	State	0.000	0.100	4		Urban				0.100		
7401	Kamehameha Highway/Dillingham Boulevard : 0.10 miles past Middle Street (Route 7415) > King Street (Route 7402)	County	0.100	1.950	4		Urban				1.850		
7402	King Street : Kalihi Street (Route 63) > Harding Avenue (Route 7842)	County	0.000	5.196	3	Yes	Urban			5.196			
7410	King Street : Middle Street (Route 7415) > Kalihi Street (Route 63)	County	0.000	0.715	4		Urban				0.715		
7411	Houghtailing Street/Waiakamilo Road : School Street (Route 7414) > Nimitz Highway (Route 92)	County	0.000	1.130	4		Urban				1.130		
7412	Liliha Street : Wylie Street (Route 7446) > H-1 Overpass	County	0.000	0.980	5		Urban					0.980	

**City and County of Honolulu Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
7413	Liliha Street : King Street (Route 7402) > H-1 Overpass	State	0.000	0.343	4		Urban				0.343		
7414	School Street : Lusitana Street (Route 7521) > Notley Street (Route 74140)	County	0.000	2.690	4		Urban				2.690		
7414	Middle Street : Notley Street (Route 74140) > Kaula Street (Route 7346)	County	2.690	3.100	4	Yes	Urban				0.410		
7415	Middle Street : Kaula Street (Route 7346) > Kamehameha Highway (Route 7401)	State	0.000	0.517	4		Urban				0.517		
7420	Palama Street : King Street (Route 7402) > Vineyard Boulevard (Route 98)	County	0.000	0.200	6		Urban						0.200
7425	Iwilei Road/Pacific Street : King Street (Route 7402) > Nimitz Highway (Route 92)	County	0.000	0.660	6		Urban						0.660
7430	Kalihi Street/Auiki Street : Nimitz Highway (Route 92) > Sand Island Access Road (Route 64)	County	0.000	0.660	5		Urban					0.660	
7441	Kalihi Street : Likelike Highway (Route 63) > Waialele Street	County	0.000	0.760	5		Urban					0.760	
7441	Kalihi Street : Waialele Street > Kalaepaa Drive	County	0.760	1.740	6		Urban						0.980
7442	Kamehameha IV Road : School Street (Route 7414) > Likelike Highway (Route 63)	County	0.000	0.700	5		Urban					0.700	
7443	Nalanieha Street : Likelike Highway (Route 63) > Kalihi Street (Route 7441)	County	0.000	0.150	6		Urban						0.150
7444	Kealia Drive/Hillcrest Street/Houghtailing Street : Makanani Drive (Route 7445) > School Street (Route 7414)	County	0.000	0.600	6		Urban						0.600
7445	Judd Street/Iholena Street/Lolena Street/Makanani Drive : Nuuanu Avenue (Route 7522) > Kealia Drive (Route 7444)	County	0.000	1.340	6		Urban						1.340
7446	Wyllie Street/Alewa Drive : Liliha Street (Route 7412)> Hoomaikai Street	County	0.000	2.038	6		Urban						2.380
7447	Lanakila Avenue /Judd Street : School Street (Route 7414) > Iholena Street (Route 7445)	County	0.000	0.400	5		Urban					0.400	
7448	Puuhale Road : Nimitz Highway (Route 92) > Dillingham Boulevard (Route 7401)	County	0.000	0.250	5		Urban					0.250	

**BOLD** Route Numbers are newly assigned routes.

**City and County of Honolulu Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
7450	Mokaeua Street : Nimitz Highway (Route 92) > King Street (Route 7410)	County	0.000	0.580	6		Urban						0.580
7501	Atkinson Drive : Ala Moana Boulevard (Route 92) > Kapiolani Boulevard (Route 7503)	County	0.000	0.300	4		Urban				0.300		
7502	Beretania Street : University Avenue (Route 7615) > King Street (Route 7402)	County	0.000	3.299	3	Yes	Urban			3.299			
7503	Kapiolani Boulevard : South Street (Route 7510) > Waialae Avenue (Route 7801)	County	0.000	3.120	3	Yes	Urban			3.120			
7504	Alakea Street : Nimitz Highway (Route 92) > Beretania Street (Route 7502)	County	0.000	0.400	3	Yes	Urban			0.400			
7504	Queen Emma Street/Kukui Street : Beretania Street (Route 7502) > Pali Highway (Route 7505)	County	0.400	0.600	4		Urban				0.200		
7505	Pali Highway/Bishop Street : Vineyard Boulevard (Route 98) > Nimitz Highway (Route 92)	County	0.000	0.620	3	Yes	Urban			0.620			
7510	South Street/Alapai Street : Ala Moana Boulevard (Route 92) > Beretania Street (Route 7502)	County	0.000	0.780	4		Urban				0.780		
7510	Alapai Street/Lusitana Street : Beretania Street (Route 7502) > Vineyard Boulevard (Route 98)	County	0.780	1.080	5		Urban					0.300	
7511	Ward Avenue : Ala Moana Boulevard (Route 92) > H-1	County	0.000	0.960	3	Yes	Urban			0.960			
7511	Ward Avenue : H-1 > Prospect Street (Route 7518)	County	0.960	1.150	4		Urban				0.190		
7512	Pensacola Street : Nehoa Street (Route 7518) > Luanalilo Street (Route 7526)	County	0.000	0.500	5		Urban					0.500	
7512	Pensacola Street/Waimanu Street : Lunalilo Street (Route 7526) > Piikoi Street (Route 7513)	County	0.500	1.400	3	Yes	Urban			0.900			
7513	Piikoi Street : Ala Moana Boulevard (Route 92) > Lunalilo Street (Route 7526)	County	0.000	0.940	4		Urban				0.940		
7513	Piikoi Street : Lunalilo Street (Route 7526) > Pensacola Street (Route 7512)	County	0.940	1.370	6		Urban						0.430

**City and County of Honolulu Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
7514	Keeaumoku Street : Kapiolani Boulevard (Route 7503) > Wilder Avenue (Route 7525)	County	0.000	0.900	4		Urban				0.900		
7515	Queen Street : Kamakee Street (Route 7552) > Nimitz Highway (Route 92)	County	0.000	1.270	4		Urban				1.270		
7516	Punchbowl Street : H-1 > King Street (Route 7402)	County	0.000	0.570	3	Yes	Urban			0.570			
7516	Punchbowl Street : King Street (Route 7402) > Ala Moana Boulevard (Route 92)	County	0.570	0.960	4		Urban				0.390		
7517	Auwaiolimu Street : Lusitana Street (Route 7521) > Nehoa Street (Route 7518)	County	0.000	0.940	4		Urban				0.940		
7518	Iolani Avenue / Prospect Street / Nehoa Street : Lusitana Street (Route 7521) > Punahou Street (Route 7614)	County	0.000	1.810	5		Urban					1.810	
7519	Kinau Street : Alapai Street (Route 7510) > Keeaumoku Street (Route 7514)	County	0.000	0.900	4		Urban				0.900		
7520	Kukui Street : Nuuanu Avenue (Route 7522) > Pali Highway (Route 7505)	County	0.000	0.120	4		Urban				0.120		
7521	Lusitana Street : School Street (Route 7414) > Auwaiolimu Street (Route 7517)	County	0.000	0.420	6		Urban						0.420
7521	Lusitana Street/Pauoa Road : Auwaiolimu Street > Nuuanu Avenue (Route 7522)	County	0.420	0.830	4		Urban				0.410		
7522	Nuuanu Avenue : Wyllie Street (Route 7524) > Nimitz Highway (Route 92)	County	0.000	1.700	4		Urban				1.700		
7523	Queen Emma Street : Kukui Street (Route 7504) > School Street (Route 7414)	County	0.000	0.320	4		Urban				0.320		
7524	Wyllie Street : Liliha Street (Route 7412) > Nuuanu Avenue (Route 7522)	County	0.000	0.270	5		Urban					0.270	
7525	Wilder Avenue : Dole Street (Route 7611) > Pensacola Street (Route 7512)	County	0.000	1.270	4		Urban				1.270		
7526	Lunalilo Street : H-1 off ramp > Ward Avenue (Route 7511)	County	0.000	0.620	3	Yes	Urban			0.620			
7527	Bethel Street : Nimitz Highway (Route 92) > Beretania Street (Route 7502)	County	0.000	0.320	4		Urban				0.320		
7528	Pohukaina Street/Kamani Street : Punchbowl Street (Route 7516) > Auahi Street	County	0.000	0.600	6		Urban						0.600

**City and County of Honolulu Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
7528	Auahi Street/Queen Street : Kamani Street > Ala Moana Boulevard (Route 92)	County	0.600	1.200	5		Urban					0.600	
7530	Sheridan Street : Rycroft Street > Kapiolani Boulevard (Route 7503)	County	0.000	0.270	6		Urban						0.270
7541	Kaheka Street : Kapiolani Boulevard (Route 7503) > King Street (Route 7402)	County	0.000	0.420	5		Urban					0.420	
7542	Keola Street/Kuakini Street : Hala Drive > Lanakila Avenue (Route 7447)	County	0.000	0.200	5		Urban					0.200	
7542	Kuakini Street : Lanakila Avenue > Nuuanu Avenue (Route 7522)	County	0.200	0.940	5		Urban					0.740	
7542	Kuakini Street : Nuuanu Avenue (Route 7522) > Pali Highway (Route 61)	County	0.940	1.040	5		Urban					0.100	
7543	Hotel Street : Richards Street (Route 7544) > King Street (Route 7402) [bus only]	County	0.000	0.570	6		Urban						0.570
7544	Richards Street : Beretania Street (Route 7502) > King Street (Route 7042)	County	0.000	0.230	6		Urban						0.230
7545	Pacific Heights Road : Pauoa Road (Route 7521) > End of route	County	0.000	2.200	6		Urban						2.200
7546	Booth Road/Kekuanoni Street/Kapulei Street/Pauoa Road : Pacific Heights Road (Route 7545) > Lusitana Street (Route 7521)	County	0.000	1.900	6		Urban						1.900
7547	Hookui Street/Puowaina Drive/Tantalus Drive/Makiki Heights Drive/Mott Smith Drive : Auwaiolimu Street (Route 7517) > Nehoa Street (Route 7518)	County	0.000	2.059	6		Urban						2.059
7548	Cooke Street : Ala Moana Boulevard (Route 92) > King Street (Route 7402)	County	0.000	0.660	6		Urban						0.660
7549	Young Street : Pensacola Street (Route 7512) > Isenberg Street (Route 7643)	County	0.000	1.400	5		Urban					1.400	
7550	Keeaumoku Street : Wilder Avenue (Route 7525) > Nehoa Street (Route 7518)	County	0.000	0.300	6		Urban						0.300
7552	Kamakee Street : Ala Moana Boulevard (Route 92) > Kapiolani Boulevard (Route 7503)	County	0.000	0.340	5		Urban					0.340	
7553	Booth Road : Kekuanoni Street (Route 7546) > 2000 feet past Kekuanoni Street	County	0.000	0.380	6		Urban						0.380

**City and County of Honolulu Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
7601	Old Waiialae Road/King Street : Kapiolani Boulevard (Route 7503) > End of divided roadway	State	0.000	0.410	3	Yes	Urban			0.410			
7610	Date Street : University Avenue (Route 7615) > Kapahulu Avenue (Route 7810)	County	0.000	0.960	4		Urban				0.960		
7611	St Louis Drive/Dole Street : Waiialae Avenue (Route 7801) > Wilder Avenue (Route 7525)	County	0.000	1.340	4		Urban				1.340		
7612	Kalakaua Avenue : Beretania Street (Route 7502) > Paki Avenue (Route 7713)	County	0.000	3.080	4		Urban				3.080		
7613	McCully Street : Kalakaua Avenue (Route 7612) > Metcalf Street (Route 7613)	County	0.000	0.880	4		Urban				0.880		
7613	Metcalf Street : McCully Street > University Avenue (Route 7646)	County	0.880	1.370	5		Urban					0.490	
7614	Philip Street/Punahou Street : Kalakaua Avenue (Route 7612) > King Street (Route 7402)	County	0.000	0.170	5		Urban					0.170	
7614	Punahou Street : King Street (Route 7402) > Wilder Avenue (Route 7525)	County	0.170	0.640	3	Yes	Urban			0.470			
7614	Punahou Street : Wilder Avenue (Route 7525) > Nehoa Street (Route 7518)	County	0.640	0.856	4		Urban				0.216		
7615	University Avenue : Kapiolani Boulevard (Route 7503) > King Street (Route 7402)	County	0.000	0.400	4		Urban				0.40		
7615	University Avenue : King Street (Route 7402) > Metcalf Street (Route 7613)	County	0.400	0.900	3	Yes	Urban			0.50			
7641	Date Street/Citron Street/Kuikahi Street/Philip Street : University Avenue (Route 7615) > Punahou Street (Route 7614)	County	0.000	0.910	5		Urban					0.910	
7642	East Manoa Road : Manoa Road (Route 7645) > Alani Drive	County	0.000	1.810	5		Urban					1.810	
7642	Alani Drive : East Manoa Road (Route 7642) > Woodlawn Drive (N Junction)	County	1.810	2.060	6		Urban						0.250
7643	Isenberg Street : Kapiolani Boulevard (Route 7503) > Beretania Street (Route 7502)	County	0.000	0.520	5		Urban					0.520	

**City and County of Honolulu Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
7644	Lowrey Avenue : Manoa Road (Route 7645) > East Manoa Road (Route 7642)	County	0.000	0.390	6		Urban						0.390
7645	Manoa Road : Nehoa Street (Route 7518) > Waakaua Street	County	0.000	2.450	5		Urban					2.450	
7646	University Avenue : Metcalf Street (Route 7613) > Oahu Avenue	County	0.000	0.650	4		Urban			0.650			
7646	Oahu Avenue : University Avenue (Route 7646) > Manoa Road (route 7645)	County	0.650	1.290	5		Urban					0.640	
7647	St Louis Drive/Bertram Street/St Louis Drive/Bertram Street/St Louis Drive/Noah Street/St Louis Drive/Alencastre Street : Dole Street (Route 7611) > St Louis Drive	County	0.000	2.105	5		Urban					2.105	
7648	Alexander Street : Wilder Avenue (Route 7525) > H-1	County	0.000	0.160	6		Urban						0.160
7649	Dole Street : Punahou Street (Route 7614) > Metcalf Street (Route 7613)	County	0.000	0.380	5		Urban					0.380	
7710	Ala Wai Boulevard : Kapahulu Avenue (Route 7810) > Kalakaua Avenue (Route 7612)	County	0.000	1.570	4		Urban			1.570			
7711	Kuhio Avenue : Kalakaua Avenue (Route 7612) > Kapahulu Avenue (Route 7810)	County	0.000	1.170	5		Urban					1.170	
7712	Monsarrat Avenue : Kalakaua Avenue (Route 7612) > Paki Avenue (Route 7713)	County	0.000	0.470	5		Urban					0.470	
7712	Monsarrat Avenue : Paki Avenue (Route 7713) > Trousseau Street	County	0.470	0.990	4		Urban			0.520			
7713	Paki Avenue : Diamond Head Road (Route 7811) > Monsarrat Avenue (Route 7712)	County	0.000	0.660	5		Urban					0.660	
7713	Paki Avenue : Monsarrat Avenue (Route 7712) > Kapahulu Avenue (Route 7810)	County	0.660	0.950	4		Urban			0.290			
7714	Niu Street : Ala Wai Boulevard (Route 7710) > Kalakaua Avenue (Route 7612)	County	0.000	0.100	6		Urban						0.100
7715	Pau Street : Kalakaua Avenue (Route 7612) > Ala Wai Boulevard (Route 7710)	County	0.000	0.110	6		Urban						0.110
7720	Saratoga Road : Kalia Road (Route 7743) > Kalakaua Avenue (Route 7612)	County	0.000	0.240	6		Urban						0.240

**City and County of Honolulu Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
7725	Kalaimoku Street : Kalakaua Avenue (Route 7612) > Ala Wai Boulevard (Route 7710)	County	0.000	0.200	6		Urban						0.200
7741	Kaiulani Street/ Kanekapolei Street : Kalakaua Avenue (Route 7612) > Ala Wai Boulevard (Route 7710)	County	0.000	0.370	6		Urban						0.370
7743	Kalia Road : Ala Moana Boulevard (Route 92) > Lewers Street (Route 7744)	County	0.000	0.560	5		Urban					0.560	
7744	Lewers Street : Kalia Road (Route 7743) > Ala Wai Boulevard (Route 7710)	County	0.000	0.420	6		Urban						0.420
7801	Waialae Avenue : Kapahulu Avenue (Route 7810) > Palolo Avenue (Route 7849)	County	0.000	0.420	3	Yes	Urban			0.420			
7801	Waialae Avenue : Palolo Avenue (Route 7849) > Off ramp from H-1	County	0.420	1.560	4		Urban					1.140	
7801	Waialae Avenue: Off ramp from H-1 > Kilauea Avenue (Route 7812)	State	1.560	2.020	4		Urban					0.460	
7810	Kapahulu Avenue : Kalakaua Avenue (Route 7612) > Waialae Avenue (Route 7801)	County	0.000	1.560	4		Urban					1.560	
7811	Diamond Head Road : Trousseau Street > Paki Avenue (7713)	County	0.000	2.730	4		Urban					2.730	
7812	Kilauea Avenue : Waialae Avenue (Route 7801) > 6th Avenue (Route 7852)	County	0.000	2.240	4		Urban					2.240	
7813	6th Avenue : H-1 > Waialae Avenue (Route 7801)	County	0.000	0.180	4		Urban					0.180	
7814	18th Avenue : Harding Avenue (Route 7842) > Diamond Head Road (Route 7811)	County	0.000	0.820	6		Urban						0.820
7841	Campbell Avenue : Monsarrat Avenue (Route 7712) > Kapahulu Avenue (Route 7810)	County	0.000	0.620	6		Urban						0.620
7842	Harding Avenue : 21st Avenue (Route 7856) > Kapiolani Boulevard (Route 7503)	County	0.000	1.780	5		Urban					1.780	
7843	Hunakai Street : Kilauea Avenue (Route 7862) > Kahala Avenue (Route 7844)	County	0.000	1.500	6		Urban						1.500
7844	Kahala Avenue : Diamond Head Road (Route 7811) > Kealaolu Avenue (Route 7863)	County	0.000	1.500	6		Urban						1.500

**City and County of Honolulu Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
7845	Kaimuki Avenue : Kapiolani Boulevard (Route 7503) > 6th Avenue (Route 7852)	County	0.000	0.680	5		Urban					0.680	
7846	Koko Head Avenue : Waialae Avenue (Route 7801) > Pahoa Avenue (Route 7848)	County	0.000	0.260	4		Urban				0.260		
7847	Mooheau Avenue : Kapahulu Avenue (Route 7810) > 6th Avenue (Route 7852)	County	0.000	0.270	6		Urban						0.270
7848	Pahoa Road : Koko Head Avenue (Route 7846) > Kilauea Avenue (Route 7812)	County	0.000	1.000	5		Urban					1.000	
7849	Palolo Avenue : 10th Avenue (Route 7853) > Waialae Avenue (Route 7801)	County	0.000	1.860	5		Urban					1.86	
7850	5th Avenue : Waialae Avenue (Route 7801) > Harding Avenue (Route 7842)	County	0.000	0.200	5		Urban					0.200	
7851	6th Avenue : Waialae Avenue (Route 7801) > Palolo Avenue (Route 7849)	County	0.000	0.170	5		Urban					0.170	
7852	6th Avenue : H-1 > Alohea Avenue (Route 7864)	County	0.000	0.500	5		Urban					0.500	
7853	10th Avenue : Palolo Avenue (Route 7848) > Waialae Avenue (Route 7801)	County	0.000	1.850	6		Urban						1.850
7854	10th Avenue : Kilauea Avenue (Route 7812) > Waialae Avenue (Route 7801)	County	0.000	0.620	6		Urban						0.620
7855	11th Avenue : Waialae Avenue (Route 7801) > H-1	County	0.000	0.180	4		Urban				0.180		
7856	21st Avenue : Harding Avenue (Route 7842) > Waialae Avenue (Route 7801)	County	0.000	0.200	6		Urban						0.200
7857	Sierra Drive : Waialae Avenue (Route 7801) > Maunalani Circle	County	0.000	2.300	6		Urban						2.300
7858	Lurline Drive/Monterey Drive/Paula Drive/Koko Drive/16th Avenue : Maunalani Circle > Kilauea Avenue (Route 7812)	County	0.000	2.820	6		Urban						2.820
7859	Elepaio Street : Kilauea Avenue (Route 7812) > Kahala Avenue (Route 7844)	County	0.000	0.570	6		Urban						0.570
7862	Kilauea Avenue : Akiaki Place > Waialae Avenue (Route 7801)	County	0.000	0.690	6		Urban						0.690
7863	Kealaolu Avenue : Waialae Avenue (Route 7801) > Kahala Avenue (Route 7844)	County	0.000	0.700	5		Urban					0.700	

**City and County of Honolulu Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
7864	Alohea Avenue : 6th Avenue (Route 7852) > Makapuu Avenue (Route 7865)	County	0.000	0.610	5		Urban					0.610	
7865	Makapuu Avenue : Diamond Head Road (Route 7811) > Kilauea Avenue (Route 7812)	County	0.000	0.320	5		Urban					0.320	
7910	Lunalilo Home Road : Kalaniana'ole Highway (Route 72) > Hawaii Kai Drive (Route 7911)	County	0.000	1.710	4		Urban				1.710		
7911	Hawaii Kai Drive : Kalaniana'ole Highway (Route 72) > Wailua Street (Route 7951)	County	0.000	1.700	4		Urban				1.700		
7911	Hawaii Kai Drive : Wailua Street (Route 7951) > Lunalilo Home Road (Route 7910)	County	1.700	3.340	5		Urban					1.640	
7911	Hawaii Kai Drive : Lunalilo Home Road (Route 7910) > Kealahou Street (Route 7949)	County	3.340	4.540	4		Urban				1.200		
7941	Aina Koa Avenue/ Halekoa Drive : Kalaniana'ole Highway (Route 72) > Alaeloa Street	County	0.000	1.700	6		Urban						1.700
7942	West Hind Drive/East Hind Drive : Kalaniana'ole Highway (Route 72) > Kalaniana'ole Highway (Route 72)	County	0.000	1.130	6		Urban						1.130
7943	Nohu Street/Hao Street/Ani Street/Hind Uka Drive : West Hind Drive (Route 7942) > East Hind Drive (Route 7942)	County	0.000	1.440	6		Urban						1.440
7944	Halemaumau Street : Kalaniana'ole Highway (W junction) (Route 72) > Kalaniana'ole Highway (E Junction) (Route 72)	County	0.000	0.830	6		Urban						0.830
7945	Elelupe Road / Kuliouou Road : Kalaniana'ole Highway (Route 72) > Kalaniana'ole Highway (Route 72)	County	0.000	0.850	6		Urban						0.850
7947	Lunalilo Home Road/Nawiliwili Street : Kalaniana'ole Highway (Route 72) > Kalaniana'ole Highway (Route 72)	County	0.000	0.860	6		Urban						0.860
7948	Laukahi Street : Kalaniana'ole Highway (Route 72) > Kihi Street	County	0.000	1.320	6		Urban						1.320

**City and County of Honolulu Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/ Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
7949	Kealahou Street : Kalaniana'ole Highway (Route 72) > Hawaii Kai Drive (Route 7911)	County	0.000	0.700	4		Urban				0.700		
7949	Kealahou Street : Hawaii Kai Drive (Route 7911) > Ipuai Street	County	0.700	1.600	5		Urban					0.900	
7950	Keahole Street : Kalaniana'ole Highway (Route 72) > Hawaii Kai Drive (Route 7911)	County	0.000	0.690	4		Urban				0.690		
7951	Wailua Street : Hawaii Kai Drive (Route 7911) > Lunalilo Home Road (Route 7910)	County	0.000	0.370	4		Urban				0.370		
7952	Hahaione Street : Hawaii Kai Drive (Route 7911) > Ainapo Street (Route 7954)	County	0.000	0.830	6		Urban						0.830
7953	Pepeekeo Street : Hawaii Kai Drive (Route 7911) > Hahaione Street (Route 7952)	County	0.000	0.420	6		Urban						0.420
7954	Ainapo Street : Pepeekeo Street (Route 7953) > Hahaione Street (Route 7952)	County	0.000	0.630	6		Urban						0.630
8300	Kamehameha Highway : Weed Junction > JP Leong Highway (Route 83)	County	0.000	2.000	4		Urban				2.000		
8541	Old Government Road/Plantation Road : Farrington Highway (Route 93) > Waianae Valley Road (Route 8542)	County	0.000	0.700	5		Urban					0.700	
8542	Waianae Valley Road : Farrington Highway (Route 93) > Haleahi Road	County	0.000	2.520	5		Urban					2.520	
8543	Lualualei Homestead Road : Farrington Highway (Route 93) > Halona Road	County	0.000	1.100	5		Urban					1.100	
8741	Hakimo Road : Farrington Highway (Route 93) > Paakea Road (Route 8755)	County	0.000	1.470	5		Urban					1.470	
8743	Haleakala Avenue : Farrington Highway (Route 93) > Nanakuli Avenue (Route 8744)	County	0.000	1.380	5		Urban					1.380	
8744	Nanakuli Avenue : Farrington Highway (Route 93) > Haleakala Avenue (Route 8743)	County	0.000	1.340	5		Urban					1.340	
8750	Kaukama Road : Farrington Highway (Route 93) > Pakeke Street	County	0.000	0.820	6		Urban						0.820
8755	Maililiii Road/Paakea Road : Farrington Highway (Route 93) > Hakimo Road (Route 8741)	County	0.000	2.700	6		Urban						2.700
8755	Maililiii Road/Paakea Road : Hakimo Road (Route 8741) > Lualualei Naval Road	County	2.700	3.028	6		Urban						0.328

**City and County of Honolulu Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
8760	Makaha Valley Road : Farrington Highway (Route 93) > Lahaina Street	County	0.000	0.100	5		Urban					0.100	
8810	Makakilo Drive : H-1 (Makakilo Interchange) > H-1 (Kualakai Parkway interchange)	County	0.000	3.370	4		Urban				3.370		
8815	Palailai Street/Nohohale Street : Makakilo Drive (SE junction) > Makakilo Dr (NW junction) (Route 8810)	County	0.000	1.210	6		Urban						1.210
8905	Koio Drive : Aliinui Drive (Route 8910) > Farrington Highway (Route 93)	County	0.000	0.490	6		Urban						0.490
8910	Aliinui Drive : Farrington Highway (Route 93) > Koio Drive (Route 8905)	County	0.000	1.690	5		Urban					1.69	
8915	Kamokila Boulevard : Farrington Highway (Route 9107) > Roosevelt Avenue (Route 8940)	County	0.000	0.916	4		Urban				0.916		
8918	Wakea Street : Kapolei Parkway (Route 8920) > Kamokila Boulevard (Route 8915)	County	0.000	0.477	6		Urban						0.477
8918	Wakea Street : Kamokila Boulevard (Route 8915) > Farrington Highway (Route 93)	County	0.477	0.593	4		Urban				0.116		
8920	Kapolei Parkway : Aliinui Drive (Route 8910) > Papipi Road	County	0.000	7.770	4		Urban				7.770		
8925	Kealanani Avenue : Farrington Highway (Route 9107) > Kamaaha Loop	County	0.000	0.580	5		Urban					0.580	
8930	Kualakai Parkway : H-1 > Kapolei Parkway (Route 8920)	State	0.000	2.470	3	Yes	Urban			2.470			
8930	Kualakai Parkway : Kapolei Parkway (Route 8920) > Roosevelt Avenue (Route 8940)	State	2.470	2.870	4		Urban				0.400		
8940	Franklin D Roosevelt Avenue : Geiger Road (Route 7140) > Kamokila Boulevard (Route 8915)	State	0.000	3.300	6		Urban						3.300
8945	Enterprise Avenue : Franklin D Roosevelt Avenue (Route 8940) > Midway Street	State	0.000	0.980	6		Urban						0.980
8955	Coral Sea Road : Franklin D Roosevelt Avenue (Route 8940) > Barbers Point Air Station Gate	County	0.000	2.690	6		Urban						2.690

**City and County of Honolulu Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
9107	Farrington Highway : West access to Old Fort Weaver Road > Kamokila Boulevard (Route 8915)	County	0.000	4.070	4		Urban				4.070		
9262	Waialua Beach Road : Weed Junction > Crozier Loop	County	0.000	2.530	5		Urban					2.530	
9263	Haleiwa Road : Kamehameha Highway (Route 8300) > Waialua Beach Road (Route 9262)	County	0.000	1.600	5		Urban					1.600	
9265	Goodale Avenue : Waialua Beach Road (Route 9262) > Farrington Highway (Route 930)	County	0.000	0.860	5		Urban					0.860	
9270	Puuiki Street : Farrington Highway (Route 930) > Kealohanui Street	County	0.000	0.500	6		Urban						0.500
9274	Paalaa Road : Kamehameha Highway (Route 8300) > Haleiwa Road (Route 9263)	County	0.000	0.770	6		Urban						0.770
9275	Kuoha Street : Waialua Beach Road (Route 9262) > Kukea Circle	County	0.000	0.290	6		Urban						0.290
9276	Komo Street : Waialua Beach Road (Route 9262) > Kauai Street	County	0.000	0.190	6		Urban						0.190
9280	Pupukea Road : Kamehameha Highway (Route 83) > Kanalani Place	County	0.000	2.300	6		Urban						2.300
9285	Pualalea Street : Kamehameha Highway (Route 83) > end of road	County	0.000	0.310	5		Urban					0.31	
H-1	H-1 : Farrington Highway (Route 93) > Ainakoa Avenue (Route 7941)	State	0.000	27.160	1	Yes	Urban	27.160					
H-2	H-2 : Beginning of connection with H-1 > Wilikina Drive (Route 99)	State	0.000	8.330	1	Yes	Urban	8.330					
H-201	H-201 : On ramp from H-1 (Halawa Interchange) > H-1 tunnel under King Street and Middle Street (Kahauki Interchange)	State	0.000	4.090	1	Yes	Urban	4.090					
H-3	H-3 : H-1 > End of Urban Boundary near North Halawa Stream	State	0.000	1.069	1	Yes	Urban	1.069					
H-3	H-3 : End of Urban Boundary near North Halawa Stream > Heeia Stream/Kaiwiikee Stream, 0.3 miles east of the Tetsuno Harano Tunnels	State	1.069	6.772	1	Yes	Rural	5.703					

**City and County of Honolulu Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes						
								Interstate	Freeway & Expressway	Arterial		Collector		
										Principal	Minor	Major	Minor	
H-3	H-3 : Heeia Stream/Kaiwiikee Stream, 0.3 miles east of the Tetsuno Harano Tunnels > Kaneohe Marine Corps Base Hawaii main gate	State	6.772	15.320	1	Yes	Urban	8.548						
HI12P	Barbers Point Deep Draft Harbor : Malakole Street (Route 95) > end of route	Port	0.000	0.200	3	Yes	Urban							
HI1A	Honolulu International Airport : Off ramp from H-1 > Terminal	Airport	0.000	2.000	1	Yes	Urban							
HI2P1	Honolulu Harbor : Forrest Avenue/Ala Moana Boulevard (Route 92) > Pier 1	Port	0.000	0.200	3	Yes	Urban							
HI2P18	Honolulu Harbor : Kukahi Street/Nimitz Highway (Route 92) > Pier 18	Port	0.000	0.100	3	Yes	Urban							
HI2P51	Honolulu Harbor : Sand Island Access Road (Route 64) > Pier 51	Port	0.000	0.100	3	Yes	Urban							
HI2P52	Honolulu Harbor : Pier 51 > Pier 52	Port	0.000	0.100	3	Yes	Urban							

**County of Maui Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
30	High Street/Honoapiilani Highway: Main Street (Route 32) > 0.6 mil west of Maalaea Bay Place (road near Malalowaiaole Gulch )	State	0.000	7.456	3	Yes	Urban			7.456			
30	Honoapiilani Highway: 0.6 mil west of Maalaea Bay Place (road near Malalowaiaole Gulch ) > 0.4 miles south of Kai Hele Ku Street	State	7.456	17.876	3	Yes	Rural			10.420			
30	Honoapiilani Highway : 0.4 miles south of Kai Hele Ku Street > Front Street (Route 3010)	State	17.876	19.900	3	Yes	Urban			2.024			
30	Honoapiilani Highway : Front Street (Route 3010) > Napilihau Street (Route 3090)	State	19.900	29.230	4		Urban				9.330		
30	Honoapiilani Highway : Napilihau Street (Route 3090) > Near Honokahua Stream	State	29.230	30.697	5		Urban					1.467	
30	Honoapiilani Highway : Near Honokahua Stream > Lower Honoapiilani Road	State	30.697	31.126	5		Rural					0.429	
30	Honoapiilani Highway/ Kahekili Highway : Lower Honoapiilani Road > 0.17 miles east of Plantation Estates Drive	State	31.126	31.396	5		Urban					0.270	
30	Honoapiilani Highway/ Kahekili Highway : 0.17 miles east of Plantation Estates Drive > End of state route (0.35 mi east of Papanahoa Stream Bridge (bridge #009000300304184)	State	31.396	41.840	5		Rural					10.444	
31	Piilani Highway : Mokulele Highway (Route 311) > 0.6 miles south of Wailea Ike Drive	State	0.000	7.149	3	Yes	Urban			7.149			
32	West Main Street/Kaahumanu Avenue : High Street (Route 30) > Hobron Avenue (Route 32A)	State	0.000	2.848	3	Yes	Urban			2.848			
36	Hana Highway : Kaahumanu Avenue (Route 32)> Haleakala Highway (Route 37)	State	0.000	2.920	3	Yes	Urban			2.920			
36	Hana Highway : Haleakala Highway (Route 37) > Spreckelsville Road	State	2.920	4.350	4		Rural				1.430		
36	Hana Highway : Spreckelsville Road > Holomua Road	State	4.350	8.350	4		Urban				4.000		
36	Hana Highway : Holomua Road > Start of Urban Boundary near Maliko Bay	State	8.350	10.100			Rural				1.750		

**County of Maui Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
36	Hana Highway : Start of Urban Boundary near Maliko Bay > Kaupakalua Road (Route 365)	State	10.100	16.214			Urban				6.114		
37	Haleakala Highway/Kula Highway : Hana Highway (Route 36) > Kalialinui Bridge (#009000370301383)	State	0.000	9.400	3	Yes	Urban			9.400			
37	Kula Highway : Kalialinui Bridge (#009000370301383) > Kekaulike Avenue (Route 377)	State	9.400	14.250	4		Urban				4.850		
37	Kula Highway : Kekaulike Avenue (Route 377) > Near Kekaulike Avenue at the end of urban boundary	State	14.250	14.260	5		Urban					0.010	
37	Kula Highway : Near Kekaulike Avenue at the end of urban boundary > Kealakapu Road	State	14.260	18.820	5		Rural					4.560	
37	Kula Highway : Kealakapu Road > Old Makena Road	State	18.820	21.344	5		Urban					2.524	
303	Puukoolii Road : Honoapiilani Highway (Route 30) > Lahaina Bypass (Route 3000)	County	0.000	0.800	5		Urban					0.800	
310	North Kihei Road : Honoapiilani Highway (Route 30) > Mokulele Highway (Route 311)	State	0.000	3.600	4		Urban				3.600		
311	Puunene Avenue/Mokulele Highway : Kuihelani Highway (Route 380) > Piilani Highway (Route 31)	State	0.000	6.410	3	Yes	Urban			6.410			
340	Kahekili Highway : Waiehu Beach Road (Route 3400)> Waihee Bridge (#009003400500233)	State	0.000	2.310	5		Urban					2.310	
340	Kahekili Highway : Waihee Bridge (#009003400500233) > Camp Maluhia entrance	State	2.310	4.290	5		Rural					1.980	
340	Kahekili Highway : Camp Maluhia entrance > 0.35 miles east of Papanahoa Bridge (#009000300304184)	County	4.290	13.770	6		Rural						9.480
360	Hana Highway : Kaupakalua Road (Route 365) > Kapipi Gulch near Urban Boundary	State	0.000	0.460	5		Urban					0.460	
360	Hana Highway/Keawa Place : Kapipi Gulch near Urban Boundary > Wharf at Hāna Bay	State	0.460	34.930	5		Rural					34.470	

**County of Maui Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes						
								Interstate	Freeway & Expressway	Arterial		Collector		
										Principal	Minor	Major	Minor	
365	Makawao Avenue : Old Haleakala Highway (Route 367) > Kokomo Road (Route 366)	County	0.000	3.200	5		Urban						3.200	
365	Kaupakalua Road : Kokomo Road (Route 366) > Hana Highway (Route 36)	County	3.200	8.560	6		Urban							5.360
366	Haiku Road / Kokomo Road: Hana Highway (Route 36) > Makawao Avenue (Route 365)	County	0.000	5.560	5		Urban						5.560	
367	Old Haleakala Highway : Haleakala Highway (Route 37) > Kula Highway (Route 37)	County	0.000	1.860	5		Urban						1.860	
371	Haliimaile Road : Haleakala Highway (Route 37) > 0.32 miles north of Kailua Road	County	0.000	1.020	6		Rural							1.020
371	Haliimaile Road : 0.32 miles north of Kailua Road > Baldwin Avenue (Route 390)	County	1.020	2.620	6		Urban							1.600
374	Kihei-Upcounty Maui Highway : Piilani Highway (Route 31) > Kihei Urban Boundary	State	0.000	2.870	4		Urban					2.870		
374	Kihei-Upcounty Maui Highway : Kihei Urban Boundary > Start of Urban Boundary near Kauhikoa Ditch	State	2.870	8.400	4		Rural					5.530		
374	Kihei-Upcounty Maui Highway : Start of Urban Boundary near Kauhikoa Ditch> Haleakala Highway (Route 37)/Haliimaile Road (Route 371)	State	8.400	9.800	4		Urban					1.400		
377	Haleakala Highway/Kekaulike Avenue : Kula Highway (Route 37) > Kula Highway (Route 37)	State	0.000	9.170	5		Urban						9.170	
378	Haleakala Crater Road : Hakeakala Highway (Route 377) > Palena Place	State	0.000	0.100	5		Urban						0.100	
378	Haleakala Crater Road : Palena Place > Haleakala National Park boundary (at the cattle guard near the "End State Hwy Sign")	State	0.100	10.099	5		Rural						9.999	
380	Dairy Road : Haleakala Highway (Route 36A) > Puunene Avenue (Route 3500)	State	0.000	0.960	5		Urban						0.960	
380	Kuihelani Highway : Puunene Avenue (Route 3500) > Honoapiilani Highway (Route 30)	State	0.960	6.180	3	Yes	Urban			5.220				
390	Baldwin Avenue : Hana Highway (Route 36) > End of urban boundary	County	0.000	2.000	5		Urban						2.000	

**County of Maui Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
390	Baldwin Avenue : End of urban boundary > Haliimaile Road (Route 371)	County	2.000	5.000	5		Rural					3.000	
390	Baldwin Avenue : Haliimaile Road (Route 371) > Makawao Avenue (Route 365)	County	5.000	6.940	5		Urban					1.940	
3000	Lahaina Bypass : Honoapiilani Highway S junction (Route 30) > 0.25 miles north of Launiupoko Stream	State	0.000	4.190	3	Yes	Urban			4.190			
3000	Lahaina Bypass : 0.25 miles north of Launiupoko Stream > Honoapiilani Highway N junction (Route 30)	State	4.190	8.950	3	Yes	Rural			4.760			
3010	Front Street : Honoapiilani Highway N Junction (Route 30) > Shaw Street (Route 3050)	County	0.000	1.970	5		Urban					1.970	
3010	Front Street : Shaw Street (Route 3050) > Honoapiilani Highway S Junction (Route 30)	County	1.970	2.670	6		Urban						0.700
3015	Wainee Street : Kenui Street (Route 3070) > Lahainaluna Road (Route 3040)	County	0.000	0.460	6		Urban						0.460
3020	Papalaua Street : Front Street (Route 3010) > Honoapiilani Highway (Route 30)	County	0.000	0.230	5		Urban					0.230	
3025	Kaniau Road/Ainakea Street : Honoapiilani Highway (Route 30) > Kapunakea Street (Route 3060)	County	0.000	0.920	6		Urban						0.920
3030	Dickenson Street : Front Street (Route 3010) > Honoapiilani Highway (Route 30)	County	0.000	0.270	6		Urban						0.270
3040	Lahainaluna Road : Front Street (Route 3010) > Lahainaluna School entry	County	0.000	1.630	5		Urban					1.630	
<b>3045</b>	Kuhua Street: Keawe Street (Route 3075) > Lahainaluna Road (Route 3040)	County	0.000	0.551	6		Urban						0.551
3050	Shaw Street : Front Street (Route 3010) > Honoapiilani Highway (Route 30)	County	0.000	0.200	6		Urban						0.200
3060	Kapunakea Street : Front Street (Route 3010) > Lahaina Bypass (Route 3000)	County	0.000	0.630	5		Urban					0.630	
3070	Kenui Street : Front Street (Route 3010) > Honoapiilani Highway (Route 30)	County	0.000	0.200	6		Urban						0.200
3075	Keawe Street : Honopiiilani Highway (Route 30) > Lahaina Bypass (Route 3000)	County	0.000	0.900	5		Urban					0.900	

**County of Maui Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes						
								Interstate	Freeway & Expressway	Arterial		Collector		
										Principal	Minor	Major	Minor	
3080	Lower Honoapiilani Road : Honoapiilani Highway (Route 30) > Napili Hau Street (Route 3090)	County	0.000	3.320	5		Urban						3.320	
3090	Napili Hau Street : Lower Honoapiilani Road (Route 3080) > Honoapiilani Highway (Route 30)	County	0.000	0.260	5		Urban						0.260	
3100	South Kihei Road : North Kihei Road (Route 310) > Okolani Drive (Route 3125)	County	0.000	6.220	5		Urban						6.220	
3115	Kenolio Road : Uwapo Road > Hoopili Akau Street	County	0.000	1.210	6		Urban							1.210
3115	North-South Connector/Liloa Drive: Hoopili Akau Street > Keonekai Road	County	1.210	4.910	5		Urban						3.700	
3115	North-South Connector/Ohina Street: Keonekai Road > Kilohana Road	County	4.910	5.460	6		Urban							0.550
3120	Kilohana Drive : Piilani Highway (Route 31) > South Kihei Road (Route 3100)	County	0.000	0.700	6		Urban							0.700
3125	Okolani Drive : Piilani Highway (Route 31) > South Kihei Road (Route 3100)	County	0.000	0.850	6		Urban							0.850
3130	Keonekai Road : Piilani Highway (Route 31) > South Kihei Road (Route 3100)	County	0.000	0.600	6		Urban							0.600
3135	Wailea Alanui Drive : Kilohana Drive (Route 3120) > Wailea Ike Drive (3137)	County	0.000	1.340	5		Urban						1.340	
3137	Wailea Ike Drive : Piilani Highway (Route 31) > Wailea Alanui Drive (Route 3135)	County	0.000	0.600	5		Urban						0.600	
3138	Alanui Ke Alii Drive: South Kihei Road (Route 3100) > Piilani Highway (Route 31)	County	0.000	0.500	6		Urban							0.500
3140	Kanani Road : Piilani Highway (Route 31) > South Kihei Road (Route 3100)	County	0.000	0.500	6		Urban							0.500
3150	Welakahao Road : South Kihei Road (Route 3100) > Piilani Highway (Route 31)	County	0.000	0.580	6		Urban							0.580
3160	Lipoa Street : Piilani Highway (Route 31) > South Kihei Road (Route 3100)	County	0.000	0.600	6		Urban							0.600
3165	Piikea Avenue: South Kihei Road (Route 3100) > Piilani Highway (Route 31)	County	0.000	0.600	5		Urban						0.600	
3170	Waipuilani Road : Piilani Highway (Route 31) > South Kihei Road (Route 3100)	County	0.000	0.600	6		Urban							0.600
3175	Kulanihakoi Street : Piilani Highway (Route 31) > South Kihei Road (Route 3100)	County	0.000	0.500	6		Urban							0.500

**County of Maui Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
3180	Waiale Road: Wells Street (Route 3830) > Kuikahi Drive (Route 3210)	County	0.000	1.100	5		Urban					1.100	
3180	Waiale Road: Kuikahi Drive (Route 3210) > Honoapiilani Highway (Route 30)	County	1.100	3.720	6		Urban						2.620
3185	E. Waiko Road : Honoapiilani (Route 30) > Waiale Road	County	0.000	0.420	5		Urban					0.420	
3185	E. Waiko Road: Waiale Road > Kuihelani Highway	County	0.420	1.304	5		Urban					0.884	
3190	Ohukai Road : Hoalike Street > South Kihei Road (Route 3100)	County	0.000	0.970	6		Urban						0.970
3200	West Main Street/Iao Valley Road : High Street (Route 30) > End of Urban Boundary	County	0.000	2.200	6		Urban						2.200
3200	West Main Street/Iao Valley Road : End of Urban Boundary > Iao Valley State Park	County	2.200	2.700	6		Rural						0.500
3210	Kuikahi Drive : South Alu Road > Waiale Road (Route 3180)	County	0.000	1.160	6		Urban						1.160
3210	Kuikahi Drive : Waiale Road (Route 3180) > Maui Lani Parkway (Route 3220)	County	1.160	1.766	6		Urban						0.606
<b>3220</b>	Maui Lani Parkway : Kuihelani Highway (Route 380) > Kaahumanu Avenue (Route 32)	County	0.000	2.770	5		Urban					2.770	
3231	Mahalani Street : Kaahumanu Avenue (Route 32) > Maui Lani Parkway (Route 3220)	County	0.000	0.600	5		Urban					0.600	
3231	Waiinu Road : Maui Lani Parkway (Route 3220) > Waiale Road (Route 3180)	County	0.600	1.180	5		Urban					0.580	
3400	Kahului Beach Road/Waiehu Beach Road : Kaahumanu Avenue (Route 32) > Kahekili Highway (Route 3405)	State	0.000	2.620	4		Urban				2.620		
3405	South Market Street/North Market Street : Wells Street (Route 3830) > Piihana Road	County	0.000	0.540	5		Urban					0.540	
3405	Kahekili Highway : Piihana Road > Waiehu Beach Road (Route 3400)	County	0.540	2.260	6		Urban						1.720
3410	Wahinepio Avenue : Kahului Beach Road (Route 3400) > Papa Avenue (Route 3910)	County	0.000	0.520	6		Urban						0.520

**County of Maui Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
3420	Kanaloa Avenue : Kaahumanu Avenue (Route 32) > Kahului Beach Road (Route 3400)	County	0.000	0.900	5		Urban					0.900	
<b>3430</b>	Imi Kala Street : Lower Main Street > Kahekili Highway (Route 3405)	County	0.000	0.850	6		Urban						0.850
3500	Puunene Avenue : Kaahumanu Avenue (Route 32) > Kuihelani Highway (Route 380)	State	0.000	1.110	3	Yes	Urban			1.110			
3600	Hansen Road: Mokulele Highway (Route 311) > Hana Highway (Route 36)	County	0.000	2.000	6		Urban						2.000
3610	Loha Street/Iolani Street : Old Haleakala Highway (Route 367) > End of Iolani Street	County	0.000	1.610	6		Urban						1.610
3620	Pukalani Street/Liholani Street : Old Haleakala Highway (Route 367) > Aina Lani Drive	County	0.000	1.400	6		Urban						1.400
3630	Makani Road : Old Haleakala Highway (Route 367) > Makawao Avenue (Route 365)	County	0.000	2.000	6		Urban						2.000
3700	Piilani Highway : Kula Highway (Route 37) > 0.02 miles south of Old Makena Road	County	0.000	0.020	6		Urban						0.020
3700	Piilani Highway : 0.02 miles south of Old Makena Road > Haleakala National Park boundary	County	0.020	28.800	6		Rural						28.780
3700	Piilani Highway/Hana Highway : Haleakala National Park boundary > Keawa Place (Route 360)	County	28.800	38.590	5		Rural					9.790	
3800	Mayor Elmer F. Cravalho Way: Lanui Circle > Puunene Avenue (Route 3500)	State	0.000	1.670	3	Yes	Urban			1.670			
3830	Wells Street : South High Street (Route 30) > Waiale Road (Route 3830)	County	0.000	0.440	6		Urban						0.440
3830	Waiale Road/Lower Main Street : Wells Street (Route 3830) > Waiehu Beach Road (Route 3400)	County	0.440	1.970	5		Urban					1.530	
3840	Mill Street : North Market Street (Route 3405) > East Main Street (Route 3830)	County	0.000	0.650	6		Urban						0.650
3910	Papa Avenue : Kaahumanu Avenue (Route 32) > Puunene Avenue (Route 3500)	County	0.000	2.560	5		Urban					2.560	

**County of Maui Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
3920	Wakea Avenue : Kaahumanu Avenue (Route 32) > Hana Highway (Route 36)	County	0.000	1.650	5		Urban					1.650	
3930	Hina Avenue : Wakea Avenue (Route 3920) > Papa Avenue (Route 3910)	County	0.000	0.800	6		Urban						0.800
3940	Kamehameha Avenue : Hana Highway (Route 36) > Papa Avenue (Route 3910)	County	0.000	1.750	6		Urban						1.750
3940	Kamehameha Avenue : Papa Avenue (Route 3910) > Maui Lani Parkway (Route 3220)	County	1.750	2.374	6		Urban						0.624
3945	Alamaha Street : Kamehameha Avenue (Route 3940) > Dairy Road (Route 380)	County	0.000	0.700	6		Urban						0.700
3950	Lono Avenue : Kaahumanu Avenue (Route 32) > Papa Avenue (Route 3910)	County	0.000	1.300	6		Urban						1.300
3960	Onehee Avenue : Wakea Avenue > Papa Avenue (Route 3910)	County	0.000	0.660	6		Urban						0.660
3970	Kea Street : Wakea Avenue (Route 3920) > Papa Avenue (Route 3910)	County	0.000	0.600	6		Urban						0.600
32A	Hobron Avenue : Hana Highway (Route 36) > Kahului Harbor gate	State	0.000	0.410	3	Yes	Urban			0.410			
32B	Wharf Street : Kaahumanu Avenue (Route 32) > Harbors Division lot Pier 2	State	0.000	0.170	3	Yes	Urban			0.170			
36A	Haleakala Highway/Keolani Place : Hāna Highway (Route 36) > Kahului Airport Boundary	State	0.000	0.500	4		Urban				0.500		
HI3A	Keolani Place : End of Route 36A > Terminal	Airport	0.000	1.500	4	Yes	Urban						
HI4P	Kahului Harbor : Hobron Avenue (Route 32A) > Ala Luina Street	Port	0.000	0.199	3	Yes	Urban						

**County of Maui Functional Classification Update**

**MOLOKAI**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
450	Kamehameha V Highway : Ala Malama Avenue > End of pavement	State	0.000	27.510	5		Rural					27.510	
460	Kaunakai Place / Maunaloa Highway : Beginning of State Route > End of State Route	State	0.000	16.560	5		Rural					16.560	
465	Airport Loop : Maunaloa Highway (east junction) > Maunaloa Highway (west junction)	State	0.000	2.130	5		Rural					2.130	
470	Kalae Highway : Maunaloa Highway (Route 460) > Kalaupapa lookout parking lot	State	0.000	5.790	5		Rural					5.790	
475	Lihī Pali Avenue/Puukapele Avenue : Farrington Highway (Route 480) > end of county route	County	0.000	4.060	6		Rural						4.060
480	Farrington Avenue/Puupeelua Avenue : Kalae Highway > Maunaloa Highway (Route 460)	State	0.000	3.660	5		Rural					3.660	

**LANAI**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
430	Fraser Avenue : Kaunalapau Highway (Route 440) > Caldwell Avenue	County	0.000	0.900	5		Rural					0.900	
435	Lanai Avenue : Kaunalapau Highway > End of County Route	County	0.000	1.000	5		Rural					1.000	
440	Kaunalapau Highway/Manele Road : Kaunalapau Harbor > Manele Road (Route 440)	State	0.000	13.180	5		Rural					13.180	
441	Airport Road : Airport terminal > Kaunalapau Highway (Route 440)	State	0.000	0.470	5		Rural					0.470	
442	Kaunalapau Highway : Manele Road (Route 440) > Near Fraser Avenue (Route 430)	State	0.000	0.030	5		Rural					0.030	
442	Kaunalapau Highway : Near Fraser Avenue (Route 430) > Lanai Avenue (Route 435)	County	0.030	0.200	5		Rural					0.170	

### County of Hawaii Functional Classification Update

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
11	Kanoiehua Avenue/Volcano Road : Kamehameha Avenue (Route 19) > Old Keaau-Pahoa Road (Route 139)	State	0.000	7.300	3	Yes	Urban			7.300			
11	Volcano Road/Mamalahoa Highway : Old Keaau-Pahoa Road (Route 139) > Kuaaina Road	State	7.300	9.121	4		Urban				1.821		
11	Volcano Road/Mamalahoa Highway : Kuaaina Road > 0.01 miles past Capt. Cook Village Road	State	9.121	109.220	4		Rural				100.099		
11	Mamalahoa Highway : 0.01 miles past Capt. Cook Village Road (end of state highway) > Alii Drive	County	109.220	110.000	3	Yes	Rural			0.780			
11	Mamalahoa Highway : Alii Drive > Old Mamalahoa Highway (Route 180)	County	110.000	113.690	3	Yes	Urban			3.690			
11	Kuakini Highway/Queen Kaahumanu Highway : Old Mamalahoa Highway (Route 180) > Palani Road (Route 190)	State	113.690	121.970	3	Yes	Urban			8.280			
19	Kuhio Street/Kalaniana'ole Street/Kamehameha Avenue : entrance to Kuhio Wharf > 0.14 miles north of Puu Moi Road (near Kalaoa Stream)	State	0.000	7.830	3	Yes	Urban			7.830			
19	Bay Front Highway/Hawaii Belt Road : 0.14 miles north of Puu Moi Road (near Kalaoa Stream) > 0.20 miles east of Old Mamalahoa Highway	State	7.830	51.820	3	Yes	Rural			43.990			
19	Hawaii Belt Road/Mamalahoa Highway/Lindsey Road/Kawaihae Road/Queen Kaahumanu Highway : 0.20 miles east of Old Mamalahoa Highway > Palani Road (Route 190)	State	51.820	99.590	3	Yes	Urban			47.770			
121	North Kulani Road : Volcano Road (Route 11) > Huina Road	County	0.000	1.600	6		Rural						1.600
122	Wright Road : Kilinoe Road > Volcano Road (Route 11)	County	0.000	1.220	6		Rural						1.220
130	Keaau-Pahoa Road : Volcano Road (Route 11) > Pahoa-Kapoho Road (Route 132)	State	0.000	12.140	4		Urban				12.140		
130	Pahoa-Kalapana Road : Pahoa-Kapoho Road (Route 132) > End of Urban Boundary 0.23 north of Oi Road	State	12.140	12.440	5		Urban					0.300	

### County of Hawaii Functional Classification Update

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/ Urban	2024 Mileage by Functional Classification Changes						
								Interstate	Freeway & Expressway	Arterial		Collector		
										Principal	Minor	Major	Minor	
130	Pahoa-Kalapana Road : End of Urban Boundary 0.23 north of Oi Road > End of route	State	12.440	21.639	5		Rural						9.199	
132	Pāhoā-Kapoho Road: Pāhoā-Keeau Road (Route 130) > .03 miles east of Nanawale Blvd	County	0.000	0.930	5		Urban						0.930	
132	Pahoa-Kapoho Road : .03 miles east of Nanawale Blvd > Kalapana Kapoho Road	County	0.930	7.730	5		Rural						6.800	
134	Pahoa Village Road : Keaau-Pahoa Road (Route 130) > Pahoa Kalapana-Road [through Pahoa town] (Route 130)	County	0.000	1.490	5		Urban						1.490	
135	Pohoiki Road : Pahoa-Kapoho Road (Route 132) > Kalapana Road-Kapoho Road (Route 137)	County	0.000	4.560	6		Rural							4.560
137	Kapoho Kalapana Road : Pahoa-Kapoho Road (Route 132) > Pahoa-Kalapana Road (Route 130)	County	0.000	15.060	6		Rural							15.060
138	Kahakai Boulevard : Keeau-Pahoa Road (Route 130) > Papio Street	County	0.000	5.900	5		Urban						5.900	
139	Old Keaau-Pahoa Road : Volcano Road (Route 11) > Keaau-Pahoa Road (Route 130)	State	0.000	1.190	5		Urban						1.190	
145	Kamani Street : Pikake Street > Mamalahoa Highway (Route 11)	County	0.000	0.500	6		Rural							0.500
155	Kamaoa Road : South Point Access Road (Route 150) > Mamalahoa Highway (Route 11)	County	0.000	3.980	6		Rural							3.980
160	Ke Ala O Keawe Road : Mamalahoa Highway (Route 11) > End of route	State	0.000	3.820	5		Rural						3.820	
161	Napoopoo Road : Puuhonua Road > Mamalahoa Highway (Route 11)	County	0.000	4.400	5		Urban						4.400	
163	Ke Ala O Keawe Road (City of Refuge spur) : Ke Ala O Keawe Road > Parking lot entrance	State	0.000	0.130	5		Rural						0.130	
164	Halekii Street : Mamao Street > Mamalahoa Highway (Route 11)	County	0.000	0.260	5		Urban						0.260	
180	Haawina Street/Mamalahoa Highway : Kuakini Highway (Route 11) > Mamalahoa Highway (Route 190)	County	0.000	9.140	4		Urban				9.140			

**County of Hawaii Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes						
								Interstate	Freeway & Expressway	Arterial		Collector		
										Principal	Minor	Major	Minor	
182	Lako Street : Kuakini Highway (Route 11) > End of route (future connection to Alii Drive)	County	0.000	0.490	6		Urban							0.490
184	Sunset Drive : Marlin Road > Kuakini Highway (Route 11)	County	0.000	0.320	6		Urban							0.320
185	Kamehameha III Road : Kuakini Highway (Route 11) > Manukai Street	County	0.000	1.760	5		Urban						1.760	
186	Palani Road/ Alii Drive: Kuakini Highway (Route 11) > Mamalahoa Bypass	County	0.000	7.060	5		Urban						7.060	
187	Walu Road : Akoni Drive > Kuakini Highway (Route 11)	County	0.000	0.600	6		Urban							0.600
188	Hualalai Road : Alii Drive (Route 186) > Queen Kaahumanu Highway (Route 11)	County	0.000	1.300	5		Urban						1.300	
189	Kaleiopapa Road : Ehukai Street > Alii Drive (Route 186)	County	0.000	0.250	6		Urban							0.250
190	Mamalahoa Highway : Lindsey Road (Route 19) > 0.20 miles after Lalamilo Road	County	0.000	1.200	4		Urban					1.200		
190	Mamalahoa Highway : 0.20 miles after Lalamilo Road > 0.31 miles after Waimea-Kohala Airport Road	State	1.200	2.020	4		Urban					0.820		
190	Mamalahoa Highway : 0.31 miles after Waimea-Kohala Airport Road > Makalei Golf Club	State	2.020	31.310	4		Rural					29.290		
190	Mamalahoa Highway : Makalei Golf Club > 0.02 Miles after Mamalahoa Highway (Route 180)	State	31.310	35.260	4		Urban					3.950		
190	Mamalahoa Highway : 0.02 miles after Mamalahoa Highway (Route 180) > 0.06 miles after Mamalahoa Highway (Route 180)	County	35.260	35.300	4		Urban					0.040		
190	Palani Road : 0.06 miles after Mamalahoa Highway (Route 180) > Kuakini Highway (Route 1100)	County	35.300	38.965	5		Urban						3.665	
191	Waikoloa Road : Mamalahoa Highway (Route 190) > 0.3 miles east of Paniolo Avenue	County	0.000	6.050	4		Rural					6.050		
191	Waikoloa Road : 0.3 miles east of Paniolo Avenue > Queen Kaahumanu Highway (Route 19)	County	6.050	11.930	4		Urban					5.880		

### County of Hawaii Functional Classification Update

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/ Urban	2024 Mileage by Functional Classification Changes						
								Interstate	Freeway & Expressway	Arterial		Collector		
										Principal	Minor	Major	Minor	
192	Hina Lani Street : Queen Kaahumanu Highway (Route 19) > Mamalahoa Highway (Route 190)	County	0.000	3.600	5		Urban						3.600	
196	Paniolo Avenue : Waikoloa Road (Route 191) > Hooke Street	County	0.000	1.640	5		Urban						1.640	
197	Kealakehe Parkway : Queen Kaahumanu Highway (Route 19) > Palani Road (Route 190)	State	0.000	2.800	4		Urban				2.800			
198	Kaiminani Drive : Mamalahoa Highway (Route 190) > Queen Kaahumanu Highway (Route 19)	County	0.000	3.620	5		Urban						3.620	
200	Saddle Road : Puainako Street > End of Urban Boundary near Flume Road	State	0.000	2.170	4		Urban				2.170			
200	Saddle Road : End of Urban Boundary near Flume Road > End of State section	State	2.170	35.360	4		Rural				33.190			
200	Daniel K. Inouye Highway : End of State section > Mamalahoa Highway (Route 190)	County	35.360	45.620	4		Rural				10.260			
200	Saddle Road : Mamalahoa Highway (Route 190) > start of Urban Boundary	State	45.620	50.920	4		Rural				5.300			
200	Saddle Road : Start of Urban Boundary > Queen Kaahumanu Highway (Route 19)	State	50.920	54.000	4		Urban				3.080			
210	Mauna Kea Access Road : Saddle Road (Route 200) > Observatory	State	0.000	14.860	6		Rural							14.860
220	Honomu Road/Old Mamalahoa Highway/Akaka Falls Road: Hawaii Belt Road (Route 19) > Akaka Falls entrance	State	0.000	3.770	6		Rural							3.770
222	Old Mamalahoa Highway : Hawaii Belt Road (NW junction) (Route 19) > Hawaii Belt Road (SE junction) (Route 19)	County	0.000	0.800	6		Rural							0.800
227	Lehua Street/Plumeria Street : Mamane Street (Route 240) > Hawaii Belt Road (Route 19)	County	0.000	0.660	5		Rural						0.660	
228	Pikake Street : Ohia Street > Hawaii Belt Road (Route 19)	County	0.000	0.410	6		Rural							0.410
240	Honokaa-Waipio Road/Mamane Street : Hawaii Belt Road (Route 19) > Lehua Street/Plumeria Street (Route 227)	State	0.000	1.500	5		Rural						1.500	

### County of Hawaii Functional Classification Update

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/ Urban	2024 Mileage by Functional Classification Changes						
								Interstate	Freeway & Expressway	Arterial		Collector		
										Principal	Minor	Major	Minor	
240	Honokaa-Waipio Road : Lehua Street/Plumeria Street (Route 227) > Waipio Valley lookout	State	1.500	9.620	6		Rural							8.120
250	Kohala Mountain Road : Kawaihae Road (Route 19) > Beginning of rural boundary	State	0.000	1.770	5		Urban						1.770	
250	Kohala Mountain Road/Hawi Road : Beginning of rural boundary > Akoni Pule Highway (Route 270)	State	1.770	19.280	5		Rural						17.510	
270	Kawaihae Road : Queen Kaahumanu Highway (Route 19) > Kawaihae Bridge (#001000270300326 )	State	0.000	1.360	3	Yes	Urban			1.360				
270	Kawaihae Road : Kawaihae Bridge (#001000270300326 ) > Akoni Pule Highway/Fork to Kawaihae Harbor	State	1.360	1.510	4		Urban				0.150			
270	Akoni Pule Highway : Akoni Pule Highway/Fork to Kawaihae Harbor > Niulii Bridge (#001002700502390)	State	1.510	25.390	4		Rural				23.880			
270	Akoni Pule Highway : Niulii Bridge (#001002700502390) > Pololu Valley entrance	State	25.390	27.020	5		Rural						1.630	
272	Kynnersley Road : Kohala Mountain Road (Route 250) > Akoni Pule Highway (Route 270)	County	0.000	2.320	6		Rural							2.320
1100	Kuakini Highway : Kaiwi Street (Route 1835) > Queen Kaahumanu Highway (Route 11)	County	0.000	3.080	5		Urban						3.080	
1110	Alii Highway/Parkway : Alii Drive (Route 186) > Queen Kaahumanu Highway (Route 11)	County	0.000	4.520	5		Urban						4.520	
1370	Kalaniana'ole Avenue : Kuhio Street > Pua Avenue	State	0.000	0.480	3	Yes	Urban			0.480				
1370	Kalaniana'ole Avenue : Pua Avenue > Lelewi Street	County	0.480	2.980	5		Urban						2.500	
1810	Nani Kailua Drive : Hienaloli Road > Queen Kaahumanu Highway (Route 11)	County	0.000	0.830	6		Urban							0.830
1830	Henry Street : Kuakini Highway (Route 1100) > Queen Kaahumanu Highway (Route 11)	County	0.000	0.350	5		Urban						0.350	

**County of Hawaii Functional Classification Update**

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes						
								Interstate	Freeway & Expressway	Arterial		Collector		
										Principal	Minor	Major	Minor	
1835	Kaiwi Street : Queen Kaahumanu Highway (Route 19) > Kuakini Highway (Route 1100)	County	0.000	0.520	5		Urban						0.520	
1880	Ane Keohokalole Highway : Palani Road (Route 190) > Kaiminani Drive (Route 198)	County	0.000	5.650	5		Urban						5.650	
1905	Kealakaa Street : Uluaoa Street > Palani Road (Route 190)	County	0.000	0.640	6		Urban							0.640
1910	Kamehameha Avenue : Waianuenue Avenue (Route 1950) > Pauahi Street (Route 19)	County	0.000	0.660	4		Urban					0.660		
1920	Kilauea Avenue : Ponahawai Street (Route 2730)> Kanoelehua Avenue (Route 11)	County	0.000	4.080	4		Urban					4.080		
1921	Kilauea Avenue : Ponahawai Street (Route 2730) > Keawe Street	County	0.000	0.070	4		Urban					0.070		
1921	Keawe Street : Kilauea Avenue (Route 1921) > Waianuenue Avenue (Route1950)	County	0.070	0.350	6		Urban							0.280
1925	Pauahi Street : Kamehameha Avenue (Route 19) > Kilauea Avenue (Route 1920)	County	0.000	0.300	5		Urban						0.300	
1930	Kinoole Street : Wailuku Drive (Route 2860) > Haihai Street (Route 2740)	County	0.000	3.910	4		Urban					3.910		
1940	Komohana Street : Waianuenue Avenue (Route 1950) > Ainaola Drive (Route 2750)	County	0.000	3.000	5		Urban						3.000	
1950	Waianuenue Avenue/Kaumana Drive/Saddle Road : Kamehameha Avenue (Route 1910) > Hilo Urban Boundary (0.16 miles before Ua Nahele St)	County	0.000	7.840	5		Urban						7.840	
1950	Kaumana Drive : Hilo Urban Boundary (0.16 miles before Ua Nahele St) > Saddle Road (Route 200)	County	7.840	8.480	5		Rural						0.640	
1960	Railroad Avenue : Leilani Street > Kahaopea Street	County	0.000	1.350	6		Urban							1.350
1970	Kamehameha Avenue/Silva Street : Railroad Avenue > Kalaniana'ole Street (Route 19)	State	0.000	0.930	6		Urban							0.930
2000	Puainako Street : Railroad Avenue (Route 1960) > Komohana Street (Route 1940)	State	0.000	2.180	5		Urban						2.180	
2000	Komohana Street/Puainako Street Extension: Puainako Street (Route 2000) > Kaumana Drive (Route 1950)	State	2.180	6.870	6		Urban							4.690

### County of Hawaii Functional Classification Update

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/Urban	2024 Mileage by Functional Classification Changes						
								Interstate	Freeway & Expressway	Arterial		Collector		
										Principal	Minor	Major	Minor	
2460	Kamamalu Street : Mamalahoa Highway (Route 19) > Hiiaka Street	County	0.000	0.680	6		Urban							0.680
2470	Lindsey Road : Hokuula Road > Kawaihae Road (Route 19)	County	0.000	0.290	6		Urban							0.290
2710	Stainback Highway : Hilo south Urban Boundary > Volcano Road (Route 11)	County	0.000	1.490	6		Urban							1.490
2720	Waianuenue Avenue : Kaumana Drive (Route 1950) > Akolea Road (Route 2850)	County	0.000	2.110	5		Urban						2.110	
2730	Ponahawai Street : Komohana Street (Route 1940) > Kamehameha Avenue (Route 1910)	County	0.000	1.110	6		Urban							1.110
2740	Haihai Street : Kilauea Avenue (Route 1920) > Kupulau Road	County	0.000	2.550	5		Urban						2.550	
2750	Ainaola Drive : Kawaihane Street (Route 2760)> Kupulau Road	County	0.000	2.150	5		Urban						2.150	
2760	Kawaihane Street/Kupulau Place : Kanoelehua Avenue (Route 11) > Kupulau Road	County	0.000	2.700	5		Urban						2.700	
2760	Kupulau Road: Kupulau Place (Route 2760) > Ainaola Drive (Route 2750)	County	2.700	3.900	6		Urban							1.200
2770	Iwalani Street : Haihai Street (Route 2740)> Puainako Street (Route 2000)	County	0.000	1.400	6		Urban							1.400
2770	Kawili Street/Manono Street : Puainako Street (Route 2000) > Kamehameha Avenue (Route 19)	County	1.400	3.750	5		Urban						2.350	
2790	Mohouli Street : Kilauea Avenue (Route 1920) > Komohana Street (Route 1940)	County	0.000	1.140	5		Urban						1.140	
2810	Kekuanao Street : Kanoelehua Avenue (Route 11) > Kilauea Avenue (Route 1920)	County	0.000	0.810	5		Urban						0.810	
2820	Lanikaula Street/Kumukoa Street : Kanoelehua Avenue (Route 11) > Mohouli Street (Route 2790)	County	0.000	1.810	5		Urban						1.810	
2840	Ainako Avenue/Lahi Street : Kaumana Drive (Route 1950) > Waianuenue Avenue (Route 2720)	County	0.000	1.500	6		Urban							1.500
2850	Akolea Road : Wainuenue Avenue (Route 2720) > Kaumana Drive (Route 1950)	County	0.000	1.880	6		Urban							1.880


### County of Hawaii Functional Classification Update

Route	Roadway Name & Extent	Jurisdiction	Begin MP	End MP	HPMS Code	NHS	Rural/ Urban	2024 Mileage by Functional Classification Changes					
								Interstate	Freeway & Expressway	Arterial		Collector	
										Principal	Minor	Major	Minor
2860	Wainaku Avenue/Wailuku Drive : Mamalahoa Highway (Route 19) > Kinoole Street (Route 1930)	County	0.000	1.800	5		Urban					1.800	
HI5A	Airport Road : Kanoelehua Avenue (Route 11) > Airport Road	Airport	0.000	2.460	3	Yes	Urban						
HI6P	Kuhio Street : Kalaniana'ole Street (harbor gates) (Route 1370) > Pier 1	Port	0.000	0.100	3	Yes	Urban						
HI7P1	Kawaihae Harbor : Kawaihae Road (Route 270) > End of Urban Boundary	Port	0.000	0.050	4	Yes	Urban						
HI7P1	Kawaihae Harbor : End of Urban Boundary > Pier 1 terminal	Port	0.050	0.180	4	Yes	Rural						
HI8A	Keahole Airport Road/Kupipi Street : Queen Kaahumanu Hwy (Route 19) > Keahole Airport Road	Airport	0.000	1.460	3	Yes	Urban						
TBD	Puna Makai Alternate Route : Railroad Avenue > 11th Avenue	County	0.000	5.250	5		Rural					5.250	



# Appendix J

## Federal-Aid Roadway Functional Classification Maps




## Federal-Aid Roadway Functional Classification County of Kaua'i

November 2024

### Legend

- Airports
  - Commercial Harbors
  - Roads
  - Urban Principal Arterial - Interstate
  - Urban Principal Arterial - Freeways/Expressways
  - Urban Principal Arterial - Other
  - Urban Minor Arterial
  - Urban Major Collector
  - Urban Minor Collector
  - Rural Principal Arterial - Interstate
  - Rural Principal Arterial - Other
  - Rural Minor Arterial
  - Rural Major Collector
  - Rural Minor Collector
- Proposed Roads
- Urban Principal Arterial - Other
  - Urban Minor Arterial
  - Urban Major Collector
  - Urban Minor Collector
  - Rural Minor Arterial
  - Rural Major Collector







**Federal-Aid Roadway  
Functional Classification  
County of Kaua'i  
Inset 1: Kekaha-Waimea-  
Hanapēpē-Kalaheo**

November 2024

**Legend**

- Airports
  - Commercial Harbors
  - Roads
  - Urban Principal Arterial - Interstate
  - Urban Principal Arterial - Freeways/Expressways
  - Urban Principal Arterial - Other
  - Urban Minor Arterial
  - Urban Major Collector
  - Urban Minor Collector
  - Rural Principal Arterial - Interstate
  - Rural Principal Arterial - Other
  - Rural Minor Arterial
  - Rural Major Collector
  - Rural Minor Collector
- Proposed Roads**
- Urban Principal Arterial - Other
  - Urban Minor Arterial
  - Urban Major Collector
  - Urban Minor Collector
  - Rural Minor Arterial
  - Rural Major Collector






**Federal-Aid Roadway  
Functional Classification  
County of Kaua'i  
Inset 2: Līhu'e-Wailua-Kapa'a**

November 2024

**Legend**

- Airports
  - Commercial Harbors
  - Roads
  - Urban Principal Arterial - Interstate
  - Urban Principal Arterial - Freeways/Expressways
  - Urban Principal Arterial - Other
  - Urban Minor Arterial
  - Urban Major Collector
  - Urban Minor Collector
  - Rural Principal Arterial - Interstate
  - Rural Principal Arterial - Other
  - Rural Minor Arterial
  - Rural Major Collector
  - Rural Minor Collector
- Proposed Roads
- Urban Principal Arterial - Other
  - Urban Minor Arterial
  - Urban Major Collector
  - Urban Minor Collector
  - Rural Minor Arterial
  - Rural Major Collector




## Federal-Aid Roadway Functional Classification City and County of Honolulu

November 2024

### Legend

- Airports
- Commercial Harbors
- Roads
- Urban Principal Arterial - Interstate
- Urban Principal Arterial - Freeways/Expressways
- Urban Principal Arterial - Other
- Urban Minor Arterial
- Urban Major Collector
- Urban Minor Collector
- Rural Principal Arterial - Interstate
- Rural Principal Arterial - Other
- Rural Minor Arterial
- Rural Major Collector
- Rural Minor Collector
- Proposed Roads**
- Urban Principal Arterial - Other
- Urban Minor Arterial
- Urban Major Collector
- Urban Minor Collector
- Rural Minor Arterial
- Rural Major Collector








**Federal-Aid Roadway  
Functional Classification  
City and County of Honolulu  
Inset 1: Pūpūkea**

November 2024

**Legend**

- Airports
- Commercial Harbors
- Roads
- Urban Principal Arterial - Interstate
- Urban Principal Arterial - Freeways/Expressways
- Urban Principal Arterial - Other
- Urban Minor Arterial
- Urban Major Collector
- Urban Minor Collector
- Rural Principal Arterial - Interstate
- Rural Principal Arterial - Other
- Rural Minor Arterial
- Rural Major Collector
- Rural Minor Collector
- Proposed Roads**
- Urban Principal Arterial - Other
- Urban Minor Arterial
- Urban Major Collector
- Urban Minor Collector
- Rural Minor Arterial
- Rural Major Collector








**Federal-Aid Roadway  
Functional Classification  
City and County of Honolulu  
Inset 2: Kapolei-'Ewa-  
Waipahu-Mililani**

November 2024

**Legend**

- Airports
  - Commercial Harbors
  - Roads
  - Urban Principal Arterial - Interstate
  - Urban Principal Arterial - Freeways/Expressways
  - Urban Principal Arterial - Other
  - Urban Minor Arterial
  - Urban Major Collector
  - Urban Minor Collector
  - Rural Principal Arterial - Interstate
  - Rural Principal Arterial - Other
  - Rural Minor Arterial
  - Rural Major Collector
  - Rural Minor Collector
- Proposed Roads**
- Urban Principal Arterial - Other
  - Urban Minor Arterial
  - Urban Major Collector
  - Urban Minor Collector
  - Rural Minor Arterial
  - Rural Major Collector






**Federal-Aid Roadway  
Functional Classification  
City and County of Honolulu  
Inset 3: Honolulu**

November 2024

**Legend**

- Airports
- Commercial Harbors
- Roads
- Urban Principal Arterial - Interstate
- Urban Principal Arterial - Freeways/Expressways
- Urban Principal Arterial - Other
- Urban Minor Arterial
- Urban Major Collector
- Urban Minor Collector
- Rural Principal Arterial - Interstate
- Rural Principal Arterial - Other
- Rural Minor Arterial
- Rural Major Collector
- Rural Minor Collector
- Proposed Roads**
- Urban Principal Arterial - Other
- Urban Minor Arterial
- Urban Major Collector
- Urban Minor Collector
- Rural Minor Arterial
- Rural Major Collector







**Federal-Aid Roadway  
Functional Classification  
City and County of Honolulu  
Inset 4: Kahalu'u-Kāne'ohe-Kailua**

November 2024

**Legend**

- Airports
- Commercial Harbors
- Roads
- Urban Principal Arterial - Interstate
- Urban Principal Arterial - Freeways/Expressways
- Urban Principal Arterial - Other
- Urban Minor Arterial
- Urban Major Collector
- Urban Minor Collector
- Rural Principal Arterial - Interstate
- Rural Principal Arterial - Other
- Rural Minor Arterial
- Rural Major Collector
- Rural Minor Collector
- Proposed Roads**
- Urban Principal Arterial - Other
- Urban Minor Arterial
- Urban Major Collector
- Urban Minor Collector
- Rural Minor Arterial
- Rural Major Collector


























## Federal-Aid Roadway Functional Classification County of Maui - Lāna'i and Moloka'i

November 2024

### Legend

-  Airports
-  Commercial Harbors
-  Roads
-  Urban Principal Arterial - Interstate
-  Urban Principal Arterial - Freeways/Expressways
-  Urban Principal Arterial - Other
-  Urban Minor Arterial
-  Urban Major Collector
-  Urban Minor Collector
-  Rural Principal Arterial - Interstate
-  Rural Principal Arterial - Other
-  Rural Minor Arterial
-  Rural Major Collector
-  Rural Minor Collector
- Proposed Roads**
-  Urban Principal Arterial - Other
-  Urban Minor Arterial
-  Urban Major Collector
-  Urban Minor Collector
-  Rural Minor Arterial
-  Rural Major Collector






## Federal-Aid Roadway Functional Classification County of Maui

November 2024

### Legend

- Airports
  - Commercial Harbors
  - Roads
  - Urban Principal Arterial - Interstate
  - Urban Principal Arterial - Freeways/Expressways
  - Urban Principal Arterial - Other
  - Urban Minor Arterial
  - Urban Major Collector
  - Urban Minor Collector
  - Rural Principal Arterial - Interstate
  - Rural Principal Arterial - Other
  - Rural Minor Arterial
  - Rural Major Collector
  - Rural Minor Collector
- Proposed Roads
- Urban Principal Arterial - Other
  - Urban Minor Arterial
  - Urban Major Collector
  - Urban Minor Collector
  - Rural Minor Arterial
  - Rural Major Collector








**Federal-Aid Roadway  
Functional Classification  
County of Maui  
Inset 1: Lahaina-Ka'anapali**

November 2024

**Legend**

- Airports
- Commercial Harbors
- Roads
- Urban Principal Arterial - Interstate
- Urban Principal Arterial - Freeways/Expressways
- Urban Principal Arterial - Other
- Urban Minor Arterial
- Urban Major Collector
- Urban Minor Collector
- Rural Principal Arterial - Interstate
- Rural Principal Arterial - Other
- Rural Minor Arterial
- Rural Major Collector
- Rural Minor Collector
- Proposed Roads**
- Urban Principal Arterial - Other
- Urban Minor Arterial
- Urban Major Collector
- Urban Minor Collector
- Rural Minor Arterial
- Rural Major Collector



























**Federal-Aid Roadway  
Functional Classification  
County of Maui  
Inset 2: Kahului-Wailuku**

November 2024

**Legend**

-  Airports
-  Commercial Harbors
-  Roads
-  Urban Principal Arterial - Interstate
-  Urban Principal Arterial - Freeways/Expressways
-  Urban Principal Arterial - Other
-  Urban Minor Arterial
-  Urban Major Collector
-  Urban Minor Collector
-  Rural Principal Arterial - Interstate
-  Rural Principal Arterial - Other
-  Rural Minor Arterial
-  Rural Major Collector
-  Rural Minor Collector
- Proposed Roads**
-  Urban Principal Arterial - Other
-  Urban Minor Arterial
-  Urban Major Collector
-  Urban Minor Collector
-  Rural Minor Arterial
-  Rural Major Collector



























**Federal-Aid Roadway  
Functional Classification  
County of Maui  
Inset 3: Pā'ia-Ha'ikū-Pa'uwela-Makawao**

November 2024

**Legend**

-  Airports
-  Commercial Harbors
-  Roads
-  Urban Principal Arterial - Interstate
-  Urban Principal Arterial - Freeways/Expressways
-  Urban Principal Arterial - Other
-  Urban Minor Arterial
-  Urban Major Collector
-  Urban Minor Collector
-  Rural Principal Arterial - Interstate
-  Rural Principal Arterial - Other
-  Rural Minor Arterial
-  Rural Major Collector
-  Rural Minor Collector
- Proposed Roads**
-  Urban Principal Arterial - Other
-  Urban Minor Arterial
-  Urban Major Collector
-  Urban Minor Collector
-  Rural Minor Arterial
-  Rural Major Collector






**Federal-Aid Roadway  
Functional Classification  
County of Maui  
Inset 4: Kīhei**

November 2024

**Legend**





















- Airports
- Commercial Harbors
- Roads
- Urban Principal Arterial - Interstate
- Urban Principal Arterial - Freeways/Expressways
- Urban Principal Arterial - Other
- Urban Minor Arterial
- Urban Major Collector
- Urban Minor Collector
- Rural Principal Arterial - Interstate
- Rural Principal Arterial - Other
- Rural Minor Arterial
- Rural Major Collector
- Rural Minor Collector
- Proposed Roads**
- Urban Principal Arterial - Other
- Urban Minor Arterial
- Urban Major Collector
- Urban Minor Collector
- Rural Minor Arterial
- Rural Major Collector





## Federal-Aid Roadway Functional Classification County of Hawai'i

November 2024

### Legend

-  Airports
-  Commercial Harbors
-  Roads
-  Urban Principal Arterial - Interstate
-  Urban Principal Arterial - Freeways/Expressways
-  Urban Principal Arterial - Other
-  Urban Minor Arterial
-  Urban Major Collector
-  Urban Minor Collector
-  Rural Principal Arterial - Interstate
-  Rural Principal Arterial - Other
-  Rural Minor Arterial
-  Rural Major Collector
-  Rural Minor Collector
- Proposed Roads**
-  Urban Principal Arterial - Other
-  Urban Minor Arterial
-  Urban Major Collector
-  Urban Minor Collector
-  Rural Minor Arterial
-  Rural Major Collector





**Federal-Aid Roadway  
Functional Classification  
County of Hawai'i  
Inset 1: Kailua-Kona**

November 2024

**Legend**

- Airports
- Commercial Harbors
- Roads
- Urban Principal Arterial - Interstate
- Urban Principal Arterial - Freeways/Expressways
- Urban Principal Arterial - Other
- Urban Minor Arterial
- Urban Major Collector
- Urban Minor Collector
- Rural Principal Arterial - Interstate
- Rural Principal Arterial - Other
- Rural Minor Arterial
- Rural Major Collector
- Rural Minor Collector
- Proposed Roads**
- Urban Principal Arterial - Other
- Urban Minor Arterial
- Urban Major Collector
- Urban Minor Collector
- Rural Minor Arterial
- Rural Major Collector



























**Federal-Aid Roadway  
Functional Classification  
County of Hawai'i  
Inset 2: Waimea**

November 2024

**Legend**

-  Airports
-  Commercial Harbors
-  Roads
-  Urban Principal Arterial - Interstate
-  Urban Principal Arterial - Freeways/Expressways
-  Urban Principal Arterial - Other
-  Urban Minor Arterial
-  Urban Major Collector
-  Urban Minor Collector
-  Rural Principal Arterial - Interstate
-  Rural Principal Arterial - Other
-  Rural Minor Arterial
-  Rural Major Collector
-  Rural Minor Collector
- Proposed Roads**
-  Urban Principal Arterial - Other
-  Urban Minor Arterial
-  Urban Major Collector
-  Urban Minor Collector
-  Rural Minor Arterial
-  Rural Major Collector





**Federal-Aid Roadway  
Functional Classification  
County of Hawai'i  
Inset 3: Hilo**

November 2024

**Legend**

- Airports
- Commercial Harbors
- Roads
- Urban Principal Arterial - Interstate
- Urban Principal Arterial - Freeways/Expressways
- Urban Principal Arterial - Other
- Urban Minor Arterial
- Urban Major Collector
- Urban Minor Collector
- Rural Principal Arterial - Interstate
- Rural Principal Arterial - Other
- Rural Minor Arterial
- Rural Major Collector
- Rural Minor Collector
- Proposed Roads**
- Urban Principal Arterial - Other
- Urban Minor Arterial
- Urban Major Collector
- Urban Minor Collector
- Rural Minor Arterial
- Rural Major Collector

